

NATIONAL SERVICE MANUAL

(Consolidated with REED MANUAL)

STARTING—LIGHTING—IGNITION

— EDITED BY —

JAMES ROLAND WRIGHT
Director Engineering Division

NATIONAL AUTOMOTIVE SERVICE
SAN FRANCISCO, CALIFORNIA

NATIONAL SERVICE MANUAL

(Consolidated with REED MANUAL)

COPYRIGHT 1929

ALL RIGHTS RESERVED IN FOREIGN COUNTRIES
NATIONAL AUTOMOTIVE SERVICE
San Francisco, California, U. S. A.

EDITED BY

JAMES ROLAND WRIGHT
Director Engineering Division

NATIONAL AUTOMOTIVE SERVICE
SAN FRANCISCO, CALIFORNIA

A PERPETUAL MAINTENANCE DATA SERVICE

The National Service Manual of Starting, Lighting and Ignition is being published to meet the need for complete and authoritative electrical equipment data in the servicing of automobiles.

The Manual contains (1) the wiring diagrams of all American automobiles built since 1915; (2) the explanations of these diagrams; (3) complete information and necessary instructions for the care, adjustment, "trouble shooting" and repair of the equipment.

By means of **LOOSE LEAF SUPPLEMENTS** the Manual is always **UP TO DATE**, and Manual owners are kept constantly apace with the new systems, devices and different types of equipment continually being installed on new car models. Supplements are furnished at a very nominal cost and notification is made when they are ready for distribution.

Grateful appreciation is acknowledged for the hearty co-operation and assistance accorded us by the Automobile and Equipment manufacturers, without which this valuable data could not be released.

FINDING INDEXES

Complete alphabetical indexes of all the Car Models and separate Units covered in this Manual appear on the following pages.

The Car Model index lists the page number on which the wiring diagram and complete data for each car is located and also indicates the Units installed on each particular model. Often some special detail of a car's electrical equipment is wanted quickly. This need has been most successfully met by a unique double page "cross reference" plan of indexing. Reading across each two opposite pages, all the separate equipment items of every individual car model are listed, making it possible to find everything instantly. Note: Whenever the data on a car model is not completed on one page, it is always carried over onto the opposite page, placing all the data on any car directly before the eyes.

There is, in this Manual, a vast array of maintenance data, but for practical usage it is not desirable to give separate treatment to all of the thousands of items covered in the Manual. Such facts are found included with the complete data on each individual Car Model, and the Equipment Index discloses their position in the Manual. The more typical equipment units and devices are given complete separate treatment. They are to be found in the EQUIPMENT SECTION and are listed in the Equipment Index with the key letter "S."

All the system, devices and different types of equipment covered in the Manual are listed alphabetically in the EQUIPMENT INDEX. It is common practice to send out for servicing, generators or starters that have been detached from cars. The Equipment Index instantly refers to the page on which the data covering the adjustment or repair of such units is found.

NOTE:—SEPARATE INDEXES for NEW CAR MODELS are issued with each Supplement.

ABBREVIATIONS

Allis-Chal.—Allis Chalmers
Am. Bosch.—American Bosch
At. Kent.—Atwater Kent
A. L.—Auto-Lite
Bosch Rush.—Bosch Rushmore
B. & S.—Briggs & Stratton
Cask. Dup.—Caskey Dupee

Conn.—Connecticut
C. H.—Cutler-Hammer
D. R.—Delco-Remy
D. W. L.—Detroit-Ward Leonard
G. D.—Gray & Davis
Leece-Nev.—Leece-Neville
N. E.—North East

O. D.—Owen Dyneto
P. O. L.—Prest-O-Lite
Rob. Myers.—Robbins-Myers
Sor. Man.—Soreng-Manegold
Split.-Apelco.—Splitdorf-Apelco
Ward. Leon.—Ward Leonard
Westing.—Westinghouse

* Asterisk indicates Unit not used as standard equipment.

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Edison	Mazda	Lamp	Numbers	
													Hed.	Aux.	Side	Dsh.-tail	Stop Dome
200	AJAX	1000 to 2331	1925-26		U.S.L.	3-HVX-5X	Neg.		B. & S.	39890	20	*	112	*	63	63	* 81
202	AJAX	2332 up	1926		U.S.L.	3-HVX-5X	Neg.		B. & S.	39890	20	*	111	*	63	63	* 81
204	ALLEN	35	1914-15		Willard	CWR-17	Neg.				15	*	8	*	63	63	* *
205	ALLEN	37	6000 to 15631	1916	Willard	SJWR-3	Pos.	Westing.	237571	15	*	8	81	*	63	*	*
205	ALLEN	Classic	6000 to 15631	1917	U.S.L.	3-CVX-5X	Pos.	Westing.	237571	15	*	8	81	*	63	*	*
207	ALLEN	41	18000 to 21000	1918-19	U.S.L.	3-CVX-5X	Neg.				15	*	8	81	*	63	*
206	ALLEN	43	50001 up	1920	U.S.L.	3-CVX-5X	Neg.		B. & S.	1460	15	*	1129	8	*	63	*
208	AMBASSADOR	D1	1925-26		Vesta	R6-DJ-13Y	Pos.	Delco	1276	*	Delco	1129	81	81	63	1129	*
209	AMERICAN	A	1 to 250	1917-18	Willard	SJWR-4	Pos.	Westing.	256992	20	*	87	81	*	61	*	*
210	AMERICAN	B	251 up	1919-20	Willard	SJWR-4	Pos.	Westing.	256992	15	*	1129	81	*	61	*	*
211	AMERICAN	C-6	3000 to 4000	1920-21	Willard	SJWR-3	Pos.	Conn.	96-12-Y	20	*	87	81	*	63	*	*
212	ANDERSON	18, 20	1918-21		Willard	SJWR-4	Pos.	Conn.	28-Y	20	*	1129	81	*	63	*	*
213	ANDERSON	30	331 up	1920	Willard	SJWR-3	Pos.	Remy	198-E	20	*	1129	*	*	63	*	*
213	ANDERSON	40	423 up	1921-22	Willard	SJRR-4	Pos.	Remy	198-E	20	*	1129	8	*	63	*	*
214	ANDERSON	41	41-179 up	1923-25	Willard	SJRR-4	Pos.	B. & S.	35750	15	*	1129	*	*	63	*	63
213	ANDERSON	50	50001 up	1923-25	Willard	SJRR-4	Pos.	Remy	198-E	20	*	1129	81	*	63	*	*
215	APPERSON	4-40, 6-45	8500 up	1915	Willard	SJWR-3	No				15	*	87	*	63	*	*
216	APPERSON	6-48	6000 to 10500	1915-17	Willard	SJWR-3	Pos.	Remy	148-A	10	*	1129	*	*	63	*	*
216	APPERSON	8-58	6000 to 10500	1915-17	Willard	SJWR-4	Pos.	Remy	148-A	10	*	1129	*	*	63	*	*
217	APPERSON	6-16	10501 to 12000	1916	Willard	SJWR-3	No	Remy	148-A	10	*	1129	*	*	63	*	*
217	APPERSON	8-16	12001 to 13000	1916	Willard	SJWR-4	No	Remy	148-A	10	*	1129	*	*	63	*	*
218	APPERSON	6-17	15000 to 16000	1917	Willard	SJWR-3	No	Remy	148-A	10	*	1129	*	*	63	*	*
218	APPERSON	8-17	16000-17000	1917	Willard	SJWR-4	No	Remy	148-A	10	*	1129	*	*	63	*	*
220	APPERSON	8-18	18000 to 19000	1918	Willard	SJWR-4	No	Remy	478-A	10	*	1129	81	*	63	*	*
219	APPERSON	8-18-A	12000 to 13000	'18-19	Willard	SJWR-4	Neg.	Remy	402-A	10	*	1129	81	*	63	*	*
220	APPERSON	8-20	19000 to 21702	1919-21	Willard	SJWR-4	No	Remy	478-A	10	*	1129	81	*	63	*	*
220	APPERSON	8-22	1922		Willard	SJWR-4	No	Remy	478-A	10	*	1129	81	*	63	*	*
221	APPERSON	6-23, 6-24	1000 to 1860	23-24	P-O-L	613-SHK	Neg.	Remy	471-E	10	*	1129	*	63	63	*	*
222	APPERSON	8-23, 24	30001 to 57999	23-24	P-O-L	613-SHK	Neg.	Bijur	T-161	*	*	1129	*	*	63	*	63
223	APPERSON	6-24, 6-25	1860 up	1924-25	P-O-L	613-SHK	Neg.	Remy	471-E	10	*	1129	*	63	63	*	63
224	APPERSON	6-25	65000 up	1925-26	P-O-L	613-SHK	Neg.	Remy	471-E	10	*	1129	*	63	63	*	63
225	APPERSON	Str. 8	85000 up	1925-26	P-O-L	613-SHK	Neg.	Remy	471-E	10	*	1129	*	63	63	*	63
226	AUBURN	6-40	1915		Exide	3-XC-15-1	Neg.	Delco	1050	*	Delco	8	81	*	63	*	*
227	AUBURN	6-40A	1916		Exide	3-XC-15-1	Neg.	Conn.	108-8-Y	20	*	87	81	*	63	*	*
228	AUBURN	6-40A	1916		Exide	3-XC-13-1	Neg.	Delco	1057, 1066	*	Delco	1119	81	81	63	*	*
227	AUBURN	6-44	1917-18		Exide	3-XC-13-1	Neg.	Conn.	108-8-Y	20	*	87	81	*	63	*	*
228	AUBURN	6-44	1917-18		Exide	3-XC-13-1	Neg.	Delco	1066, 1104	*	Delco	87	*	81	63	*	*
229	AUBURN	6-39H, K	1917-18		Willard	SJWR-3	Neg.	Remy	195-D	25	*	1129	81	*	63	*	*
230	AUBURN	6-39	1917-19		Willard	SJWR-3	Pos.	Remy	195-D	25	*	87	81	*	63	*	*
231	AUBURN	6-39A	1919		Willard	SJWR-4	Pos.	Remy	198-B	25	*	87	81	*	63	*	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page		
	Coil Model	Dist. Model		Make	Model	Make	Model							
Auto-Lite	IG-4061	IG-4110	B. & S.	39890	Auto-Lite	MP-4101	Auto-Lite	GTB-4004	CB-4007	1925-26	AJAX	200		
Auto-Lite	IG-4065	IG-4110	B. & S.	39890	Auto-Lite	MN-4108	Auto-Lite	GTA-4201	CB-4007	1926	AJAX	202		
Conn.			Conn.	E	Auto-Lite	M, MC	Auto-Lite	G, GA	Auto-Lite	1914-15	35	ALLEN	204	
Westing.	239272	239272	Westing.	237571	Westing.	318	Westing.	400R	245401	1916	37	ALLEN	205	
Westing.	239272	239272	Westing.	237571	Westing.	318	Westing.	450R	245400	1917	Classic	ALLEN	205	
Conn.			Conn.	K	Auto-Lite	MC	Auto-Lite	GA, GH	Auto-Lite	1918-19	41	ALLEN	207	
Conn.			Conn.	K	Auto-Lite	MG-1015	Auto-Lite	GJ-1024	Auto-Lite	1920	43	ALLEN	206	
Delco	2182	5278	Delco	1276	Delco	286, 313	Delco	301, 312	Delco	1925-26	DI	AMBASSADOR	208	
At. Kent			Westing.	256992	Westing.	711	Westing.	760	Westing.	1917-18	A	AMERICAN	209	
At. Kent	CC	CC	Westing.	256992	Westing.	100	Westing.	760	Westing.	1919-20	B	AMERICAN	210	
Conn.			Conn.	96-12-Y	Gray-Davis	515, 521	Gray-Davis	605, 19, 21	Gray-Davis	20-21	C-6	AMERICAN	211	
Remy	284-B	366-C	Conn.		Westing.	710-711	Westing.	760	Westing.	1918-21	18, 20	ANDERSON	212	
Remy	284-B	366-C	Remy	198-E	Remy	705-A	Remy	234-E	264-A, 264-B	1920	30	ANDERSON	213	
Remy	284-B	366-D	Remy	198-E	Remy	705-A	Remy	234-E	264-B	1921-22	40	ANDERSON	213	
Westing.	288761	303018	B. & S.	35750	Westing.	711	Westing.	36ATI	302210A	1923-25	41	ANDERSON	214	
Remy	284-B	366-D	Remy	198-E	Remy	722-A	Remy	913-B	264-B	1923-25	50	ANDERSON	213	
Eisemann Magneto					Bijur	A-37	Bijur	K-639	Bijur	1915	4-40, 6-45	APPERSON	215	
Remy	175-A	206-B	Remy	148-A	Westing.	318	Westing.	400-R	245401	1915-17	6-48	APPERSON	216	
Remy	285-D	206-A	Remy	148-A	Westing.	700	Westing.	308	240237	1915-17	8-58	APPERSON	216	
Delco	2199	5142	Remy	148-A	Bijur	E68	Bijur	L-61	Bijur	1916	6-16	APPERSON	217	
Remy	285-D	206-A	Remy	148-A	Bijur	E68	Bijur	L-61	Bijur	1916	8-16	APPERSON	217	
Remy	285-D	206-C	Remy	148-A	Bijur	E68	Bijur	L-61	Bijur	1917	6-17	APPERSON	218	
Remy	285-D	206-A	Remy	148-A	Bijur	E68	Bijur	L-61	Bijur	1917	8-17	APPERSON	218	
Remy	284-H	367-A	Remy	478-A	Bijur	ED-160	Bijur	L-61	Bijur	1918	8-18	APPERSON	220	
Remy	284-H	367A-B-C	Remy	402-A	Bijur	ED-160	Bijur	L-61	Bijur	1918-19	8-18A	APPERSON	219	
Remy	284-H	367-B	Remy	478-A	Bijur	ED-160	Bijur	L-220	Bijur	1919-21	8-20	APPERSON	220	
Remy	284-H	367-C	Remy	478-A	Bijur	ED-160	Bijur	L-220	Bijur	1922	8-22	APPERSON	220	
Remy	284-L	366-V	Remy	471-E	Remy	720-L	Remy	917-L	265-A	1923-24	6-23, 6-24	APPERSON	221	
Remy	284-H	367-C	Bijur	T-161	Bijur	ED-160	Bijur	L-220	Bijur	1923-24	8-23, 8-24	APPERSON	222	
Remy	284-P	626-J	Remy	471-E	Remy	720-G	Remy	917W	265-B	1924-25	6-24, 6-25	APPERSON	223	
Remy	284-P	626-P, 636-D	Remy	471-E	Remy	720-J	Remy	941-B	265-B	1925-26	6-25	APPERSON	224	
Remy	284-L	648-A	Remy	471-E	Remy	720-J	Remy	917-V	265-B	1925-26	Str. 8	APPERSON	225	
Delco	2111		Delco	1050	Delco	58	Delco	58	None	1915	6-40	AUBURN	226	
Conn.			Conn.	H	Auto-Lite	MC	Auto-Lite	GF	Auto-Lite	1916	6-40A	AUBURN	227	
Delco	2140, 2142	17029, 34	Delco	1057, 1066	Delco	73, 83	Delco	73, 83	None	1916	6-40A	AUBURN	228	
Conn.			Conn.	H	Auto-Lite	MC	Auto-Lite	GF	Auto-Lite	1917-18	6-44	AUBURN	227	
Delco	2142	17034	Delco	1066, 1104	Delco	83	Delco	83	None	1917-18	6-44	AUBURN	228	
Remy	284-C	216-A	Remy	195-D	Remy	292-A	Remy	168-F	245-H	60-A	1917-18	6-39H, K	AUBURN	229
Remy	284C, E	216-A	Remy	195-D	Remy	292-A	Remy	168E	245-D	60-A	1917-19	6-39	AUBURN	230
Remy	284-C	353-D	Remy	198-B	Remy	303-A	Remy	230-C	264-A	1919	6-39A	AUBURN	231	

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
									Model	Fuses	Breaker	Head	Aux.	Side Dsh.	-tail Stop	Dome
231	AUBURN	6-39H, 6-39K		1919	Willard	SJWR-4	Pos.	Remy	198-B	25	*	87	81	*	63	*
232	AUBURN	6-39A	22100 to 34116	1921	Willard	SJWR-3	Pos.	Remy	198-B	25	*	1129	81	*	63	*
232	AUBURN	6-51		1921-22	Exide	3-XC-15-1	Pos.	Remy	198-B	25	*	1129	81	*	63	*
233	AUBURN	6-43	50001 to 53999	1923-24	Exide	3-XC-13-1	Pos.	B. & S.	2260	20	*	1129	*	63	63	*
234	AUBURN	6-63	37000 to 38600	1923-24	Exide	3-XC-15-1	Pos.	Remy	472-G	20	*	1129	*	63	63	81
235	AUBURN	8-63	25-38575-25-39199	1925	U.S.L.	XY-15-X	Pos.	Remy	471-E	20	*	1129	81	*	63	*
236	AUBURN	4-44	26-70001 up	1925-26	U.S.L.	XY-13-X	Pos.	B. & S.	39720	20	*	1158	*	*	63	82
237	AUBURN	6-66	25-55500 up	1925-26	U.S.L.	XY-13-X	Pos.	B. & S.	39720	20	*	1158	*	*	63	81 82
238	AUBURN	8-88	25-39200 up	1925-26	U.S.L.	XY-15-X	Pos.	B. & S.	39720	20	*	1158	*	*	63	81 82
239	AUBURN	6-66A	2771501 up	1927	U.S.L.	XY-13-X-6	Pos.	B. & S.	39720	20	*	1158	*	*	63	81 82
240	AUBURN	8-77	2761001 up	1927	U.S.L.	XY-13-X-6	Pos.	B. & S.	39720	20	*	1158	*	*	63	81 82
242	AUBURN	8-88	2745601 up	1927	U.S.L.	XY-15-X-6	Pos.	B. & S.	39720	20	*	1158	*	*	63	81 82
244	AUBURN	76	2871500 up	1928	U.S.L.	XY-13-X-6	Pos.	Sor.Man.	360A	20	*	1158	*	*	63	87 81
246	AUBURN	88	2845600 up	1928	U.S.L.	XY-13-X-6	Pos.	Sor.Man.	360A	20	*	1158	*	*	63	87 81
248	AUBURN	115		1928	U.S.L.	XY-15-X-6	Pos.	Sor.Man.	360A	20	*	1158	*	81	63	87 81
250	BARLEY	Six		1922-23	P-O-L	611-SHK	Neg.	Delco	1172	*	Delco	1129	*	64	63-64	1129 *
251	BARLEY	Six		1923-24	P-O-L	611-SHK	Neg.	Delco	1244	*	Delco	1129	*	64	63-64	1129 *
252	BAY STATE	1	1000 to 1143	1922	Exide	3-XC-15-1	Neg.	Delco	1199	*	Delco	1129	63	*	63	* 64
253	BAY STATE	1, 2	1143 up	1923-25	Exide	3-XC-15-1	Neg.	Delco	1246	*	Delco	1129	63	63	63	* 64
254	BAY STATE	1 & 2	3000 up	1925-26	Exide	3-XC-15-1	Neg.	Am.Bosch	S-106	*	*	1129	81	*	63	* *
255	BAY STATE	3	3375 up	1925-26	Exide	3-XC-15-1	Neg.	Am.Bosch	S-106	*	*	1129	81	*	63	* *
256	BEGGS	20	1020 up	1920-25	Exide	3-XC-13-1	Neg.	Conn.	96-3-Y	10	*	1129	*	*	61	* *
257	BIDDLE	D	D300 up	1916-17	Exide	3-XC-13-2	Neg.	Westing.	225106	10	*	87	81	*	63	* *
258	BIDDLE	H	H100 up	1918-22	Willard	SJWR-3	Pos.			10	*	1129	81	*	63	* *
259	BOUR-DAVIS		1105 to 1134	1919	Willard	SJWR-4	Pos.			10	*	87	81	*	63	* *
260	BOUR-DAVIS	20	1 up	1920	Willard	SJWR-4	Pos.			10	*	87	81	*	63	* *
260	BOUR-DAVIS	21	2000 to 2096	1921-22	Willard	SJWR-4	Pos.			10	*	1129	81	*	63	* *
261	BREWSTER	41	41001 up	1917-20	U.S.L.	6-HVX-5X	Neg.	Cutler-Hammer		20	*	1143	67	*	63	* *
261	BREWSTER	02		1924-26	Exide	6-XX-13-1	Neg.	Cutler-Hammer		20	*	1143	67	*	63	* *
262	BRIGGS-DETR'ER	6-45		1916	Willard	SJWR-3	Neg.	Conn.	108-2-Y	*	*	1129	*	*	63	* *
263	BRISCOE	B-15	101 to 4000	1914-15	Willard	LWR-26	Neg.			15	*	1129	*	67	67	* *
S-79	BRISCOE	4-38	5001 to 8751	1916	Exide	6-XC-9-1	Neg.			15	*	87	*	*	63	* *
264	BRISCOE	8-38	5001 to 8751	1916	Exide	6-XC-9-1	Neg.	Remy	148-C	10	*	1129	*	*	63	* *
265	BRISCOE	4-24	15001 up	1917-18	P-O-L	613-SHK-2	Pos.	Conn.	108-1-Y	10	*	1129	*	*	63	* 63
266	BRISCOE	B-4-24	15001 up	1917-19	P-O-L	613-SHK-2	Pos.	Conn.	108-1-Y	10	*	1129	*	*	63	* *
267	BRISCOE	4-34	50000 up	1920-22	P-O-L	613-SHK-2	Pos.	Conn.	96-5-Y	20	*	1129	*	*	63	* *
268	BUICK	C-24, C-25	100000 up	1915	Exide	3-XC-15-2	Neg.	Delco	1048	*	Delco	87	*	*	63	* *
269	BUICK	C-36, C-37	100000 up	1915	Exide	3-XC-15-1	Neg.	Delco	1048	*	Delco	1129	*	*	63	* *
269	BUICK	C-54, C-55	100000 up	1915	Exide	3-XC-15-1	Neg.	Delco	1048	*	Delco	1129	*	*	63	* *
270	BUICK	D-44, D-45	144717 up	1916	Exide	3-XC-13-1	Neg.	Delco	1057	*	Delco	1129	81	*	63	* *

Make	IGNITION		Make	STARTER		Make	GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model		Switch Model	Make		Model	Make					
Remy	284-C	253-D	Remy	198-B	Remy	303-A	Remy	230-B, 234E	264A, B	1919	6-39H, 39K	AUBURN	231
Remy	284-B	366-C, D	Remy	198-B	Remy	705-A	Remy	913-A, B, C	264-B	1921	6-39A	AUBURN	232
Remy	284-B	366-D	Remy	198-B	Remy	705-D	Remy	913F	264-B	1921-22	6-51	AUBURN	232
Remy	284-C	366-N	B. & S.	2260	Remy	720-J	Remy	922-A	265-A	1923-24	6-43	AUBURN	233
Remy	284-P	626-H	Remy	472-G	Remy	720-J	Remy	917-R, J	265-A	1923-24	6-63	AUBURN	234
Remy	284-L	648-A	Remy	471-E	Remy	720-J	Remy	917-V	265-B	1925	8-63	AUBURN	235
Remy	284-L	366-T			Remy	714-A	Remy	941-Q	265-B	1925-26	4-44	AUBURN	236
Remy	284-A	636-D			Remy	720-J	Remy	941-D	265-B	1925-26	6-66	AUBURN	237
Remy	284-L	648-B			Remy	720-Q	Remy	941-D	265-B	1925-26	8-88	AUBURN	238
Delco-Remy	525-A	637-W			Delco-Remy	714-E	Delco-Remy	940-E	265-B	1927	6-66A	AUBURN	239
Delco-Remy	525-A	658-B			Delco-Remy	716-A	Delco-Remy	949-B	265-B	1927	8-77	AUBURN	240
Delco-Remy	525-A	658-A			Delco-Remy	720-Q	Delco-Remy	949-A	265-B	1927	8-88	AUBURN	242
Delco-Remy	525-C	641-A	Electrolock	5-A	Delco-Remy	716-C	Delco-Remy	949-C	265-B	1928	76	AUBURN	244
Delco-Remy	525-C	657-E	Electrolock	5-A	Delco-Remy	716-C	Delco-Remy	949-C	265-B	1928	88	AUBURN	246
Delco-Remy	525-A	657-D	Electrolock	5-A	Delco-Remy	718-A	Delco-Remy	949-A	265-B	1928	115	AUBURN	248
Delco	2159	17005	Delco	1172	Delco	240	Delco	241	Delco	1922-23	Six	BARLEY	250
Delco	2178	17002	Delco	1244	Delco	208	Delco	257	Delco	1923-24	Six	BARLEY	251
Delco	2159	5207	Delco	1199	Delco	181	Delco	165	Delco	1922	1	BAY STATE	252
Delco	2178	5256	Delco	1246	Delco	181	Delco	258	Delco	1923-25	1, 2	BAY STATE	253
Am.Bosch	TC-30	T-6210	Am.Bosch	S-106	Am.Bosch	942	Am.Bosch	1047	Am.Bosch	1925	1, 2	BAY STATE	254
Am.Bosch	TC-30	T-8202	Am.Bosch	S-106	Am.Bosch	942	Am.Bosch	1262	Am.Bosch	25-26	3	BAY STATE	255
Conn.			Conn.	96-3-Y	Auto-Lite	MH-1025	Auto-Lite	GJ	Auto-Lite	20-25	20	BEGGS	256
Eisemann or Simms			Westing.	225106	Westing.	318	Westing.	208	240237	1916-17	D	BIDDLE	257
Simms or Splitdorf					Gray-Davis	513	Gray-Davis	801	Gray-Davis	19-22	H	BIDDLE	258
Remy					Remy	303A	Remy	230-C	Remy	1919		BOUR-DAVIS	259
Westing.	288761	291373			Westing.	711	Westing.	760	262982E	1920	20	BOUR-DAVIS	260
Westing.	288761	291373			Westing.	711	Westing.	760	262982E	1921-22	21	BOUR-DAVIS	260
Berling	Magneto				U.S.L.	E-207	U.S.L.	E-207	U.S.L.	1917-20	41	BREWSTER	261
Berling	Magneto	ZR-4			U.S.L.	E-207	U.S.L.	E-207	U.S.L.	1924-26	02	BREWSTER	261
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GG	Auto-Lite	1916	6-45	BRIGGS-DETR'ER	262
Splitdorf	Magneto	EU-4-2			Splitdorf		Splitdorf			1914-15	B-15	BRISCOE	263
Conn.					Split-Apel		Split-Apel			1916	4-38	BRISCOE	S-79
Remy	285-B	203-C-L	Remy	148-C	Split-Apel		Split-Apel			1916	8-38	BRISCOE	264
Conn.			Conn.		Split-Apel	SU	Split-Apel	RGH		1917-18	4-24	BRISCOE	265
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GH	Auto-Lite	17-19	B-4-24	BRISCOE	266
Conn.	16		Conn.	M	Auto-Lite	MG-1013	Auto-Lite	GJ-1013	Auto-Lite	20-22	4-34	BRISCOE	267
Delco	2111		Delco	1048	Delco	56	Delco	56	None	1915	C-24, C-25	BUICK	268
Delco	2111		Delco	1048	Delco	51	Delco	51	None	1915	C-36, C-37	BUICK	269
Delco	2111		Delco	1048	Delco	52	Delco	52	None	1915	C-54, C-55	BUICK	269
Delco	2138	17036	Delco	1057	Delco	70	Delco	70	None	1916	D-44, D-45	BUICK	270

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
									Model	Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
270	BUICK	D-46,D-47	144717 up	1916	Exide	3-XC-13-1	Neg.	Delco	1057	*	Delco	1129	81	*	63	*
270	BUICK	D-54, D-55	144717 up	1916	Exide	3-XC-15-1	Neg.	Delco	1066	*	Delco	1129	81	*	63	*
272	BUICK	D-34, D-35	254501 up	1917	Exide	3-XC-13-1	Neg.	Delco	1075	*	Delco	1129	81	*	63	*
273	BUICK	E4-34,E4-35	343783 up	1918	Exide	3-XC-13-1	Neg.	Delco	1075	*	Delco	1129	81	*	63	*
274	BUICK	E6-44,E6-45	343783 up	1918	Exide	3-XC-13-1	Neg.	Delco	1103	*	Delco	1129	81	*	63	*
274	BUICK	H-44,H-45	480995 up	1919	Exide	3-XC-15-1	Neg.	Delco	1133	*	Delco	1129	81	*	63	*
274	BUICK	K-44,K-45	547524 up	1920	Exide	3-XC-15-1	Neg.	Delco	1158	*	Delco	1129	81	*	63	*
276	BUICK	21-6		1921	Willard	SJWR-4	Neg.	Delco	1159	*	Delco	1129	81	63	63	63
277	BUICK	22-4		1922	Exide	3-XC-13-1	Neg.	Delco	1214	*	Delco	1129	81	*	63	*
276	BUICK	22-6		1922	Exide	3-XC-15-1	Neg.	Delco	1159	*	Delco	1129	81	*	63	63
278	BUICK	23-4	826497 up	1923	Exide	3-XC-13-1	Neg.	Delco	1234	*	Delco	1129	81	*	63	*
279	BUICK	23-6	851002 up	1923	Exide	3-XC-15-1	Neg.	Delco	1233	*	Delco	1129	*	63	63	*
278	BUICK	24-4	1064365 up	1924	Exide	3-XC-13-1	Neg.	Delco	1234	*	Delco	1129	81	*	63	81
279	BUICK	24-6	1064365 up	1924	Exide	3-XC-15-1	Neg.	Delco	1252	*	Delco	1129	*	63	63	*
279	BUICK	25-6	1249865 up	1925	Exide	3-XC-15-1	Neg.	Delco	1253	*	Delco	1129	*	63	63	*
280	BUICK	Stand. 6	1308518 up	1925	Exide	3-XC-13-1	Neg.	Delco	1234	*	Delco	1129	*	63	63	63
282	BUICK	Stand. 6	1398244 up	1926-27	Exide	3-XC-13-1	Neg.	Delco-Remy	1288	*	Del.-Rem.	1110	*	63	63-64	*
282	BUICK	Mstr. 6	1412093 up	1926-27	Exide	3-XC-15-1	Neg.	Delco-Remy	1289	*	Del.-Rem.	1110	*	63	63-64	*
284	BUICK	115	1638800 up	1927	Exide	3-XC-13-1G	Neg.	Delco-Remy	1288	*	D.R.5753	1110	*	63	63	*
284	BUICK	120	1661435 up	1927	Exide	3-XC-15-1G	Neg.	Delco-Remy	1289	*	D.R.5753	1110	*	63	63	*
284	BUICK	128	1677210 up	1927	Exide	3-XC-15-1G	Neg.	Delco-Remy	1312	*	D.R.5753	1110	*	63	63	*
286	BUICK	115	1888911 up	1928	Exide	3-XC-13-1G	Neg.	Delco-Remy	484-A	*	D.R.410-A	1110	*	63	63	87
286	BUICK	120	1911026 up	1928	Exide	3-XC-15-1G	Neg.	Delco-Remy	484-A	*	D.R.410-A	1110	*	63	63	87
286	BUICK	128	1921026 up	1928	Exide	3-XC-15-1G	Neg.	Delco-Remy	484-A	*	D.R.410-A	1110	*	63	63	87
288	CADILLAC	40	61006 up	1912	Exide		No			*	*	87	*	*	61	*
289	CADILLAC		75001 up	1913	Exide		No			*	*	87	*	81	63	*
290	CADILLAC	A-1 to A-5008		1914	Exide	3-PHC-13-2	Pos.	Delco	1035, 1042	*	Del.5692	1129	*	81	61	*
291	CADILLAC	51	A-6000 up	1915	Exide	3-PHC-13-2	Pos.	Delco	1045	*	Del.5695	1129	*	81	61	*
292	CADILLAC	53	A-20,000 up	1916	Exide	3-PHC-13-2	Pos.	Delco	1062, 1069	*	Del.5705	1129	*	81	61	*
293	CADILLAC	55, 57	55-A1 up	1917-19	Exide	3-PHC-13-2	Pos.	Delco	1099	*	Del.5705	1129	*	81	61	*
294	CADILLAC	59	59-A1 up	1920-21	Exide	3-LXRV-15-2	Pos.	Delco	1150	*	Del.5742	1129	*	63	61	63
295	CADILLAC	61	61-A1 up	1922	Exide	3-LXRV-15-2	Pos.	Delco	1205	*	Del.5749	1129	81	81	61	*
296	CADILLAC	V-63		1923-25	Exide	3-LXRV-15-2G	Pos.	Delco	1250-60-72	*	Del.5759	1129	*	63	61	1129
298	CADILLAC	314	100,001 up	1926	Exide	3-LXRV-15-2G	Pos.	Delco	1287	*	Del.5767	1110	63	*	63	1129
300	CADILLAC	314	133,001 up	1926	Exide	3-LXRV-15-2G	Pos.	Delco	1303	*	Del.5767	1110	63	*	63	1129
302	CADILLAC	314	141,001 up	1927	Exide	3-LXRV-15-2G	Pos.	Delco-Remy	1303	*	D.R.5767	1110	63	*	63	1129
304	CADILLAC	341	3-00001 up	1927	Exide	3-LXRV-15-2G	Pos.	Delco-Remy	1313	*	D.R.5759	1110	63	63	63	87
304	CADILLAC	341-A		1928	Exide	3-LXRV-15-2G	Pos.	Delco-Remy	1313	*	D.R.5759	1110	*	63	63	87
306	CASE	T	28341 to 31350	1915-16	Willard	SJWR-3	Pos.	Westing.	235180	20	*	1129	*	*	63	*
307	CASE	T	31351 to 32354	1917	Willard	SJWR-3	Neg.			*	*	1129	81	*	63	*

Make	IGNITION		Make	STARTER		Make	GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model		Switch Model	Make		Model	Make					
Delco	2138	17036	Delco	1057	Delco	70	Delco	70	None	1916	D-46,D-47	BUICK	270
Delco	2138	17029	Delco	1066	Delco	69	Delco	69	None	1916	D-54,D-55	BUICK	270
Delco	2138	17032-3	Delco	1075	Delco	94	Delco	94	None	1917	D34, D35	BUICK	272
Delco	2157	17038	Delco	1075	Delco	121	Delco	121	None	1918	E4-34,E4-35	BUICK	273
Delco	2157	17035	Delco	1103	Delco	117	Delco	117	None	1918	E6-44,E6-45	BUICK	274
Delco	2157	17035	Delco	1133	Delco	117	Delco	117	None	1919	H-44,H-45	BUICK	274
Delco	2157	17035	Delco	1158	Delco	117	Delco	117	None	1920	K-44,K-45	BUICK	274
Delco	2159	17037	Delco	1159	Delco	184	Delco	184	None	1921	21-6	BUICK	276
Delco	2159	17004	Delco	1214	Delco	231	Delco	231	None	1922	22-4	BUICK	277
Delco	2159	17037	Delco	1159	Delco	184	Delco	184	None	1922	22-6	BUICK	276
Delco	2159	17004	Delco	1234	Delco	231, 236	Delco	231, 236	None	1923	23-4	BUICK	278
Delco	2176	17006	Delco	1233	Delco	249	Delco	249	None	1923	23-6	BUICK	279
Delco	2176	17004	Delco	1234	Delco	251	Delco	251	None	1924	24-4	BUICK	278
Delco	2176	17007	Delco	1252	Delco	268	Delco	268	None	1924	24-6	BUICK	279
Delco	2176	17007	Delco	1253	Delco	268	Delco	268	None	1925	25-6	BUICK	279
Delco	2176	17007	Delco	1234	Delco	283	Delco	283	None	1925	Stand. 6	BUICK	280
Delco-Remy	2188	17046	Delco-Remy	1288	Delco-Remy	316	Delco-Remy	317	5766	1926-27	Stand. 6	BUICK	282
Delco-Remy	2188	17046	Delco-Remy	1289	Delco-Remy	316	Delco-Remy	317	5766	1926-27	Master 6	BUICK	282
Delco-Remy	2188	16605	Delco-Remy	1288	Delco-Remy	316	Delco-Remy	940-D	265-B	1927	115	BUICK	284
Delco-Remy	2188	16605	Delco-Remy	1289	Delco-Remy	316	Delco-Remy	940-D	265-B	1927	120	BUICK	284
Delco-Remy	2188	16605	Delco-Remy	1312	Delco-Remy	316	Delco-Remy	940-D	265-B	1927	128	BUICK	284
Delco-Remy	2188	640-A	Hershey		Delco-Remy	725-A	Delco-Remy	940-F	265-B	1928	115	BUICK	286
Delco-Remy	2188	640-A	Hershey		Delco-Remy	725-A	Delco-Remy	940-F	265-B	1928	120	BUICK	286
Delco-Remy	2188	640-A	Hershey		Delco-Remy	725-A	Delco-Remy	940-F	265-B	1928	128	BUICK	286
Delco	2092	5055			Delco	1	Delco	1	Delco	1912	40	CADILLAC	288
Delco	2093	5059			Delco	4	Delco	4	5602	1913		CADILLAC	289
Delco	2104	5105	Delco	1035, 1042	Delco	24	Delco	24	5686	1914	4	CADILLAC	290
Delco	2115		Delco	1045	Delco	44	Delco	44	None	1915	51	CADILLAC	291
Delco	2115	5150	Delco	1062-1069	Delco	78	Delco	78	None	1916	53	CADILLAC	292
Delco	2115	5166	Delco	1099	Delco	98	Delco	98	None	1917-19	55, 57	CADILLAC	293
Delco	2115	5206	Delco	1150	Delco	162	Delco	162	None	1920-21	59	CADILLAC	294
Delco	1205	5239	Delco	1250	Delco	98	Delco	98	None	1922	61	CADILLAC	295
Delco	2179A	5239	Delco	1250-1272	Delco	98	Delco	98	None	1923-25	V-63	CADILLAC	296
Delco	2189	5281	Delco	1287	Delco	314	Delco	315	Delco	1926	314	CADILLAC	298
Delco	2189	5281	Delco	1287	Delco	314	Delco	315	Delco	1926	314	CADILLAC	300
Delco-Remy	2195	4016	Delco-Remy	1285	Delco-Remy	349	Delco-Remy	370	Delco	1927	314	CADILLAC	302
Delco-Remy	2195	4032	Electrolock	5-B	Delco-Remy	382	Delco-Remy	384	266-N	1927	341	CADILLAC	304
Delco-Remy	2195	4032	Electrolock	5-B	Delco-Remy	382	Delco-Remy	384	266-N	1928	341-A	CADILLAC	304
Westing.	236807	236807	Westing.	235180	Westing.	700	Westing.	450	234576	1915-16	T	CASE	306
Conn.					Auto-Lite	MD	Auto-Lite	GH	Auto-Lite	1917	T	CASE	307

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
									Model	Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
308	CASE	U	32355 to 34856	1918-19	Willard	SJWR-4	Pos.	Westing.	256993	20	*	1129	81	*	63	*
309	CASE	V	34860 up	1920-21	Willard	SJRR-4	Pos.	Delco	1152	*	Delco	1129	81	*	63	*
309	CASE	V		1922	Willard	SJRR-4	Pos.	Delco	1172	*	Delco	1129	81	*	63	*
310	CASE	X	39441 to 40807	1922-23	Willard	SJRR-5	Pos.	Delco	1196	*	Delco	1129	81	81	63	*
310	CASE	W	43860 to 44248	1923	Willard	SJRR-5	Pos.	Delco	1196	*	Delco	1129	81	81	63	*
311	CASE	X	40808 to 41387	1923-24	Willard	SJWR-4	Pos.	Delco	1246-1257	*	Delco	1129	*	63	63	*
311	CASE	X	41388 up	1925	Willard	SJWR-4	Pos.	Delco	1260	*	Delco	1129	*	63	63	*
311	CASE	J.I.C.	75011 to 75572	1925	Willard	SJRR-4	Pos.	Delco	1260	*	Delco	1129	*	63	63	*
312	CASE	J.I.C.	75573 up	1926-27	Willard	SJRR-4	Pos.	Delco	1260	*	Delco	1129	*	63	63	63
314	CASE	Y	44444 up	1925-27	Willard	SJRR-5	Pos.	Delco-Remy	1257	*	Del-Rem.	1129	*	*	63	81
316	CHALMERS	24	34500 to 38499	1914	U.S.L.	F-907-A	No	B. & S.	420	5	*	1129	81	*	63	*
316	CHALMERS	26, 29	38600 up	1915	U.S.L.	F-907-A	No	B. & S.	421	5	*	1146	*	*	72	*
316	CHALMERS	26C	45000 up	1916	U.S.L.	F-907-A	No	B. & S.	420	5	*	1146	*	*	72	*
317	CHALMERS	35A, 35B	55700 up	1916-17	U.S.L.	3-HVX-5X	Pos.	B. & S.	736	15	*	87	81	*	63	*
318	CHALMERS	35B	82,000 up	1916-17	Willard	SJWR-4	Pos.	B. & S.	736	15	*	87	81	*	63	*
317	CHALMERS	35C	90,000 up	1916-17	U.S.L.	3-HVX-5X	Pos.	B. & S.	736	15	*	87	81	*	63	*
318	CHALMERS	35C, 35D	94,001 up	1918-19	Willard	SJWR-4	Pos.	B. & S.	736	15	*	87	81	*	63	*
319	CHALMERS	35C		1920-21	P-O-L	613-SHK	Pos.	B. & S.	736	15	*	87	81	*	63	*
320	CHALMERS	35B	21,001 up	1922-23	U.S.L.	3-CVX-6X	Neg.	B. & S.	2232-37	20	*	1129	63	*	63	*
320	CHALMERS	35C	125,501 up	1922-23	U.S.L.	3-CVX-6X	Neg.	B. & S.	36050-60	20	*	1129	63	*	63	*
321	CHANDLER	14	1 to 550	1913	Willard	SJWR-3	Pos.	Westing.	173214	30	*	87	81	*	63	*
321	CHANDLER	15	551 to 4000	1914-15	Willard	SJWR-3	Pos.	Westing.	173214	30	*	87	81	*	63	*
322	CHANDLER	16	4001 to 15000	1915-16	Willard	SJWR-3	Pos.	B. & S.	690	20	*	1129	81	*	63	*
323	CHANDLER	NewSeries	35,001 up	1917-18	Willard	SJWR-3	Pos.	B. & S.	939	20	*	1129	81	*	63	*
324	CHANDLER	NewSeries	65,001 up	1919	Willard	SJWR-4	Pos.	B. & S.	1212R	20	*	1129	81	*	63	*
325	CHANDLER	NewSeries		1920-21	P-O-L	613-SHK	Pos.	B. & S.	1212R	20	*	1129	81	*	63	*
326	CHANDLER			1922	P-O-L	613-SHK	Pos.	B. & S.	2165	20	*	1129	81	81	63	*
327	CHANDLER	32-32A	126001-147000	23-24	P-O-L	613-SHK	Pos.	B. & S.	36930	20	*	1129	81	63	63	*
328	CHANDLER	33-33A	147001-159624	24-25	P-O-L	613-SHK	Pos.	Clum	8108	20	*	1129	*	63	63	*
329	CHANDLER	35	159625 to 174000	1926	P-O-L	613-SHK	Pos.	Clum	10623-45	20	*	1129	*	63	63	*
330	CHANDLER	31	15598 up	1927	P-O-L	613-JFKA	Pos.	Clum	10562, 486	20	*	1129	*	63	63	63
332	CHANDLER	43	77526 up	1927	P-O-L	611-RHK	Pos.	Clum	10463	20	*	1129	*	63	63	87
334	CHANDLER	35	174001 up	1927	P-O-L	613-RHK	Pos.	Delco-Remy	470-S	20	*	1129	*	63	63	63
336	CHANDLER	37	174001 up	1927	P-O-L	615-JFK	Pos.	Delco-Remy	470-S	20	*	1129	*	63	63	*
338	CHANDLER	31A, 131	30001 up	1928	P-O-L	613-JFK	Pos.	Clum	10677	20	*	1110	*	63	63	81
340	CHANDLER	35A	180101-182500	1928	P-O-L	615-JFK	Pos.	Clum	10677	20	*	1110	*	63	63	81
340	CHANDLER	135	182501 up	1928	P-O-L	615-JFK	Pos.	Clum	10677	20	*	1110	*	63	63	81
342	CHANDLER	37A	103000-106000	1928	P-O-L	613-JFK	Pos.	Clum	10677	20	*	1110	*	63	63	*
342	CHANDLER	137	106001 up	1928	P-O-L	613-JFK	Pos.	Clum	10677	20	*	1110	*	63	63	*
344	CHEVROLET	4-90		1916-17	Willard	SJWR-3	Neg.	Conn.	110-1-Y	20	*	87	*	*	63	81

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Model	Make	Model	Make						
Westing.	265710	265710	Westing.	256993	Westing.	711	Westing.	760	262982	1918-19	U	CASE	308
Delco	2159	5175	Delco	1152	Westing.	711, 751	Westing.	760	262982	1920-21	V	CASE	309
Delco	2159	5175	Delco	1172	Westing.	710	Westing.	760	262982	1922	V	CASE	309
Delco	2159	5207	Delco	1196	Delco	181	Delco	165, 199, 256	Delco	1922-23	X	CASE	310
Delco	2159	5251, 2	Delco	1196	Delco	208	Delco	165, 199, 256	Delco	1923	W	CASE	310
Delco	2178	5251, 6	Delco	1246-1257	Delco	181	Delco	258	Delco	1923-24	X	CASE	311
Delco	2178	5256	Delco	1260	Delco	181	Delco	258	Delco	1925	X	CASE	311
Delco	2178	5256	Delco	1260	Delco	181	Delco	258	Delco	1925	J.I.C.	CASE	311
Delco-Remy	2178	5256	Delco	1260	Delco-Remy	181	Delco-Remy	258	Delco-Rem.	26-27	J.I.C.	CASE	312
Delco-Remy	2178	5251	Delco-Remy	1257	Delco-Remy	208	Delco-Remy	256	Delco-Rem.	25-27	Y	CASE	314
Bosch or Atwater Kent			B. & S.	420	Entz		Entz			1914	24	CHALMERS	316
Bosch or Atwater Kent			B. & S.	421	Entz		Entz			1915	26, 29	CHALMERS	316
Bosch or Atwater Kent			B. & S.	420	Entz		Entz			1916	26C	CHALMERS	316
Remy	171A, 284B	209-A	B. & S.	736	Westing.	700	Westing.	208R, 9R	238372	1916-17	35A, 35B	CHALMERS	317
Remy	171A, 284B	355-A	B. & S.	736	Westing.	710	Westing.	760	262982A	1916-17	35B	CHALMERS	318
Remy	171A, 284B	355-A	B. & S.	736	Westing.	700	Westing.	208R, 9R	248489	1916-17	35C	CHALMERS	317
Remy	171A, 284B	355-A	B. & S.	736	Westing.	710	Westing.	760	262982A	1918-19	35C, 35D	CHALMERS	318
Remy	284-A	355-A	B. & S.	736	Auto-Lite	MH-1003	Auto-Lite	GJ1057, 60	Auto-Lite	20-21	35C	CHALMERS	319
Auto-Lite	1G-4031	1G	B. & S.	2232-37	Auto-Lite	MN	Auto-Lite	GJ	Auto-Lite	22-23	35B	CHALMERS	320
Auto-Lite	1G-4031	1G	B. & S.	36050-60	Auto-Lite	MN	Auto-Lite	GJ	Auto-Lite	22-23	35C	CHALMERS	320
Bosch Magneto					Westing.	501	Westing.	202		1913	14	CHANDLER	321
Bosch Magneto					Westing.	501, 503	Westing.	200, 202		1914-15	15	CHANDLER	321
Bosch Magneto			B. & S.	690	Gray-Davis		Gray-Davis		Gray-Davis	15-16	16	CHANDLER	322
Bosch Magneto			B. & S.	939	Gray-Davis	126	Gray-Davis	400	Gray-Davis	17-18	New Series	CHANDLER	323
Bosch Magneto			B. & S.	1212R	Westing.	710	Westing.	760	262982	1919	New Series	CHANDLER	324
Bosch Magneto		DU6	B. & S.	1212R	Gray-Davis	504	Gray-Davis	607, 639	Gray-Davis	20-21	New Series	CHANDLER	325
Bosch Magneto		B-6	B. & S.	2165	Am.Bosch	901	Am.Bosch	1001	Am.Bosch	1922		CHANDLER	326
Bosch Magneto		B-6	B. & S.	36930	Am.Bosch	935	Am.Bosch	1001	Am.Bosch	23-24	32-32A	CHANDLER	327
Am.Bosch	TC30	F1-635	B. & S.	8108	Am.Bosch	935	Am.Bosch	1001, 1059	Am.Bosch	24-25	33-33A	CHANDLER	328
Am.Bosch	TC30	F1-635	Clum	10623-45	Am.Bosch	959	Am.Bosch	1070	Am.Bosch	1926	35	CHANDLER	329
Am.Bosch	TC30	F1-635	Clum	10562, 486	Delco-Remy	717-A	Delco-Remy	949-E	265-B	1927	31	CHANDLER	330
Delco-Remy	525-C	637-V	Clum	10463	Delco-Remy	713J	Delco-Remy	949-D	265-B	1927	43	CHANDLER	332
Delco-Remy	525-C	637-U	Clum	470-S	Delco-Remy	720W	Delco-Remy	944-C	265-B	1927	35	CHANDLER	334
Delco-Remy	525-C	637-X	Remy	470-S	Delco-Remy	727-A	Delco-Remy	944-D	265-B	1927	37	CHANDLER	336
Delco-Remy	525-C	658G	Delco-Remy	5-B	Delco-Remy	717-A	Delco-Remy	949-E	265-B	1928	31A, 131	CHANDLER	338
Delco-Remy	525-C	633-B	Electrolock	5-B	Delco-Remy	720-W	Delco-Remy	944-C	265-B	1928	35A	CHANDLER	340
Delco-Remy	525-C	633-C	Electrolock	5-B	Delco-Remy	720-W	Delco-Remy	944-C	265-B	1928	135	CHANDLER	340
Delco-Remy	525-C	641-C	Electrolock	5-B	Delco-Remy	727-A	Delco-Remy	944-D	265-B	1928	37A	CHANDLER	342
Delco-Remy	525-C	658-G	Electrolock	5-B	Delco-Remy	727-A	Delco-Remy	944-D	265-B	1928	137	CHANDLER	342
Delco-Remy	525-C	657-A	Electrolock	5-B	Delco-Remy	727-A	Delco-Remy	944-D	265-B	1928	137	CHANDLER	342
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GG, GH	Auto-Lite	16-17	4-90	CHEVROLET	344

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Switch	LIGHTING						
						Type	Gr. Ter.		Model	Fuses	Circuit Breaker	Head	Aux.	Side Dsh.-tail	Lamp Numbers Stop Dome
346	CHEVROLET	D-8	1 to 1000	1917-18	Willard	SJWR-3	Neg.	B. & S.	996	20	*	87	81	*	63 * *
347	CHEVROLET	D-8		1919	Willard	CR-15	Neg.			20	*	1129	81	*	63 * *
348	CHEVROLET	FA		1919	Willard	SJWR-3	Neg.	B. & S.	1333	20	*	87	*	*	63 * *
349	CHEVROLET	FB		1920-22	Willard	SJWR-4	Neg.	B. & S.	36350	20	*	1129	*	*	63 * *
350	CHEVROLET	4-90		1918-21	Willard	SJWR-3	Neg.	B. & S.	36350	20	*	87	*	*	63 * *
351	CHEVROLET	4-90		1922	Willard	SJWR-3	Neg.	B. & S.	36350	20	*	87	*	*	63 * *
352	CHEVROLET	Superior		1923-24	Willard	SJWR-3	Neg.	B. & S.	36350	20	*	1129	*	*	63 81 *
353	CHEVROLET	Superior		1923	Willard	SJWR-3	Neg.	B. & S.	1942	20	*	1129	*	*	63 * 81
354	CHEVROLET	K		1925-26	Exide	Willard-USL	Neg.	Clum	10441	15	*	1129	*	*	63 * 63
354	CHEVROLET	K		1925-26	Exide	Willard-USL	Neg.	Remy	476-A	15	*	1129	*	*	63 * 63
356	CHEVROLET	K-V		1926-27	Exide	Willard-USL	Neg.	Clum	10633	20	*	1129	*	63	63 87 *
358	CHEVROLET	National		1928	Willard	XW-13	Neg.	Delco-Remy	476-C	20	*	1129	*	63	63 87 63
358	CHEVROLET	National		1928	Exide	3-XC-13-1	Neg.	Delco-Remy	476-C	20	*	1129	*	63	63 87 63
358	CHEVROLET	National		1928	USL	XY-13	Neg.	Delco-Remy	476-C	20	*	1129	*	63	63 87 63
360	CHRYSLER	B	1001 up	1924-25	Westing.	6-0B-11	Pos.	Remy	474-A, B	10	*	1129	*	63	63 1129 81
361	CHRYSLER	B	32000 up	1925	Willard	CRR-15	Pos.	Remy	474-B	10	*	1129	63	63	63 1129 81
362	CHRYSLER	25-F.	WW-100-W up	1925	Willard	LWR-4	Pos.	Remy	475-B	20	*	1129	63	63	63 1129 63
362	CHRYSLER	F-58	WY-223P up	1926	Willard	LWR-4	Pos.	Clum	10430	20	*	1129	63	63	63 1129 63
363	CHRYSLER	70	WY-580-P up	1926	Willard	CRR-15	Pos.	Remy	475-P	30	*	1110	63	*	63 87 87
364	CHRYSLER	80	EW-000-W up	1926	P-O-L	A-617-SH	Pos.	Remy	475-S	20	*	1110	*	63	63 1129 63
366	CHRYSLER	50	FW-00H up	1927	Willard	WR-13	Pos.	Clum	10607	30	*	1129	63	63	63 87 87
368	CHRYSLER	60	YR-500-W up	1926-27	Willard	LWR-4	Pos.	Clum	10607, 29	30	*	1129	63	63	63 87 87
370	CHRYSLER	70	PP-454-Y up	1927	Willard	CWR-15	Pos.	Remy	479-A	30	*	1110	63	*	63 87 87
372	CHRYSLER	80	EW-365-P up	1927	Willard	SJWR-6	Pos.	Remy	816609	30	*	1110	63	*	63 87 87
374	CHRYSLER	52	HW-00-P up	1927	Willard	WXR-13	Pos.	Clum	10607	20	*	1110	*	*	63 87 87
376	CHRYSLER	62	LW-000-P up	1927	Willard	LWR-4	Pos.	Clum	10629	20	*	1110	63	*	63 87 87
378	CHRYSLER	72	CW-000-P up	1927-28	Willard	CWR-15	Pos.	Clum	10636	*	D. R.	410-B	1110	63	63 87 87
380	CHRYSLER	52		1928	Willard	WXR-13	Pos.	Clum	10607	20	*	1110	*	*	63 87 87
382	CHRYSLER	62		1928	Willard	LWR-4	Pos.	Clum	10629	20	*	1110	63	*	63 87 87
384	CHRYSLER	80	EP-000-T up	1928	Willard	SJRR-6	Pos.	Clum	10661	*	D. R.	410-B	1110	63	63 87 87
386	CLEVELAND	40	1001 up	1919-20	P-O-L	611-SHK	Pos.	B. & S.	1894	20	*	87	*	*	63 * *
387	CLEVELAND	40	1001 up	1919-20	P-O-L	611-SHK	Pos.	B. & S.	1894	20	*	87	*	*	63 * *
388	CLEVELAND	40, 41	21190 up	1921-22	P-O-L	611-SHK	Pos.	B. & S.	1894	20	*	1129	*	81	63 * *
389	CLEVELAND	41, 42		1922-24	P-O-L	611-SHK	Pos.	B. & S.	1894	20	*	1129	*	81	63 * *
390	CLEVELAND	41, 42		1922-24	P-O-L	611-SHK	Pos.	B. & S.	1959	20	*	1129	*	63	63 * *
391	CLEVELAND	31		1925-26	P-O-L	611-RHK	Pos.	Clum	10463	20	*	1129	*	63	63 * 63
392	CLEVELAND	43	60000 up	1925-26	P-O-L	611-RHK	Pos.	Clum	10463	20	*	1129	*	63	63 * 63
393	COLE	T & K	1 up	1919-25	USL	3-HVX-5X	Pos.			*	*	1129	81	*	63 * *
394	COLE	650, 51	23000 up	1915	Exide	3-XC-15-1	Neg.	Delco	1048, 56	*	Delco	1129	*	*	63 * *
395	COLE	4-40, 6-66, 60	15000 up	'15-16	Exide	3-XC-15-1	Neg.	Delco	1045, 56	*	Delco	1129	*	*	63 * *

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						Regulator
Remy	287A	351A	B. & S.	996	Auto-Lite	ME	Auto-Lite	GH	Auto-Lite	17-18	D-8	CHEVROLET	346
Remy	287-A	351-A			Auto-Lite	ME	Auto-Lite	GH	A.L.	1919	D-8	CHEVROLET	347
Remy	287A, B	350A	B. & S.	1333	Auto-Lite	ME	Auto-Lite	GH	Auto-Lite	1919	FA	CHEVROLET	348
Remy	284L	366G	B. & S.	36350	Auto-Lite	ME	Auto-Lite	GH	Auto-Lite	20-22	FB	CHEVROLET	349
Remy	287-A, B	350-A	B. & S.	36350	Auto-Lite	MF	Auto-Lite	GH	Auto-Lite	18-21	4-90	CHEVROLET	350
Remy	284-L	366-J	B. & S.	36350	Auto-Lite	MF	Auto-Lite	GH	Auto-Lite	1922	4-90	CHEVROLET	351
Remy	284-L	366-P	B. & S.	36350	Remy	711B, BX	Remy	950A, B	265-B	1923-24	Superior	CHEVROLET	352
Remy	284-L	366-P	B. & S.	1942	Auto-Lite	MF	Auto-Lite	GH1012		1923	Superior	CHEVROLET	353
Remy	284-L	366-P, 74A	Clum	10441	Remy	711-BX	Remy	950-B	265-B	1925-26	K	CHEVROLET	354
Remy	284-L	366-P, 74A	Remy	476-A	Remy	711-BX	Remy	950-B	265-B	1925-26	K	CHEVROLET	354
Delco-Remy	284-L	374-A	Clum	10633	Delco-Remy	710-C, D	Delco-Remy	943-B	265-B	1926-27	K-V	CHEVROLET	356
Delco-Remy	284-W	635-B	Hershey		Delco-Remy	710-D	Delco-Remy	943-B	265-B	1928	National	CHEVROLET	358
Delco-Remy	284-W	635-B	Hershey		Delco-Remy	710-D	Delco-Remy	943-B	265-B	1928	National	CHEVROLET	358
Delco-Remy	284-W	635-B	Hershey		Delco-Remy	710-D	Delco-Remy	943-B	265-B	1928	National	CHEVROLET	358
Remy	284-A	616-F, 636-A	Remy	474A-B	Remy	722-B	Remy	917-T	265-A, B	1924-25	B	CHRYSLER	360
Remy	284-A	656-A, B	Remy	474-B	Remy	722-B	Remy	917-T	265-B	1925	B	CHRYSLER	361
Remy	284-P	634-A	Remy	475-B	Remy	712-D	Remy	951-C	265-B	1925	25-F	CHRYSLER	362
Remy	284-P	634-A	Clum	10430	Remy	712-D	Remy	951-C	265-B	1926	F-58	CHRYSLER	362
Delco-Remy	525-E	656-B			Delco-Remy	724-C	Delco-Remy	941-C	265-B	1926	70	CHRYSLER	363
Remy	525-B	656-C, D	Remy	475-S	Remy	732-A	Remy	945-B	265-B	1926	80	CHRYSLER	364
Delco-Remy	525-E	638-B	Clum	10607	Delco-Remy	712-F	Delco-Remy	947-A	265-B	1927	50	CHRYSLER	366
Delco-Remy	525-E	637-J, N	Clum	10607, 29	Delco-Remy	714-D	Delco-Remy	941-X	265-B	1926-27	60	CHRYSLER	368
Delco-Remy	525-E	656-F			Delco-Remy	724-C	Delco-Remy	941-C	265-B	1927	70	CHRYSLER	370
Delco-Remy	525-E	656-E	Remy	816609	Delco-Remy	732A, B	Delco-Remy	945-B	265-B	1927	80	CHRYSLER	372
Delco-Remy	525-C	638-C	Clum	10607	Delco-Remy	712-F	Delco-Remy	947-B	265-B	1927	52	CHRYSLER	374
Delco-Remy	525-E	637-N	Clum	10629	Delco-Remy	714-D	Delco-Remy	949-L	265-B	1927	62	CHRYSLER	376
Delco-Remy	525-E	659A, B	Electrolock	5-B	Delco-Remy	724-C	Delco-Remy	949-L	265-B	1927-28	72	CHRYSLER	378
Delco-Remy	525-E	630-A	Shaler Lock		Delco-Remy	712-F	Delco-Remy	947-B	265-B	1928	52	CHRYSLER	380
Delco-Remy	525-E	631A-B	Shaler Lock		Delco-Remy	714-D	Delco-Remy	947-L	265-B	1928	62	CHRYSLER	382
Delco-Remy	525-E	659-B	Electrolock	5-B	Delco-Remy	728-A	Delco-Remy	949-Q	265-B	1928	80	CHRYSLER	384
Bosch	Magneto	B-6	B. & S.	1894	Gray-Davis	500, 529	Gray-Davis	604, 42, 44	Gray-Davis	19-20	40	CLEVELAND	386
Gray-Davis			B. & S.	1894	Gray-Davis	500	Gray-Davis	604	G.D.	1919-20	40	CLEVELAND	387
Bosch	Magneto		B. & S.	1894	Am. Bosch	900	Am. Bosch	1000	Am. Bosch	21, 22	40, 41	CLEVELAND	388
Bosch	Magneto	AT-6	B. & S.	1894	Am. Bosch	900	Am. Bosch	1021	Am. Bosch	22-24	41, 42	CLEVELAND	389
Am. Bosch	TC-30	T-6190	B. & S.	1959	Am. Bosch	900	Am. Bosch	1021	Am. Bosch	22-24	41, 42	CLEVELAND	390
Am. Bosch	TC-30	T-6600	Clum	10463	Am. Bosch	955	Am. Bosch	1060, 69	I-1560	1925-26	31	CLEVELAND	391
Am. Bosch	TC-30	T-6230	Clum	10463	Am. Bosch	943	Am. Bosch	1052	Am. Bosch	25-26	43	CLEVELAND	392
At. Kent	CC	CC			Westing.	100	Westing.	765	262982	1919-25	T. & K.	COLE	393
Delco	2111		Delco	1048, 56	Delco	59	Delco	59	None	1915	6-50, 51	COLE	394
Delco	2111	5125, 26	Delco	1045, 56	Delco	65, 77	Delco	65, 77		1915-16	4-40, 6-66, 60	COLE	395

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch	Make	Model	LIGHTING						
						Type						Circuit	Edison	Mazda	Lamp	Numbers		
											Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop	Dome
396	COLE	850	27001 up	1916	Exide	3-XC-15-1	Neg.	Delco	1056	*	Delco	1129	*	*	61	*	*	
397	COLE	860	40000 up	1917	Exide	3-XC-15-1	Neg.	Delco	1067	*	Delco	1129	*	*	61	*	*	
398	COLE	860	40000 up	1917	Exide	3-XC-15-1	Neg.	Delco	1087	*	Delco	1129	*	63	63	*	*	
399	COLE	860	42986 up	1918	P-O-L	613-SHK	Neg.	Delco	1087	*	Delco	1129	81	*	61	*	*	
399	COLE	870	50001 up	1918	P-O-L	613-SHK	Neg.	Delco	1107	*	Delco	1129	81	*	61	*	*	
400	COLE	870	51001 to 54000	1919	P-O-L	613-SHK	Neg.	Delco	1132	*	Delco	1129	81	*	63	*	81	
401	COLE	8-70	59389 up	1920-22	Willard	SJRR-5	Neg.	Delco	1154	*	Delco	1129	81	*	63	*	81	
402	COLE	8-90		1923-25	Willard	SJRR-5	Neg.	Delco	1154	*	Delco	1129	81	*	63	*	81	
402	COLE	Master		1926	Willard	SJRR-5	Neg.	Delco	1154	*	Delco	1129	81	*	63	*	81	
404	COLUMBIA	C, D	2000 up	1917-19	Willard	SJWR-3	Pos.	B. & S.	1337	*	*	87	81	*	63	*	*	
405	COLUMBIA	D	1000 up	1919	P-O-L	611-SHK	Pos.	B. & S.	1929	*	*	87	81	*	63	*	*	
405	COLUMBIA	E	2000 up	1920	P-O-L	611-SHK	Pos.	B. & S.	1929	*	*	87	81	*	63	*	*	
406	COLUMBIA	E & F	10000 up	1921-22	P-O-L	611-SHK	Pos.	B. & S.	1929	*	*	87	81	*	63	*	*	
406	COLUMBIA	E & F	10000 up	1921-22	P-O-L	611-SHK	Pos.	B. & S.	1929	*	*	87	81	*	63	*	*	
407	COLUMBIA	Six		1923-24	U.S.L.	3-CVX-5X	Pos.	B. & S.	36800	20	*	1129	*	81	64-63	*	*	
408	COLUMBIA	Six		1924-25	U.S.L.	3-CVX-5X	Pos.	B. & S.	36800	20	*	1129	*	81	64-63	*	*	
409	COMET	52	500 up	1919	Willard	SJWR-4	Pos.	B. & S.	1514	20	*	1129	81	*	63	*	*	
409	COMET	53	701 up	1920-22	Willard	SJWR-4	Neg.	B. & S.	1514	20	*	1129	81	*	63	*	*	
410	COMMONWEALTH	440	DX-732 up	1918	Willard	SJWR-3	Neg.			10	*	87	*	*	63	*	*	
411	COMMONWEALTH	41, 42, 43	42000 up	1919, 20, 21	P-O-L	613-RHK	Neg.	Conn.		10	*	1129	81	*	63	*	*	
412	CROW-ELKHART	23, 25, 30	6501 to 7200	1916	Exide	3-XC-13-1	Neg.			*	*	93	*	*	67	*	*	
413	CROW-ELKHART	CE-30, 33	7201 to 9025	1916	Willard	SJWR-3	Neg.	Conn.	104-0-Y	*	*	87	81	*	63	*	*	
414	CROW-ELKHART	CE-33, 35	9026 to 13295	1917	Exide	3-XC-15-1	Pos.	Conn.	104-0-Y	*	*	1129	81	*	63	*	*	
414	CROW-ELKHART	K-34, 36	13296 to 15292	1918	Exide	3-XC-15-1	Pos.	Conn.	104-0-Y	*	*	1129	81	*	63	*	*	
414	CROW-ELKHART	H, L-53 to 56	15293 up	1919-24	P-O-L	611-SHK	Pos.	Conn.	104-0-Y	*	*	1129	81	*	63	*	*	
415	CUNNINGHAM	V-1	V-991 to 1297	1916	Willard	SJRR-5	Pos.	Westing.	237571	20	*	1129	81	81	63	*	81	
416	CUNNINGHAM	V-2	V-2-1298 up	1917	Willard	SJRR-5	Pos.	Westing.	237571	20	*	1129	81	*	63	*	81	
417	CUNNINGHAM	V-3	V-3-1601 to 2050	1918-19	Willard	SJRR-5	Pos.	Delco	1119	*	Delco	1129	81	*	63	*	81	
418	CUNNINGHAM	V-3	V-1601 to V2300	1919	Willard	SJRR-5	Pos.	Delco	1151	*	Delco	1129	81	*	63	*	81	
419	CUNNINGHAM	V-4, V-4-2	2451 to 3000	21-22	Willard	SJRR-5	Neg.	Delco	1173	*	Delco	1129	81	*	63	*	*	
420	CUNNINGHAM	V-4-2	3901-4500	1923-24	Willard	SJRR-5	Neg.	Delco	1173	*	Delco	1129	81	*	63	*	*	
422	CUNNINGHAM	V-4	4501 to 4600	1925	Willard	SJRR-5	Neg.	Delco	1281	*	Delco	1129	*	81	63	1129	82	
422	CUNNINGHAM	V-6	4601 up	1925-26	Willard	SJRR-5	Neg.	Delco	1281	*	Delco	1129	*	81	63	1129	82	
424	CUNNINGHAM	V-7	5011 up	1927	Willard	SJRR-5	Neg.	Delco-Remy	1281	*	Delco	1129	*	82	*	1129	82	
424	CUNNINGHAM	V-7		1928	Willard	SJRR-5	Neg.	Delco-Remy	1281	*	Delco	1129	*	82	*	1129	82	
426	DAGMAR	6-60		1925	P-O-L	615-RHK	Pos.	Delco	1260	*	Delco	1129	63	*	63	*	*	
426	DAGMAR	6-70		1925	P-O-L	615-RHK	Pos.	Delco	1260	*	Delco	1129	63	*	63	*	*	
427	DANIELS	A-B		1915-17	Willard	SJWR-4	Pos.	Westing.	237571	15	*	1129	81	*	63	*	*	
428	DANIELS	D-19	1100 up	1920-22	Willard	SJRR-5	Neg.	Delco	1161	*	Delco	1129	81	63	63	*	63	
428	DANIELS	23-32, 38	2000 up	1923	Willard	SJRR-5	Neg.	Delco	1161	*	Delco	1129	81	63	63	*	63	

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Model	Make	Model	Make						
Delco	2117	5127	Delco	1056	Delco	63	Delco	62	Delco	1916	850	COLE	396
Delco	2123	5153	Delco	1067	Delco	72	Delco	91	Delco	1917	860	COLE	397
Delco	2146	5158	Delco	1087	Delco	72	Delco	113	None	1917	8-60	COLE	398
Delco	2162	5179	Delco	1087	Delco	72	Delco	131	None	1918	860	COLE	399
Delco	2162	5179	Delco	1107	Delco	72	Delco	138	None	1918	870	COLE	399
Delco	2162	5179	Delco	1132	Delco	72	Delco	138	None	1919	870	COLE	400
Delco	2127		Delco	1154	Delco	72	Delco	153	None	1920-22	8-70	COLE	401
Delco	2127		Delco	1154	Delco	72	Delco	153	None	1923-25	8-90	COLE	402
Delco	2127		Delco	1154	Delco	72	Delco	153		1926	Master	COLE	402
At. Kent	CC	CC	B. & S.	1337	Rob-Meyer		Rob-Meyer	L.		1917-19	C, D	COLUMBIA	404
At. Kent	CC	CC	B. & S.	1929	Auto-Lite	MG-1016	Auto-Lite	1023, 23D	uto-Lite	1919	D	COLUMBIA	405
At. Kent	CC	CC	B. & S.	1929	Auto-Lite	MG-1016	Auto-Lite	1025, 25A	Auto-Lite	1920	E	COLUMBIA	405
At. Kent	CC	CC	B. & S.	1929	Auto-Lite	MH-1025	Auto-Lite	GJ1025B,E	Auto-Lite	21-22	E & F	COLUMBIA	406
At. Kent	CC	CC	B. & S.	1929	Auto-Lite	MH-1019	Aut-Lt	GJ-1025B,E,30D		1921-22	E & F	COLUMBIA	406
Auto-Lite	IG-4001,35	IG-4005A,34	B. & S.	36800	Auto-Lite	MG-4003	Auto-Lite	GP-4004,A,05		1923-24	Six	COLUMBIA	407
Auto-Lite	IG-4048	IG-4101	B. & S.	36800	Auto-Lite	MG-4007	Auto-Lite	GJ-4012,31	Auto-Lite	24-25	Six	COLUMBIA	408
Wagner			B. & S.	1514	Wagner	EM-291	Wagner	EM-276	Wagner	1919	52	COMET	409
Wagner			B. & S.	1514	Wagner	EM-291	Wagner	EM-276,346	Wagner	1920-22	53	COMET	409
At. Kent	CC	CC			Dyneto	DA	Dyneto	CA		1918	440	COMMONWEALTH	410
At. Kent	CC	CC	Conn.		H. Dyneto	DA	Dyneto	CA		1919, 20, 21	41, 42, 43	COMMONWEALTH	411
Delco					Disco	28	Disco	28	W. L.-C. D.	1916	23, 25, 30	CROW-ELKHART	412
Conn.			Conn.		H. Dyneto	UA	Dyneto	VA	Dyneto	1916	CE-30,33	CROW-ELKHART	413
Conn.	15T,16C	15T,16C	Conn.		H. Dyneto	D190	Dyneto	C190	Dyneto	1917	CE-33, 35	CROW-ELKHART	414
Conn.	15T,16C	15T,16C	Conn.		H. Dyneto	D190	Dyneto	C190	Dyneto	1918	K-34, 36	CROW-ELKHART	414
Conn.	15T,16C	15T,16C	Conn.		H. Dyneto	D190	Dyneto	C190	Dyneto	1919-24	HL-53 to56	CROW-ELKHART	414
Westing.	S-238761	S-291381	Westing.	237571	Westing.	502	Westing.	256,450R	245400	1916	V-1	CUNNINGHAM	415
Westing.	S-238761	S-291381	Westing.	237571	Westing.	751	Westing.	256	*	1917	V-2	CUNNINGHAM	416
Delco	2162	5178	Delco	1119	Westing.	751	Westing.	780-R	272791B.	1918-19	V-3	CUNNINGHAM	417
Delco	2162	5178	Delco	1151	Westing.	751	Westing.	781R,2R	285426	1919	V-3	CUNNINGHAM	418
Delco	2135	5218	Delco	1173	Delco	183	Delco	182	Delco	1920-22	V-4,V-4-2	CUNNINGHAM	419
Delco	2135	5218	Delco	1173	Delco	183	Delco	182	Delco	1923-24	V-4-2	CUNNINGHAM	420
Delco	2177	5218	Delco	1281	Delco	183	Delco	285	Delco	1925	V-4	CUNNINGHAM	422
Delco	2177	5218	Delco	1281	Delco	183	Delco	182	Delco	1925-26	V-6	CUNNINGHAM	422
Delco-Remy	2178	5299	Delco-Remy	1281	Delco-Remy	350	Delco-Remy	285	5766	1927	V-7	CUNNINGHAM	424
Delco-Remy	2178	5299	Delco-Remy	1281	Delco-Remy	350	Delco-Remy	285	5766	1928	V-7	CUNNINGHAM	424
Delco	2178	5208	Delco	1260	Delco	200	Delco	258	Delco	1925	6-60	DAGMAR	426
Delco	2178	5208	Delco	1260	Delco	200	Delco	258	Delco	1925	6-70	DAGMAR	426
Westing.	243466	243466	Westing.	237571	Westing.	700,751	Westing.	400R	245401	1915-17	A-B	DANIELS	427
Delco	2127	5212	Delco	1161	Delco	170	Delco	169	D. R.	1920-22	D-19	DANIELS	428
Delco	2127	5212	Delco	1161	Delco	170	Delco	169	D. R.	1923	23-32, 38	DANIELS	428

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Edison Head	Mazda Aux.	Lamp Side	Numbers Dsh.-tail	Stop Dome
428	DANIELS	24-32, 38		1924	Willard	SJRR-5	Neg.	Delco	1161	*	Delco	1129	81	63	63	*	63
428	DANIELS	25-32, 38		1925	Willard	SJRR-5	Neg.	Delco	1161	*	Delco	1129	81	63	63	*	63
428	DANIELS	25-38		1926-27	Willard	SJRR-5	Neg.	Delco-Remy	1161	*	Delco	1129	81	63	63	*	63
430	DAVIS	38-A, B, C	1175 to 7082	1915	Willard	SJWR-3	Pos.	Westing.	237571	*	*	87	81	*	63	*	*
431	DAVIS	38-D, E	1719 to 8693	1916	Willard	SJWR-4	Neg.	Delco	1067	*	Delco	1129	*	*	63	*	*
431	DAVIS	6E, F, G	1005 to 17650	1916	Willard	SJWR-4	Neg.	Delco	1058, 67	*	Delco	1129	*	*	63	*	*
432	DAVIS	6-H, I, K	17651 to 67452	17-18	Willard	SJWR-4	Neg.	Delco	1078	*	Delco	87	*	*	63	*	*
433	DAVIS	6-J	14582 to 30983	1917	Willard	SJWR-4	Neg.	Delco	1067	*	Delco	87	*	*	63	*	*
434	DAVIS	6-J	5001 up	1918-19	Willard	SJWR-3	Neg.	Delco	1105	*	Delco	87	*	*	63	*	*
435	DAVIS	6-H, I, J, K	5001 to 6000	1919	Willard	SJWR-3	Neg.	Delco	1149	*	Delco	87	81	*	63	*	*
436	DAVIS	51, 55	6000 up	1920-21	Willard	SJWR-3	Neg.	Delco	1149, 65	*	Delco	1129	81	*	63	*	*
437	DAVIS	51-57	6723 up	1921	P-O-L	611-RHK	Neg.	Delco	1165	*	Delco	1129	81	*	63	*	*
437	DAVIS	61-67		1922	P-O-L	611-SHK	Neg.	Delco	1196	*	Delco	1129	81	*	63	*	*
438	DAVIS	71, 72		1922-23	Willard	SJWR-3	Neg.	Delco	1172	*	Delco	1129	*	*	63	*	*
439	DAVIS	71, 90		1923-25	Willard	SJWR-3	Neg.	Delco	1244	*	Delco	1129	*	*	63	*	*
440	DAVIS	81, 91		1924-25	Willard	SJWR-3	Neg.	Delco	1246	*	Delco	1129	*	*	63	*	*
441	DAVIS	92	20,000 up	1926	Willard	CWR-15	Neg.	Delco	1283	*	Delco	1110	*	63	63	87	63
442	DAVIS	93	25001 up	1926	Willard	CWR-15	Neg.	Clum	10623	20	*	1110	*	63	63	87	63
443	DAVIS	94	25512 up	1927	Willard	SJWR-3	Neg.	Delco-Remy	1300	*	D. R.	1110	*	63	63	87	63
444	DAVIS	98, 99	30100 up	1927-28	Willard	CWR-15	Neg.	Ross		*	*	1110	*	81	63	87	63
262	DETROITER	6-45	15000 to 20000	1916	Willard	SJWR-3	Neg.	Conn.	108-2-Y	*	*	1129	*	*	63	*	*
446	DIANA	Eight	80001 up	1925-26	U.S.L.	XY-15X	Neg.	Delco-Remy	1283	*	D.R.	1129	*	81	63	*	81
446	DIANA	Eight	82501 up	1927-28	U.S.L.	XY-15X	Neg.	Delco-Remy	1306	*	D.R.	1129	*	81	63	*	81
448	DIXIE FLYER	1 to 2200	1915-16	Willard	JWR-26	No	Conn.		10	*	*	93	*	*	63	*	*
449	DIXIE FLYER	36, 56	2201 to 3500	1916	Willard	SJWR-3	No		20	*	*	1129	*	*	63	*	*
450	DIXIE FLYER	H	3501 to 6000	1917-20	Willard	SJWR-3	No	Conn.	115-1-Y	10	*	87	*	*	61	*	*
451	DIXIE FLYER	H	6001 up	1921-22	Willard	SJWR-3	No		10	*	*	1129	*	*	61	*	*
451	DIXIE FLYER	H	12001 up	1923-25	Willard	SJWR-3	No		10	*	*	1129	*	*	61	*	*
452	DODGE	1 to 74021	1915-16	Willard	JWR-26	Neg.	B. & S.	662	*	*	*	93	*	*	67	*	*
452	DODGE	74022 to 90000	1916	Willard	JWR-26	Neg.	B. & S.	887	*	*	*	93	*	*	67	*	*
453	DODGE	212874 up	1917-18	Willard	JWR-26	Neg.	B. & S.	887	*	*	*	93	*	*	67	*	*
454	DODGE	244165 up	1918-22	Willard	JWR-26	Neg.	Clum	10336	*	*	*	93	*	*	67	*	67
455	DODGE	740673 up	1923-26	Willard	JWR-26	Pos.	Clum	10337, 51	*	*	*	1141	*	*	67	*	67
456	DODGE	124	A-702243 up	1926	Willard	SJRR-4	Pos.	B. & S.	40260	*	*	1129	*	*	63	*	81
458	DODGE	124		1927	Willard	SJRR-4	Pos.	B. & S.	40260	*	*	1129	*	*	63	*	81
460	DODGE	128	A-930728 up	1927	Willard	WR-13	Pos.	Kellogg		*	*	1129	*	63	63	87	81
462	DODGE	SeniorSix	1-10001 up	'27-28	Willard	SJRR-5	Pos.	Kellogg		*	*	1129	*	63	63	87	81
464	DODGE	Std. Six		1928	Willard	SJWR-4	Neg.	Dodge		*	*	1110	63	*	63	87	63
466	DODGE	Victory		1928	Willard	SJWR-4	Neg.	Dodge		*	*	1110	63	*	63	87	63
468	DORRIS	1, A-4, A-6	under 8054	14-16	Willard	SJWR-4	Pos.	Westing.	190807	15-5	*	87	81	81	63	*	*

Make	IGNITION		Make	STARTER		Make	GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model		Switch Model	Make	Model	Make	Model					
Delco	2127	5212	Delco	1161	Delco	170	Delco	169	D. R.	1924	24-32, 38	DANIELS	428
Delco	2127	5212	Delco	1161	Delco	170	Delco	169	D. R.	1925	25-32, 38	DANIELS	428
Delco	2127	5212	Delco	1161	Delco-Remy	170	Delco-Remy	169	D. R.	1926-27	25-38	DANIELS	428
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	400-R	245401	1915	38-A, B, C	DAVIS	430
Delco	2140		Delco	1067	Delco	81	Delco	81	*	1916	38-D, E	DAVIS	431
Delco	2140, 41, 42		Delco	1058, 67	Delco	73, 83	Delco	73, 83	*	1916	6-E, F, G	DAVIS	431
Delco	2158		Delco	1078	Delco	106	Delco	105	*	1917-18	6-H, I, K	DAVIS	432
Delco	2158		Delco	1067	Delco	102	Delco	114	*	1917	6-J	DAVIS	433
Delco	2159	5175	Delco	1105	Delco	136	Delco	135	*	1918-19	6-J	DAVIS	434
Delco	2158		Delco	1149	Delco	106	Delco	105	*	1919	6-H, I, J, K	DAVIS	435
Delco	2159	5207	Delco	1149, 65	Delco	164, 81	Delco	165	Delco	1920-21	51, 55	DAVIS	436
Delco	2159	5207	Delco	1165	Delco	181	Delco	165	Delco	1921	51-57	DAVIS	437
Delco	2159	5207	Delco	1196	Delco	181	Delco	165	Delco	1922	61-67	DAVIS	437
Delco	2159	17005	Delco	1172	Delco	240	Delco	241	Delco	1922-23	71, 72	DAVIS	438
Delco	2178, 82		Delco	1244	Delco	240	Delco	257	Delco	1923-25	71, 90	DAVIS	439
Delco	2178, 82		Delco	1246	Delco	181	Delco	258	Delco	1924-25	81, 91	DAVIS	440
Delco	2182	5294	Delco	1285	Delco	313	Delco	325	Delco	1926	92	DAVIS	441
Delco	2182	5294	Clum	10623	Delco	313	Delco	325	Delco	1926	93	DAVIS	442
Delco-Remy	2182	5294	Delco-Remy	1302	Delco-Remy	313	Delco-Remy	332	Delco	1927	94	DAVIS	443
Delco-Remy	525-A	658-G	Ross		Delco-Remy	716-B	Delco-Remy	944-D	None	1927-28	98, 99	DAVIS	444
Conn.			Conn.	108-2-Y	Auto-Lite	ME	Auto-Lite	G		1916	6-45	DETROITER	262
Delco-Remy	2178	5282, 87	Delco-Remy	1293	Delco-Remy	313	Delco-Remy	325	D. R.	1925-26	Eight	DIANA	446
Delco-Remy	2178	5293	Delco-Remy	1301	Delco-Remy	313	Delco-Remy	332	D. R.	1927-28	Eight	DIANA	446
Conn.			Conn.		Dyneto	B	Dyneto	B		1915-16		DIXIE FLYER	448
Conn.					Dyneto	UA	Dyneto	VA		1916	36, 56	DIXIE FLYER	449
Conn.			Conn.	H	Dyneto	D69-D284	Dyneto	C69-C284	Dyneto	1917-20	H	DIXIE FLYER	450
Eisemann	Magneto				Dyneto	D69-D284	Dyneto	C69-C284	Dyneto	1921-22	H	DIXIE FLYER	451
Eisemann	Magneto				Dyneto	D69-D284	Dyneto	C69-C284	Dyneto	1923-25	H	DIXIE FLYER	451
Eisemann	Magneto		B. & S.	662	NorthEast	D-1264	NorthEast	D-1264	N. E.	1915-16		DODGE	452
Delco	2128	5151	B. & S.	887	NorthEast	D-1264	NorthEast	D-1264	N. E.	1915-16		DODGE	452
NorthEast	10,000	10,000	B. & S.	887	NorthEast	G-3566S	NorthEast	G-3566S	N. E.	1917-18		DODGE	453
NorthEast	10,004	10,004	Clum	10336	NorthEast	G-3566	NorthEast	G-3566	N. E.	1918-22		DODGE	454
NorthEast	10,004	10,004	Clum	10337, 51	NorthEast	GA-3804, A	NorthEast	GA-3804A	N. E.	1923-26		DODGE	455
NorthEast	17,232-A	10,786	B. & S.	40260	NorthEast	6304, A	NorthEast	LR-6334B	15850	1926	124	DODGE	456
NorthEast	17,232	10,786	B. & S.	40260	NorthEast	6304, A	NorthEast	LR-6334B	15850	1927	124	DODGE	458
NorthEast	19,232	10,826	In Coil		NorthEast	SB-6404	NorthEast	LB-6384	15850	1927-28	128	DODGE	460
NorthEast	19,232	10,836	In Coil		NorthEast	SB-6400	NorthEast	LB6390	15850	1927-28	Senior Six	DODGE	462
NorthEast	19,232	10,846	In Coil		NorthEast	SB-6404	NorthEast	LB-6390A	20220	1928	Std. Six	DODGE	464
NorthEast	19,232	10,846	In Coil		NorthEast	SB-6404	NorthEast	LB-6390A	20220	1928	Victory	DODGE	466
Westing.			Westing.	191080A	Westing.	310	Westing.	280	240237	1914-16	I, A-4, A-6	DORRIS	468

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Edison Head	Mazda Aux.	Lamp Side	Numbers Dsh.-tail	Stop Dome
469	DORRIS	IA-6	8054 to 8140	1916	Exide	3-XC-15-1	Pos.	Westing.	190807	15	*	87	*	81	63	*	*
470	DORRIS	IB,IC-6	8141 to 8392	1917-18	Exide	3-XC-15-1	Pos.	Westing.	190807	10	*	87	*	81	63	*	*
471	DORRIS	6-80	8392 to 8501	1919	Willard	SJWR-4	Pos.	C.H.		15	*	87	81	*	63	*	*
472	DORRIS	6-80	8502 up	1919-21	Willard	SJRR-5	Pos.	C.H.		15	*	1133	81	63	63	*	*
473	DORRIS	6-80		1922-24	Willard	SJRR-5	Pos.	C.H.		15	*	1129	81	*	63	81	*
474	DORRIS	6-80	9595 up	1925-26	Willard	SJRR-5	Pos.	C.H.		15	*	1129	81	*	63	81	*
475	DORT	5, 5A	1413 to 9749	1916	Willard	SJWR-3	Pos.	Conn.	115-1-Y	10	*	87	*	*	63	*	*
475	DORT	6, 9	9750 to 24368	1917	Willard	SJWR-3	Pos.	Conn.	115-1-Y	10	*	87	*	*	63	*	*
476	DORT	5, 5A, 6, 9	9204 to 24368	16-17	Willard	SJWR-3	Pos.	Conn.	115-1-Y	10	*	87	*	*	63	*	*
477	DORT	6, 9, 9S, 9T	9204 to 24368	1917	Willard	SJWR-3	Pos.	Conn.	115-1-Y	10	*	87	*	*	63	*	*
477	DORT	11	24369 up	1918-19	Willard	SJWR-3	Pos.	Conn.	33Y	10	*	87	*	*	63	*	*
478	DORT	15, 17	24369 up	1920-21	Willard	SJWR-3	Pos.	B. & S.	1678	10	*	1129	81	*	63	*	*
479	DORT	12, 12C, 17, 17S	80459 up	1921	U.S.L.	3-HVX-5X	Pos.	Clum	10391	10	*	1129	81	*	63	*	*
479	DORT	14, 19		1922	U.S.L.	3-HVX-5X	Pos.	Clum	10391	10	*	1129	81	*	63	*	*
480	DORT	18, 23		1923	U.S.L.	3-HVX-5X	Pos.	Clum	10391	10	*	1129	*	*	63	*	81
480	DORT	20, 25		1923	U.S.L.	3-HVX-5X	Pos.	Clum	10391	10	*	1129	*	*	63	*	81
481	DORT	20, 24		1924-25	U.S.L.	3-HVX-5X	Pos.	Clum	10403	10	*	1129	*	*	63	*	*
482	DOUGLAS	G		1918-20	P-O-L	611-SHK	Pos.	Westing.	237571	10	*	1129	81	*	63	*	*
483	DUESENBERG	601	1-750	1922	Willard	SJRR-5	Pos.	Delco	1226	*	Del.5749	1129	81	63	63	*	*
484	DUESENBERG	Eight	750 up	1923-27	Willard	SJRR-5	Pos.	Delco	1226	*	Del.5759	1129	81	63	63	*	*
486	DUPONT	A		1920-21	Exide	3-XC-13-1	Pos.			25	*	1129	81	63	63	*	*
487	DUPONT	C		1922-25	Westing.	6-OB-13	Pos.	C.H.		15	*	1129	81	63	64-63	*	64
488	DUPONT	D, E		1925-27	Westing.	6-OB-13	Neg.			15	*	1129	81	63	63	63	63
491	DURANT	B-22-23		1922-23	U.S.L.	3-CVX-6X	Neg.	Conn.	183-2Y	20	*	1129	*	*	64-63	*	81
490	DURANT	A-22	1 up	1923-26	U.S.L.	3-HVX-5X	Neg.	Conn.	187-3-Y	20	*	1129	*	*	64-63	*	81
492	DURANT	M-2	1000 up	1928	U.S.L.	3-CVX-5X7	Neg.	Clum		20	*	1129	*	*	63	87	63
494	DURANT	55	1000 up	1928	U.S.L.	3-CVX-5X7	Neg.	Clum		20	*	1110	*	*	63	87	63
496	DURANT	65	1000 up	1928	U.S.L.	3-HVX-6X7	Neg.	Clum		20	*	1110	*	63	63	87	63
498	DURANT	75	1000 up	1928	U.S.L.	3-HVX-6X7	Neg.	Clum		20	*	1110	63	63	63	87	63
500	EARL	40	70000 up	1922-24	U.S.L.	3-HVX-5X	Pos.	B. & S.	2269	20	*	1129	*	63	64-63	*	*
501	ELCAR	D,E,F,G	2001 to 5930	1917-18	Willard	SJWR-3	Neg.			15	*	87	81	*	63	*	*
502	ELCAR	D,E,G,4&6	5931 to 9999	1919	Willard	SJWR-3	Neg.	B. & S.	1086	15	*	1129	81	*	63	*	*
503	ELCAR	D,H,G,K-4	15000 up	1920-22	Willard	SJWR-3	Neg.	Delco	1164	*	Delco	1129	81	*	63	*	*
504	ELCAR	D,H,G,K-6	25000 up	1920-22	Willard	SJWR-3	Neg.	Delco	1166	*	Delco	1129	81	*	63	*	*
505	ELCAR	4-40	33000 up	1923-24	Willard	WR-13	Neg.	Delco	1246	*	Delco	1129	81	*	64-63	87	81
506	ELCAR	6-60	33000 up	1923-24	Willard	SJWR-3	Neg.	Delco	1246	*	Delco	1129	81	63	63	87	*
507	ELCAR	6-50,55	30000 up	1924-25	Willard	WR-13	Neg.	Clum	10365	20	*	1129	81	63	63	*	*
508	ELCAR	4-45,55	34700 up	1924-25	Willard	WR-13	Neg.	Clum	10355	20	*	1129	81	*	63	*	*
508	ELCAR	4-55	37997 up	1926	U.S.L.	XY-13X	Neg.	Clum	10355	20	*	1129	81	*	63	*	*
510	ELCAR	6-65	36000 up	1925-26	U.S.L.	XY-13X	Neg.	Clum	10365	20	*	1129	81	*	63	*	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Model	Make	Model	Make						
Bosch	Magneto	DU-6			Westing.	315	Westing.	203, 08	240237	1916	IA-6	DORRIS	469
Bosch	Magneto	DU-6	B. & S.	1226	Westing.	318, 710	Westing.	208	240237	1917-18	IB, IC-6	DORRIS	470
Bosch	Magneto	DU-6	B. & S.	1981	Westing.	700	Westing.	760	262982	1919	6-80	DORRIS	471
Bosch	Magneto	DU-6	B. & S.	1981	Westing.	751	Westing.	760	262982	1919-21	6-80	DORRIS	472
Bosch	Magneto	AT-6	B. & S.	1981	Westing.	751	Westing.	760	262982	1922-24	6-80	DORRIS	473
Am.Bosch	Magneto	AT-6	B. & S.	1981	Am.Bosch	1120	Am.Bosch	1243	A. B.	1925-26	6-80	DORRIS	474
Conn.			Conn.		H. Westing.	318	Westing.	400-R	245401	1916	5, 5A	DORT	475
Conn.			Conn.		H. Westing.	318	Westing.	400-R	245401	1917	6, 9	DORT	475
Conn.			Conn.		H. Westing.	318	Westing.	400	241739	1916-17	5, 5A, 6, 9	DORT	476
Conn.			Conn.		H. Westing.	100	Westing.	760	262982	1917	6, 9, 9S, 9T	DORT	477
Conn.			Conn.		K. Westing.	100	Westing.	760	262982	1918-19	11	DORT	477
Conn.			B. & S.	1678	Westing.	33AB	Westing.	35AT	273899C	1920-21	15, 17	DORT	478
Conn.			Clum	10391	Gray-Davis	525	Gray-Davis	636	G. D.	1921	12,12c,17,17s	DORT	479
Conn.			Clum	10391	Gray-Davis	525	Gray-Davis	636	G. D.	1922	14, 19	DORT	479
Conn.	225-Y	225-Y	Clum	10391	Am.Bosch	525	Am.Bosch	649	A. B.	1923	18, 23	DORT	480
Am.Bosch	TC-20	TM-4104	Clum	10391	Am.Bosch	525	Am.Bosch	651	A. B.	1923	20, 25	DORT	480
Am.Bosch	TC-20	TM-662	Clum	10403	Am.Bosch	525	Am.Bosch	653	A. B.	1924-25	20, 24	DORT	481
Westing.	239282B	239282B	West.	237571	Westing.	700	Westing.	400	245401	1918-20	G	DOUGLAS	482
Delco	2135	15735	Delco	1226	Delco	200	Delco	237, 42	5745	1922	601	DUESENBERG	483
Delco	2135	15735	Delco	1226	Delco	200	Delco	242	5745	1923-27	Eight	DUESENBERG	484
Eisemann	Magneto				Westing.	100	Westing.	150	Westing.	1920-21	A	DUPONT	486
Westing.	S-288761-C	S-250358-C	C. H.		Westing.	711	Westing.	760	Westing.	1922-25	C	DUPONT	487
Am.Bosch	TC-30	TM-662			Am.Bosch	930	Am.Bosch	1047	A. B.	1925-27	D, E	DUPONT	488
Auto-Lite	IG-4001, 38	IG-4020, 37	Conn.	183-2-Y	Auto-Lite	MN-4001	Auto-Lite	GJ-4009, 02	Auto-Lite	22-23	B-22-23	DURANT	491
Auto-Lite	IG-4013	IG-4018-A	Conn.	187-3-Y	Auto-Lite	MF-1096	Auto-Lite	GH-1036	CB-1072	1923-26	A-22	DURANT	490
Auto-Lite	IG-4066	IG-4010A	Clum		Auto-Lite	MZ-4012	Auto-Lite	GAL-4105	CB-4007	1928	M-2	DURANT	492
Auto-Lite	IG-4066	IG-4067A	Clum		Auto-Lite	MZ-4012	Auto-Lite	GAL-4107	CB-4007	1928	55	DURANT	494
Auto-Lite	IG-4066	IGB-4008B	Shaler Lock		Auto-Lite	MZ-4001	Auto-Lite	GAL-4104	CB-4007	1928	65	DURANT	496
Auto-Lite	IG-4066	IGB-4008A	Shaler Lock		Auto-Lite	MAD-4101	Auto-Lite	GAK-4101	CB-4007	1928	75	DURANT	498
Conn.	16-C	16-C	B. & S.	2269	Auto-Lite	MG-1013	Auto-Lite	GJ-1013	Auto-Lite	22-24	40	EARL	500
Conn.					Dyneto	DA	Dyneto	CA	Dyneto	1917-18	D, E, F, G	ELCAR	501
At.Kent	CC	CC	B. & S.	1086	Dyneto	DA	Dyneto	CA	Dyneto	1919	D,E,G4-6	ELCAR	502
Delco	2159	5214	Delco	1164	Delco	177	Delco	176	Delco	1920-22	D,H,G,K-4	ELCAR	503
Delco	2159	5207	Delco	1166	Delco	164, 81	Delco	165	Delco	1920-22	D,H,G,K-6	ELCAR	504
Delco	2178	5261	Delco	1246	Delco	263	Delco	265	Delco	1923-24	4-40	ELCAR	505
Delco	2178	5256	Delco	1246	Delco	181	Delco	258	Delco	1923-24	6-60	ELCAR	506
Auto-Lite	IG-4047	IG-4039-A	Clum	10365	Auto-Lite	MG-4003	Auto-Lite	GP-4007	Auto-Lite	24-25	6-50, 55	ELCAR	507
Auto-Lite	IG-4047	IG-4051-A	Clum	10355	Auto-Lite	MG-4004	Auto-Lite	GJ-4101	Auto-Lite	24-25	4-45, 55	ELCAR	508
Auto-Lite	IG-4047	IG-4051-A	Clum	10355	Auto-Lite	MN-4107	Auto-Lite	GJ-4101	Auto-Lite	1926	4-55	ELCAR	508
Auto-Lite	IG-4047	IG-4039-A	Clum	10365	Auto-Lite	MN-4102	Auto-Lite	GJ-4110	Auto-Lite	25-26	6-65	ELCAR	510

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING							
						Type				Circuit	Edison	Mazda	Lamp	Numbers			
									Model	Fuses	Breaker	Head	Aux.	Side Dsh.	-tail	Stop	Dome
511	ELCAR	8-80	36003 to 37999	1925	Willard	XR-15X	Neg.	Delco	1246	*	Delco	1129	81	81	63	1129	81
511	ELCAR	8-80	36003 to 37999	1926	U.S.L.	XY-15X	Neg.	Delco	1246	*	Delco	1129	81	81	63	1129	81
512	ELCAR	4-55		1926-27	U.S.L.	XY-13X	Neg.	Clum	10365	10	*	1129	81	*	63	87	*
514	ELCAR	6-65	37997 up	1926-27	U.S.L.	XY-13X	Neg.	Remy	420-N	10	*	1110	*	81	63	87	*
516	ELCAR	8-81, Taxi	37997 up	1926-27	U.S.L.	XY-15X	Neg.	Remy	420-F	10	*	1110	*	81	63	87	81
518	ELCAR	6-70		1927-28	U.S.L.	XY-13X	Neg.	Delco-Remy	1303	10	*	1110	63	81	64-63	87	82
520	ELCAR	8-82		1927-28	U.S.L.	XY-15X	Neg.	Delco-Remy	420-N	10	*	1110	63	81	63	87	82
522	ELCAR	8-90,91,92		1927-28	U.S.L.	XY-17X	Neg.	Delco-Remy	420-N	10	*	1110	63	81	64-63	87	82
524	ELCAR	8-78		1928	U.S.L.	3-CVX-6X	Neg.	Delco-Remy	1303	20	*	1110	81	*	63	87	63
525	ELGIN	3-E-16	1 to 1720	1916	Willard	SJWR-3	Neg.	Delco	1075	20	*	1129	*	*	63	*	*
526	ELGIN	6-E-17,18	17000 to 17760	17-18	Willard	SJWR-3	Neg.	B. & S.	1272	20	*	1129	81	*	63	*	*
527	ELGIN	H	17760 up	1919	Willard	SJWR-3	Neg.	B. & S.	1272	20	*	87	*	*	63	*	*
527	ELGIN	K	K-2601 up	1920	Willard	SJWR-3	Pos.	B. & S.	1272	20	*	1129	*	*	63	*	*
528	ELGIN	KK1	K-2601 up	1920-22	Willard	SJWR-3	Pos.	B. & S.	1272	20	*	1129	81	81	63	*	*
529	ELGIN	25	25 up	1924	U.S.L.	3-CVX-6X	Neg.	B. & S.	37900	*	*	1129	*	63	63	*	*
530	ELKHART	Junior		1916			Neg.			15	*	87	*	*	63	*	*
531	EMPIRE	31-40, 33	331001 up	1915	Willard	SJR-27	Neg.	Remy	145-A	4	*	93	*	*	63	*	*
532	EMPIRE	60,60R	601001 to 603412	16-17	P-O-L	613-SHK	Neg.	Conn.	108-2-Y	20	*	1129	81	*	61	*	*
532	EMPIRE	50, 51	50001 up	1917-19	P-O-L	613-SHK	Neg.	Conn.	108-2-Y	20	*	1129	81	*	61	*	*
532	EMPIRE	70,A,71,73	70001 up	1917-20	P-O-L	613-SHK	Neg.	Conn.	108-2-Y	20	*	1129	81	*	61	*	*
533	ENGER	12		1916-17	Gould		Pos.			20	*	87	*	*	63	*	*
533	ENGER	12		1916-17	Willard	SJWR-3	Pos.			20	*	87	*	*	63	*	*
534	ERSKINE	50	5,000,001 up	1927	Willard	CRR-13	Pos.	B. & S.		20	*	1110	*	63	63	87	63
536	ERSKINE	51	5,025,001 up	1928	Willard	WR-13	Pos.	Delco-Remy	484E	20	*	1110	63	*	63	81	81
538	ESSEX	A	A-5000 up	1918-19	Exide	3-XC-15-1	Neg.	Delco	1130	*	Delco	1129	*	*	61	*	*
539	ESSEX	A	5000 up	1920-22	Exide	3-XC-15-1	Neg.	Delco	1130, 70	*	Delco	87	*	*	61	*	*
540	ESSEX			1922-23	Exide	3-XC-13-1	Neg.	Am.Bosch	S-106	10	*	1129	*	81	61	*	*
542	ESSEX			1924-25	P-O-L	613-JFK	Neg.	Am.Bosch	S-116	20	*	1129	*	*	61	*	*
544	ESSEX			1925-26	P-O-L	6-13-JFK	Neg.	Am.Bosch	S-120, 23	20	*	1129	*	*	61	*	*
546	ESSEX	Six		1926-27	P-O-L	6-13-JFK	Neg.	Clum	XA-319	20	*	1129	*	*	61	*	*
548	ESSEX	Six		1927	P-O-L	6-13-JFK	Neg.	Clum	10643	20	*	1110	*	63	63	1129	*
550	ESSEX	Six	901906 up	1928	Exide	613-JFK	Neg.	Clum	10717	20	*	1110	*	63	63	1129	*
552	FALCON KNIGHT	10	1000 up	1927	U.S.L.	3-HVX-7X	Neg.	Clum		20	*	1129	*	*	63	87	81
552	FALCON KNIGHT	10	1000 up	1927	U.S.L.	3-HVX-7X	Neg.	Clum		20	*	1129	*	*	63	87	81
554	FALCON KNIGHT	12	12000 up	1928	U.S.L.	3-HVX-7X	Neg.	Clum		20	*	1110	*	*	63	87	81
556	FERRIS	C-20	C-500 up	1919-21	Willard	SJWR-4	Pos.			*	Leece-Nev.	1129	81	*	63	*	*
557	FIAT	54		1914-15	Willard	SJWR-3	Pos.	Westing.	237571	15	*	1129	81	81	63	*	63
557	FIAT	55		1914-15	Willard	SJWR-3	Pos.	Westing.	192023	15	*	1129	81	81	63	*	63
557	FIAT	56		1914-15	Willard	SJWR-3	Pos.			15	*	1129	81	81	63	*	63
558	FIAT	50-55		1915-16	Willard	SJWR-4	Pos.			15	*	1129	*	81	61	*	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Delco	2182	5277	Delco	1246	Delco	240	Delco	256	Delco	1925	8-80	ELCAR	511
Delco	2182	5282	Delco	1246	Delco	313	Delco	256	Delco	1926	8-80	ELCAR	511
Remy	284-L	366-V	Clum	10365	Remy	714-A	Remy	941-Q	265-B	1926-27	4-55	ELCAR	512
Remy	284-P	636-H	Remy	440-A	Remy	720-Q	Remy	941-D	265-B	1926-27	6-65	ELCAR	514
Remy	284-L	648-A	Remy	440-A	Remy	720-Q	Remy	941-D	265-B	1926-27	8-81, Taxi	ELCAR	516
Delco-Remy	525-C	636-S	Delco-Remy	440-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1927-28	6-70	ELCAR	518
Delco-Remy	525-C	658-B	Delco-Remy	440-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1927-28	8-82	ELCAR	520
Delco-Remy	525-C	658-A	Delco-Remy	440-A	Delco-Remy	720-Q	Delco-Remy	949-A	265-B	1927-28	8-90,91,92	ELCAR	522
Delco-Remy	525-C	658-B	Delco-Remy	440-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1928	8-78	ELCAR	524
Delco	2138	5148	Delco	1075	Dyneto	UA	Dyneto	VA		1916	6-E-16	ELGIN	525
Remy	171A, 284B	217C	B. & S.	1272	Wagner	EM-180	Wagner	EM-165	Wagner	1917-18	6-E-17,18	ELGIN	526
Wagner	K-32	KC-335	B. & S.	1272	Wagner	EM-298	Wagner	EM316	1-471	1919	H	ELGIN	527
Wagner	K-32	KC-335	B. & S.	1272	Wagner	EM-298	Wagner	EM200	1-471	1920	K	ELGIN	527
Wagner	K-32	KC-335	B. & S.	1272	Westing.	100	Westing.	150	Westing.	1920-22	KKI	ELGIN	528
DeJon	CA-4001	IA-4002	B. & S.	37900	DeJon	SA-4002	DeJon	DB-4001	RA-4001A	24-25	25	ELGIN	529
Delco					Split.	A-25, 28	Split.	A-25, 28		1916	Junior	ELKHART	530
Remy	49-A	100-A	Remy	145-A	Remy	129-A	Remy	129-A	66-A	1915	31-40, 33	EMPIRE	531
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GG		1916-17	60, 60R	EMPIRE	532
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GF		1917-19	50, 51	EMPIRE	532
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GG		1917-20	70A, 71,73	EMPIRE	532
Remy	179-A	212-A			Westing.	318	Westing.	400-R	245401	1916-17	12	ENGER	533
Remy	179-A	212-A			West.	318	West.	400	245401	1916-17	12	ENGER	533
Delco-Remy	525-A	637-Y	Hershey		Delco-Remy	712-G	Delco-Remy	942-B	265-B	1927	50	ERSKINE	534
Delco-Remy	525-A	639-R	Hershey		Delco-Remy	712-H	Delco-Remy	940-G	265-B	1928	51	ERSKINE	536
Delco	2127	5913, 205	Delco	1130	Delco	130, 61	Delco	133	*	1918-19	A	ESSEX	538
Delco	2177	5205	Delco	1130, 70	Delco	161	Delco	166	*	1920-22	A	ESSEX	539
Am.Bosch	TC-Ed. 4	T-474	Am.Bosch	S-106	Am.Bosch	925, 26	Am.Bosch	1217, 38	*	1922-23		ESSEX	540
Am.Bosch	TC-30	T-6200	Am.Bosch	S-116	Am.Bosch	940	Am.Bosch	1043	*	1924-25		ESSEX	542
Am.Bosch	TC-30	T-6200	Am.Bosch	S-120, 23	Am.Bosch	964	Am.Bosch	1067	*	1925-26		ESSEX	544
Auto-Lite	CE-4001	IB-4001	Clum	XA-319	Auto-Lite	MU-4001A	Auto-Lite	GAA-4001	*	1926-27	Six	ESSEX	546
Auto-Lite	CE-4001	IBA-4001	Clum	10643	Auto-Lite	MZ-4005	Auto-Lite	GAA-4005	CB-4015	1927	Six	ESSEX	548
Auto-Lite	CE-4001	IGB-4014	Electrolock	5-A	Auto-Lite	MZ-4005	Auto-Lite	GAM-4101	CB-4015	1928	Six	ESSEX	550
Auto-Lite	IG-4065	IG-4107-B	Clum		Auto-Lite	ML-4106	Auto-Lite	GYA-4202	CB-4007	1927	10	FALCON KNIGHT	552
Auto-Lite	IG-4065	IGA-4021	Clum		Auto-Lite	MAB-4002	Auto-Lite	GYA-4202A	CB-4007	1927	10	FALCON KNIGHT	552
Auto-Lite	IG-4065	IGA-4021	Clum		Auto-Lite	MAB-4002	Auto-Lite	GYA-4202A	CB-4007	1928	12	FALCON KNIGHT	554
Splitdorf	Magneto	649			Leec.Nev.	347-M	Leec.Nev.	350G, 38G	130-C	1919-21	C-20	FERRIS	556
Bosch	Magneto	ZR			Westing.	501	Westing.	201, 2, 11	240237	1914-15	54	FIAT	557
Bosch	Magneto	ZR			Westing.	502	Westing.	240	240237	1914-15	55	FIAT	557
Bosch	Magneto	ZR			Westing.	532	Westing.	250	240237	1914-15	56	FIAT	557
Bosch	Magneto	ZR			Bos.Rush.	C-18	Bos.Rush.	I, DSG-5		1915-16	50-55	FIAT	558

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Edison Head	Mazda Aux.	Lamp Side	Numbers Dsh.-tail	Stop Dome
558	FIAT	G-3		1917-18	Willard	SJWR-4		Pos.			15	*	1129	*	81	61	* *
559	FIAT	E-17		1916-17	Willard	SJWR-4		Pos.			30	*	1129	81	*	63	* *
560	FLINT	6-40	100 up	1924-25	U.S.L.	3-HVX-5X		Neg.	Clum	10375	20	*	1129	*	63	63	* 63
561	FLINT	6-55	100 up	1924-25	U.S.L.	3-HVX-6X		Neg.	Conn.	194-Y	20	*	1129	*	63	63	* 63
562	FLINT	E-80		1926	U.S.L.	3-HVX-6X		Neg.	Clum	10549	20	*	1129	*	63	63	* 63
563	FLINT	Z-18	100 up	1926-27	U.S.L.	3-CVX-6X		Neg.	Clum	10544	20	*	1129	*	63	63	* 63
564	FLINT	B-60		1926-27	U.S.L.	3-HVX-5X		Neg.	Clum	10549	20	*	1129	*	63	63	* 63
564	FLINT	B-60		1926-27	U.S.L.	3-HVX-5X		Neg.	Clum	10549	20	*	1129	*	63	63	* 63
566	FLINT	E-80		1926-27	U.S.L.	3-HVX-6X		Neg.	Clum	10549	20	*	1129	*	63	63	* 63
568	FLINT	Z-18		1927	U.S.L.	3-CVX-5X		Neg.	Clum	10544	20	*	1129	*	63	63	* 63
570	FLINT	B-60		1927	U.S.L.	3-HVX-5X		Neg.	Clum	10549	20	*	1110	*	63	63	1129 63
572	FLINT	E-80		1927	U.S.L.	3-HVX-6X		Neg.	Clum	10549	20	*	1129	*	63	63	* 63
574	FORD	T		1912-19	None			*	Ford		*	*	Ford	*	*	*	*
575	FORD	T		1919-20	Will.-P.O.L.-Exide			Neg.	Ford		*	*	1129	63	*	63	* *
576	FORD	T		1921-22	Ford-Will.-Exide-P.O.L.			Neg.	Ford		*	*	1129	*	*	63	* *
577	FORD	T		1923-26	Ford-Will.-Exide-P.O.L.			Neg.	Ford		*	*	1129	*	*	63	* *
578	FORD	T-Improved		1926-27	Ford-Exide-P.O.L.			Neg.	Ford		*	*	1110	*	*	63	* *
580	FORD	A		1928	Ford-U.S.L.			Pos.	Ford		*	*	1158	*	*	63	1129 *
582	FOX	7-F	1 up	1920-21	Exide	3-XC-17-1		Pos.	Clum	10362	15	*	1129	81	*	64-63	1129 *
583	FOX	7-F	150 up	1922-25	Westing.	6-OB-15		Pos.	Clum	10362	15	*	1129	81	81	63-64	1129 63
584	FRANKLIN	8, 9A		1915-18	Willard	JWR-26		No	B. & S.	1680, 81	10	*	1141	89	*	63	* *
585	FRANKLIN	9-B		1919-21	Willard	JWR-26		No	B. & S.	1279, 80	10	*	1141	89	*	67	* *
586	FRANKLIN	9-B		1921-22	Willard	JWR-26		No	B. & S.	1516, 1684	10	*	93	*	*	63	* 67
587	FRANKLIN	10-A		1922-23	Willard	SJRR-5		Neg.	B. & S.	2364, 66	15	*	1129	81	*	61	* 63
588	FRANKLIN	10-B	134014- up	1923	Willard	SJRR-5		Neg.	Conn.	191-1-Y	15	*	1129	81	*	61	* 63
589	FRANKLIN	10-B,C	144663-11 up	1924	Willard	XR-17		Neg.	Conn.	191-1-Y	20	*	1129	63	*	63	* 81
590	FRANKLIN	11	151501 up	1925-26	Willard	XR-19		Neg.	Conn.	194-Y	20	*	1129	81	*	63	1129 81
592	FRANKLIN	11-B	164801 up	1927	Willard	CRR-19		Neg.	Conn.	194-Y	20	*	1110	63	*	61	1129 81
594	FRANKLIN	12	172000	1928	Willard	CRR-19		Neg.	Sor.Man.		20	*	1110	81	*	61	1129 63
596	GARDNER	G	1000 to 2476	1920	Willard	SJWR-3		Pos.	B. & S.	1735	20	*	1129	63	*	63	* *
597	GARDNER	G,R,T,S	2476 up	1920-22	Willard	SJWR-3		Pos.	B. & S.	1735	20	*	1129	63	*	63	* *
598	GARDNER	R,T,S		1922	Willard	SJWR-3		Pos.	B. & S.	1735	20	*	1129	*	*	63	* *
599	GARDNER	R,T,S	18002-S up	1923-25	Willard	SJWR-3		Pos.	B. & S.	35200, 37720	20	*	1129	*	*	63	* *
600	GARDNER	6-A	32501 up	1925	P-O-L	611-SHK		Pos.	Remy	475-D	20	*	1129	*	63	63	1129 81
601	GARDNER	8-A	32501 up	1925	P-O-L	617-RHK		Pos.	Remy	475-D	20	*	1129	*	63	63	1129 81
602	GARDNER	8-B	34526 up	1926	P-O-L	617-RHK		Pos.	Remy	420-H	20	*	1129	*	63	63	1129 81
604	GARDNER	6-B	35512 up	1926-27	P-O-L	611-SHK		Pos.	Delco-Remy	420-H	20	*	1129	*	63	63	1129 81
606	GARDNER	80	5DD01 up	1927	P-O-L	613-RHK		Pos.	Delco-Remy	420-Q	10	*	1110	63	*	63	* *
608	GARDNER	90	5DD01 up	1927	P-O-L	617-RHK		Pos.	Delco-Remy	420-Q	10	*	1110	63	*	63	* *
610	GARDNER	75	5AD62 up	1928	P-O-L	615-JFK		Pos.	Delco-Remy	420-Q	10	*	1110	63	81	63	87 63

Make	IGNITION			STARTER		GENERATOR		Relay		Year	Model	CAR	Page
	Coil Model	Dist. Model	Switch Model	Make	Make	Model	Make	Model	Regulator				
Bosch	Magneto	ZR			Bos.Rush.	C-18	Bos.Rush.	I, DSG-5		1917-18	G-3	FIAT	558
Bosch	Magneto	ZR			Westing.	700, 50, 75	Westing.	208	240237	1916-17	E-17	FIAT	559
Auto-Lite	IG-4047	IG-4003-A	Clum	10365	Auto-Lite	MG-4004	Auto-Lite	GJ-4014	CB-4009	1924-25	6-40	FLINT	560
DeJon	CA-4001	IA-4001	Conn.	194-Y	DeJon	SA-4001	DeJon	DA-4001	RA-4001	1924-25	6-55	FLINT	561
DeJon	CA-4001	IA4001			DeJon	SA-4001	DeJon	DA-4001	RA-4001	1926	E-80	FLINT	562
Auto-Lite	IG-4063	IG-4118-A	Clum	10544	Auto-Lite	MP-4102	Auto-Lite	GY-4101	CB-4007	1926-27	Z-18	FLINT	563
Auto-Lite	IG-4063	IG-4118-A-C			Auto-Lite	MP-4102	Auto-Lite	GY-4102A	CB-4007	1926-27	B-60	FLINT	564
Auto-Lite	IG-4063	IG-4118-A-C			Auto-Lite	MN-4111	Auto-Lite	GY-4102A	CB-4007	1926-27	B-60	FLINT	564
Auto-Lite	IG-4062	IG-4121			Auto-Lite	MN-4110	Auto-Lite	GRA-4101	CB-4007	1926-27	E-80	FLINT	566
Auto-Lite	IG-4070	IG-4118-A	Clum	10544	Auto-Lite	MP-4102	Auto-Lite	GYA-4204	CB-4007	1927	Z-18	FLINT	568
Auto-Lite	IG-4063	IG-4118-C			Auto-Lite	MN-4111	Auto-Lite	GYA-4203A	CB-4007	1927	B-60	FLINT	570
Auto-Lite	IG-4062	D.J.IA-4001			Auto-Lite	MN-4110	Auto-Lite	GRA-4101	CB-4007	1927	E-80	FLINT	572
Ford	Ford	Ford	Ford				Ford	Magneto		1912-19	T	FORD	574
Ford	Ford	Ford	Ford		Liberty	F.A.	Liberty	FA	Ford	1919-20	T	FORD	575
Ford	Ford	Ford	Ford		Liberty	F.A.	Liberty	FA	Ford	1921-22		FORD	576
Ford	Ford	Ford	Ford		Liberty	F.A.	Liberty	FA	Ford	1923-26	T	FORD	577
Ford	Ford	Ford	Ford		Ford	F.A.	Ford	FA	Ford	1926-27	T-Imp'd	FORD	578
	Auto-Lite	Am.Bosch	Ford		Ford	Ford	Ford	Ford	Ford	1928	A	FORD	580
Scintilla	Magneto	AM-6	Clum	10362	Westing.	711	Westing.	760	262982-C	1920-21	7-F	FOX	582
Scintilla	Magneto	AM-6	Clum	10362	Westing.	751	Westing.	760	301210A	1922-25	7-F	FOX	583
At.Kent or Eisemann Mag.			B. & S.	1680, 81	Dyneto	DSL-B	Dyneto	DSL-B	*	1915-18	8, 9A	FRANKLIN	584
At.Kent	K2	K2	B. & S.	1285, 86	Dyneto	KIR	Dyneto	KIR	*	1919-21	9-B	FRANKLIN	585
At.Kent	CAF	CAF	B. & S.	1685, 86	NorthEast	GF	NorthEast	GF	*	1922-23	9-B	FRANKLIN	586
At.Kent	RA	RA	B. & S.	2363, 65	NorthEast	K-3936	NorthEast	LA-3938	N.E.	1922-23	10-A	FRANKLIN	587
At.Kent	RA	RA	Conn.	191-1-Y	NorthEast	K	NorthEast	LA-3938	N.E.	1923	10-B	FRANKLIN	588
At.Kent	N-7	RA	Conn.	191-1-Y	At.Kent	6550	At.Kent	5970	A.K.	1924	10-B, C	FRANKLIN	589
At.Kent	N-7	RA	Conn.	194-Y	OwenDyn.	DH	OwenDyn.	CE	O.D.	1925-26	11	FRANKLIN	590
At.Kent	N-7	RA	Conn.	194-Y	OwenDyn.	DH	OwenDyn.	CG-697	O.D.	1927	11-B	FRANKLIN	592
NorthEast	18232	TU-10770			OwenDyn.	DH-696	OwenDyn.	CD-788	O.D.	1928	12	FRANKLIN	594
Westing.	SC	SC	B. & S.	1735	Westing.	100	Westing.	760	262982	1920	G	GARDNER	596
Westing.	SC	SC	B. & S.	1735	Westing.	33AB	Westing.	35AT	273899C	1920-22	G, R, T, S	GARDNER	597
Westing.	SC	SC	B. & S.	1735	Westing.	33AB	Westing.	35AT	273899C	1922	R, T, S	GARDNER	598
Westing.	SC	SC	B. & S.	35200, 37720	Westing.	100	Westing.	35AT	301210A	1923-25	R, T, S	GARDNER	599
Remy	284-P	626-P	Remy	475-D	Remy	720-J	Remy	941-B	265-B	1925	6-A	GARDNER	600
Remy	284-L	648-A	Remy	475-D	Remy	720-J	Remy	917-V	265-B	1925	8-A	GARDNER	601
Remy	284-L	648-B	Remy	420-H	Remy	720-Q	Remy	941-D	265-B	1926	8-B	GARDNER	602
Delco-Remy	284-P	636-H	Delco-Remy	420-H	Delco-Remy	720-Q	Delco-Remy	941-D	265-B	1926-27	6-B	GARDNER	604
Delco-Remy	550-A	658-B	Coil Sw.	550-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1927	80	GARDNER	606
Delco-Remy	550-A	658-A	Coil Sw.	550-A	Delco-Remy	720-Q	Delco-Remy	941-D	265-B	1927	90	GARDNER	608
Delco-Remy	550-A	658-B	Coil Sw.	550-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1928	75	GARDNER	610

CAR MODEL INDEX															EQUIPMENT USED														
Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING																		
						Type			Make	Model	Fuses	Circuit Breaker	Edison Mazda Lamp Numbers	Head	Aux.	Side Dsh.-tail Stop Dome													
612	GARDNER	85	GRL-057 up	1928	P-O-L	615-JFK	Pos.	Delco-Remy	420-Q	10	*	1110	63	81	63	87	63												
614	GARDNER	95	GRL-057 up	1928	P-O-L	617-JFK	Pos.	Delco-Remy	420-Q	20	*	1110	63	81	63	87	63												
616	GERONIMO	A-45		1918-21	Willard	SJWR-3	Pos.	Delco	1067	*	Delco	1129	*	*	63	*	*												
616	GERONIMO	A-45		1918-21	Willard	SJWR-3	Pos.	Delco	1106	*	Delco	1129	*	*	63	*	*												
617	GLIDE	30	7389 up	1915	Willard	CW-13	Pos.	Westing.	225106	15	*	87	81	*	63	*	*												
618	GLIDE	6-40		1916-17	Willard	SJWR-3	Pos.	Westing.	237571	15	*	1129	81	*	63	*	*												
619	GLIDE	6-40		1918-19	P-O-L	613-SHK	Pos.	Westing.	256990	15	*	87	81	*	63	*	*												
620	GRAHAM PAIGE	610		1928	Willard	WR-13	Pos.	B. & S.		*	D.R.410-A	1110	63	*	63	1129	*												
622	GRAHAM PAIGE	614		1928	Willard	CWR-15	Pos.	B. & S.		*	D.R.410-A	1110	*	63	63-1158	1158	*												
624	GRAHAM PAIGE	619, 29		1928	Willard	CWR-17	Pos.	B. & S.		*	D.R.410-A	1110	*	63	63	1129	*												
626	GRAHAM PAIGE	835		1928	Willard	CWR-17	Pos.	B. & S.		*	D.R.410-A	1110	*	63	63	1129	*												
628	GRANT	M,T,V		1915-17	Willard	SJWR-3	Neg.	B. & S.	675	20	*	1129	*	*	63	*	*												
629	GRANT	K	15,000 up	1917-18	Willard	SJWR-3	Pos.	B. & S.	842	20	*	1129	63	*	63	*	*												
630	GRANT	G		1918-20	Willard	SJWR-3	Pos.	B. & S.	1168	20	*	1129	81	*	63	*	*												
631	GRANT	H	Under 2030	1920	P-O-L	613-SHK	Pos.			15	*	87	81	*	63	*	*												
632	GRANT	H,H-X,Y,Z	After 2030	20-21	P-O-L	613-SHK	Pos.			15	*	87	81	*	63	*	*												
633	GRANT	65000		1922	P-O-L	613-SHK	Pos.			15	*	1129	*	63	63	1129	*												
634	GRAY	N,O	1000 up	1922-25	U.S.L.	3-CVX-5X	Pos.	B. & S.	2386	20	*	1129	*	*	63	*	63												
635	GRAY	S	S-1000 up	1925-26	U.S.L.	3-CVX-5X	Pos.	Cask.Dup.	N-7115	20	*	1129	*	*	63	*	*												
636	H. A. L.	12		1915-18	Gould		Pos.	Westing.	237575	15	*	1129	*	*	63	*	*												
637	HALLADAY	R		1916	Willard	SJWR-3	Pos.	Westing.	237571	20	*	1129	81	*	63	*	*												
638	HALLADAY	R,S,T		1915-18	Willard	SJWR-3	Pos.	Conn.	108-2-Y	*	*	1129	*	81	63	*	*												
639	HANDLEY KNIGHT	A	1 to 600	1921	U.S.L.	3-HVX-8X	Neg.			20	*	87	63	*	63	*	*												
639	HANDLEY KNIGHT	B	600 up	1922	U.S.L.	3-HVX-8X	Neg.			20	*	87	63	*	63	*	*												
640	HANSON	54	1800 to 2850	1920	P-O-L	613-RHK	Neg.	Delco	1174	*	Delco	1129	81	*	63	*	*												
640	HANSON	54, 60	2850 up	1921-25	P-O-L	613-RHK	Neg.	Delco	1174	*	Delco	1129	81	*	63	*	*												
641	HARROUN	AA-1	1 up	1917-19	P-O-L	611-SHK	Neg.	B. & S.		20	*	1129	*	*	61	*	*												
642	HARVARD			1920	P-O-L	611-RHK	Pos.	Clum	10105	*	*	87	81	*	63	*	*												
643	HATFIELD	A-42	700 up	1920-21	Willard	SJWR-4	Pos.	Conn.	96-8-Y	*	*	87	81	*	63	*	*												
644	HAYNES	30,3,4,5	8552 to 10949	'15-16	Willard	SJWR-4	Neg.	Leece-Nev.		*	Leece-Nev.	1129	81	*	63	*	*												
645	HAYNES	36,36R,37	10951-15999	'16-17	Willard	SJWR-4	No	Leece-Nev.		*	Leece-Nev.	1129	81	*	63	*	*												
646	HAYNES	40,40R,41	21000-24000	1917	Willard	SJWR-4	No	Delco	1083	*	Leece-Nev.	1129	81	*	63	*	*												
645	HAYNES	38,39,R,S	29650 up	1918	Willard	SJWR-4	No	Leece-Nev.		*	Leece-Nev.	1129	81	*	63	*	81												
647	HAYNES	45	32894 up	1919	Willard	SJWR-4	No	Leece-Nev.		*	Leece-Nev.	1129	*	*	63	*	*												
648	HAYNES	45	33,500 up	1919-20	Willard	SJWR-4	No	Leece-Nev.		*	Leece-Nev.	1129	81	*	63	*	81												
646	HAYNES	44,46	21364 up	1918-20	Willard	SJWR-4	No	Delco	1083	*	Leece-Nev.	1129	81	*	63	*	*												
649	HAYNES	47	38500 up	1920	Willard	SJRR-5	Pos.			*	Leece-Nev.	1129	81	*	63	*	*												
650	HAYNES	48		1920	Willard	SJRR-5	No	Delco	1083	*	Leece-Nev.	1129	81	*	63	*	*												
651	HAYNES	50	46000 up	1921	Willard	SJRR-5	Pos.	B. & S.	2137	*	Leece-Nev.	1129	81	*	63	*	*												
651	HAYNES	55	46000 up	1922	P-O-L	615-SHK	Pos.	B. & S.	2367	*	Leece-Nev.	1129	81	*	63	*	*												

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Delco-Remy	550-A	658-B	Coil Sw.	550-A	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1928	85	GARDNER	612
Delco-Remy	550-A	658-K	Coil Sw.	550-A	Delco-Remy	720-Q	Delco-Remy	941-D	265-B	1928	95	GARDNER	614
Delco	2138	5171	Delco	1067	Dyneto	D-361	Dyneto	C-354	Dyneto	1918-21	A-45	GERONIMO	616
Delco	2138	5171	Delco	1106	Dyneto	D-176, 90	Dyneto	C-176, 90	Dyneto	1918-21	A-45	GERONIMO	616
Westing. (Generator)			Westing.	225106	Westing.	300	Westing.	230	Westing.	1915	30	GLIDE	617
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	400-R	245401	1916-17	6-40	GLIDE	618
Westing.	265710	265710	Westing.	256990	Westing.	710	Westing.	760	273899	1918-19	6-40	GLIDE	619
NorthEast	20285	10827	In Coil		NorthEast	6470	NorthEast	6472	20220	1928	610	GRAHAM PAIGE	620
NorthEast	20232	10863	Hershey		North East	6460	NorthEast	6446	20220	1928	614	GRAHAM PAIGE	622
NorthEast	20232	10833	Hershey		NorthEast	6462	NorthEast	6447	20220	1928	619, 29	GRAHAM PAIGE	624
NorthEast	20232	10834	Hershey		NorthEast	6462	NorthEast	6447	20220	1928	835	GRAHAM PAIGE	626
At.Kent	K2	K2	B. & S.	675	Allis-Cham.	MG-9	Allis-Cham.	MG-9	B. & S.	1915-17	M, T, V	GRANT	628
Remy	171A-284B	211A	B. & S.	842	Wagner	EM-166	Wagner	EM-165	Wagner	1917-18	K	GRANT	629
Remy	284-B	352-A	B. & S.	1168	Wagner	EM-199	Wagner	EM-189	Wagner	1918-20	G	GRANT	630
At.Kent	CC	CC			Wagner	EM-298	Wagner	EM-303	Wagner	1920	H	GRANT	631
At.Kent	CC	CC			Bijur	FD-140	Bijur	P-230	Bijur	1920-21	H, H-X, Y, Z	GRANT	633
At.Kent	N-3	46-CC			Bijur	FD-140	Bijur	P-230	Bijur	1922	65000	GRANT	632
Westing.	SC	SC	B. & S.	2386	Westing.	33AB	Westing.	34ATL	301210A	1922-25	N, O	GRAY	634
Auto-Lite	IG-4063	IG-4112-A	Cask Dup.	N-7115	Auto-Lite	MO-4102	Auto-Lite	GW-4101	CB-4007	1925-26	S	GRAY	635
Remy	179-B	215-A	Westing.	237575	Westing.	750	Westing.	450-R	245400	1915-18		H. A. L.	636
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	400-R	245401	1916	R	HALLADAY	637
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GG, GH	Auto-Lite	1915-18	R, S, T	HALLADAY	638
Conn.					Auto-Lite	MH-1022	Auto-Lite	GK-1024	Auto-Lite	1921	A	HANDLEY KNIGHT	639
Auto-Lite	IG-4007-A	IG-4021			Auto-Lite	MH-1022	Auto-Lite	GK-1011	Auto-Lite	1922	B	HANDLEY KNIGHT	639
Delco	2159	5207	Delco	1174	Delco	164	Delco	165	Delco	1920	54	HANSON	640
Delco	2159	5207	Delco	1174	Delco	181	Delco	165	Delco	1921-25	54, 60	HANSON	640
At.Kent	CC	CC			Remy	305-A	Remy	233-A	264-B	1917-19	A A-1	HARROUN	641
Bosch	Magneto	DU-4			Dyneto	D-366	Dyneto	C-306	Dyneto	1920		HARVARD	642
Conn.	M	16	Conn.	96-8-Y	Dyneto	D-183	Dyneto	C-224	Dyneto	1920-21		HATFIELD	643
Remy	48A	100D	Remy	ZA	LeeceNev.	B-300	LeeceNev.	CR-400	LeeceNev.	1915-16	30, 3, 4, 5	HAYNES	644
Remy	203-J	280-A	Remy	192A	LeeceNev.	B-300	LeeceNev.	C-400	LeeceNev.	1916-17	36, 36R, 37	HAYNES	645
Delco	2144	5155	Delco	1083	LeeceNev.	B-300	LeeceNev.	E-400	LeeceNev.	1917	40, 40R, 41	HAYNES	646
Remy	203-J	280-A	Remy	192A	LeeceNev.	186-M	LeeceNev.	E-400	LeeceNev.	1918	38, 39, R, S	HAYNES	645
Kingston					Leece-Nev.	186M	Leece-Nev.	E-400	Leece-Nev.	1919	45	HAYNES	647
Kingston					LeeceNev.	186-M	LeeceNev.	E-400	LeeceNev.	1919-20	45	HAYNES	648
Delco	2144	5155	Delco	1083	LeeceNev.	186-M	LeeceNev.	E-400	LeeceNev.	1918-20	44, 46	HAYNES	646
Kingston					LeeceNev.	318-M	LeeceNev.	G-326	LeeceNev.	1920	47	HAYNES	649
Delco	2144	5155	Delco	1083	LeeceNev.	166-M	LeeceNev.	G-109	LeeceNev.	1920	48	HAYNES	650
Kingston			B. & S.	2137	LeeceNev.	318-M	LeeceNev.	326-G	13-CC-6	1921	50	HAYNES	651
Kingston			B. & S.	2367	LeeceNev.	388-M	LeeceNev.	454-G	13-CC-6	1922	55	HAYNES	651

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING					
						Type			Make	Model	Fuses	Circuit Breaker	Head	Aux.	Side Dsh.-tail	Stoj Dome
652	HAYNES	57	1 to 7699	1923	P-O-L	615-SHK	Pos.	B. & S.	36560	*	Leece-Nev.	1129	81	*	63	1129
653	HAYNES	60	10100 up	1923-25	P-O-L	615-SHK	Pos.	B. & S.	37200	20	*	1129	*	63	63	*
654	H. C. S.	1,2,3,4	1 up	1920-23	Willard	SJWR-4	Neg.	Delco	1184	*	Delco	1129	81	*	63	*
655	H. C. S.	4-6		1923-25	Willard	SJWR-4	Neg.	Delco	1247	*	Delco	1129	81	*	63	*
656	H. C. S.	Taxi O, L.	3600 up	1925-26	P-O-L	613-SHK	Neg.	Am.Bosch	S-106	20	*	1129	*	81	63	1129
657	HERTZ	D1		1925-26	Vesta	R6-DJ-13Y	Pos.	Delco	1276	*	Delco	1129	*	81	63	1129
658	HOLLIER	158,68,78	1 up	1915-17	Gould	ASR-1245	Neg.	B. & S.	1466	15	*	1129	*	61	*	*
658	HOLLIER	188,198	6194 up	1919-20	Gould	ASR-1245	Neg.	B. & S.	1466	15	*	1129	*	61	*	*
658	HOLLIER	196,206	10001 up	1919-20	Gould	ASR-1245	Neg.	B. & S.	1466	15	*	1129	*	61	*	*
659	HOLMES	1,2,3,4	1 up	1918-21	Willard	SJR-27	No	B. & S.	2013	15	*	1141	89	*	67	*
660	HOLMES	4	40001 up	1921-24	Willard	SJR-27	Neg.	B. & S.	2013	15	*	1141	89	*	67	*
661	HUDSON	6-54	56501 up	1914-15	Exide	3-XC-15-1	Neg.	Delco	1033	*	Delco	87	*	61	*	*
662	HUDSON	6-40	G-10001 up	1916	Exide	3-XC-15-1	Neg.	Delco	1055	*	Delco	1129	*	61	*	*
663	HUDSON	H & J	H-1 up	1917-18	Exide	3-XC-15-1	Neg.	Delco	1071, 1106	*	Delco	87	*	61	*	*
664	HUDSON	M & O	5000 up	1919-20	Exide	3-XC-15-1	Neg.	Delco	1106, 30, 77	*	Delco	87	*	61	*	*
665	HUDSON	O	5000 up	1921-22	Exide	3-XC-15-1	Neg.	Delco	1188, 1219	*	Delco	1129	*	63	*	*
665	HUDSON	Export	210624 up	1923	Exide	3-XC-15-1	Neg.	Delco	1219	*	Delco	1129	*	63	*	*
666	HUDSON	Six		1922-24	Exide	3-XC-15-1	Neg.	Am.Bosch	S-106	10	*	1129	*	63	62-61	*
668	HUDSON	Six	562016 up	1925	Exide	3-XC-15-1	Neg.	Am.Bosch	S-119	20	*	1129	*	63	62-61	*
669	HUDSON	Six	672228 up	1926	P-O-L	615-JFK	Neg.	Clum	10610	20	*	1129	*	63	62-61	*
670	HUDSON	Six	716097 up	1927	P-O-L	615-JFK	Neg.	Clum	10643	20	*	1129	*	62-61	*	*
672	HUDSON	Six	790399 up	1927-28	P-O-L	615-JFK	Neg.	Clum	10643	20	*	1110	*	63	63	1129
674	HUDSON	Six		1928	Exide	615-JFK	Neg.	Clum	10717	20	*	1110	*	63	63	1129
676	HUFFMAN	R	1776 up	1919-23	Willard	SJWR-3	Pos.	Conn.	96-8-Y	*	*	1129	81	*	63	*
677	HUPMOBILE	K	52001 up	1915	Willard	SJR-27	Pos.	B. & S.	467	15	*	93	*	67	*	*
678	HUPMOBILE	N	60,001 up	1916	Willard	SJWR-4	Pos.	B. & S.	467	10	*	87	*	63	*	*
679	HUPMOBILE	N	60,001 up	1916	Willard	SJWR-4	Pos.	B. & S.	467	10	*	87	*	63	*	*
680	HUPMOBILE	N	75,001 up	1917	Willard	SJWR-4	Pos.	B. & S.	905	10	*	87	*	63	*	*
680	HUPMOBILE	R	First Cars	1918	Willard	SJWR-4	Pos.	B. & S.	905	10	*	87	*	63	*	*
681	HUPMOBILE	R1,R2	1 to 9899 up	1917-19	Willard	SJWR-3	Pos.	B. & S.	1423	10	*	87	*	63	*	*
682	HUPMOBILE	R-2	9899 up	1919	Willard	SJWR-3	Pos.	B. & S.	1423	15	*	87	*	63	*	*
683	HUPMOBILE	R-2,3,4,5	15,000 up	1919-21	Willard	SJWR-3	Pos.	B. & S.	1423	10	*	87	*	63	*	*
684	HUPMOBILE	R-3,4,5	20,000 up	1920-22	Willard	SJWR-4	Pos.	B. & S.	1423	10	*	1129	*	63	*	*
685	HUPMOBILE	R-12	95001 up	1923	Willard	CRR-15	Pos.	B. & S.	36780	10	*	1129	*	63	*	*
685	HUPMOBILE	R-13	130,001 up	1924	Willard	CRR-15	Pos.	B. & S.	36780	10	*	1129	*	63	*	*
686	HUPMOBILE	R-14	R-160397 up	1925	Willard	CRR-15	Pos.	B. & S.	36780	10	*	1129	*	63	63	*
687	HUPMOBILE	E-1	E-1 up	1925	Willard	SJR-6	Pos.	B. & S.	38520	20	*	1129	*	63	63	*
688	HUPMOBILE	A	A-5001 up	1925-26	Willard	CRR-15	Pos.	Clum	10582	15	*	1129	*	63	*	*
690	HUPMOBILE	E-2	E-15000 up	1925-23	Willard	SJR-6	Pos.	B. & S.	38530	20	*	1129	*	63	63	*
692	HUPMOBILE	A-1	50000 up	1927	Willard	CRR-15	Pos.	Clum	10612	15	*	1110	63	*	63	87

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Kingston	68	42	B. & S.	36560	LeeceNev.	448-M	LeeceNev.	474-G	13-CC-6	1923	57	HAYNES	652
Kingston	68	42	B. & S.	37200	LeeceNev.	447-M	LeeceNev.	504-G	GC-6	1923-25	60	HAYNES	653
Delco	2170	5246	Delco	1184	Delco	185	Delco	186	Delco	1920-23	1, 2, 3, 4	H. C. S.	654
Delco	2178	5259	Delco	1247	Delco	185	Delco	256	Delco	1923-25	4-6	H. C. S.	655
Am.Bosch	TC-30	T-4242	Am.Bosch	S-106	Am.Bosch	952	Am.Bosch	1269	A, B	1925-26	Taxi O, L	H. C. S.	656
Delco	2182	5278	Delco	1276	Delco	286, 313	Delco	301, 312	Delco	1925-26	D1	HERTZ	657
At.Kent	K-2	K-2	B. & S.	1466	Split.Apelco	A-25	Split.Apelco	A-25		1915-17	158, 68, 78	HOLLIER	658
At.Kent	K-2	K-2	B. & S.	1466	Split.Apelco	A-25	Split.Apelco	A-25		1918	188, 198	HOLLIER	658
At.Kent	K-2	K-2	B. & S.	1466	Split.Apelco	A-25	Split.Apelco	A-25		1919-20	196, 206	HOLLIER	658
Eise.	Magneto	GSA-6	B. & S.	2014	Dyneto	K4R	Dyneto	K4R	*	1918-21	1, 2, 3, 4	HOLMES	659
Eise.	Magneto	GSA-6	B. & S.	2014	Dyneto	K4R	Dyneto	K4R	*	1921-24	4	HOLMES	660
Delco	2100, 01	5103	Delco	1033	Delco	20	Delco	20	5688	1914-15	6-54	HUDSON	661
Delco	2116		Delco	1055	Delco	66	Delco	66	*	1916	6-40	HUDSON	662
Delco	2127	5134, 47	Delco	1071, 1106	Delco	82	Delco	82	*	1917-18	H & J	HUDSON	663
Delco	2127, 70	5134, 5203	Delco	1106, 30, 77	Delco	140	Delco	140	*	1919-20	M & O	HUDSON	664
Delco	2170	5223	Delco	1188, 1219	Delco	188	Delco	188	*	1921-22	O	HUDSON	665
Delco	2170	5224	Delco	1219	Delco	188	Delco	188	*	1923	Export	HUDSON	665
Am.Bosch	TC-Ed4,30	TC-6100	Am.Bosch	S-106	Am.Bosch	926	Am.Bosch	1217	A.B.	1922-24	Six	HUDSON	666
Am.Bosch	TC-30	T-6100	Am.Bosch	S-119	Am.Bosch	926	Am.Bosch	1274, 81	A.B.	1925	Six	HUDSON	668
Am.Bosch	TC-30	T-6322	Clum	10610	Am.Bosch	949	Am.Bosch	1282	*	1926	Six	HUDSON	669
Auto-Lite	CE-4001	IGA-4011	Clum	10643	Auto-Lite	MUA-4001, 2	Auto-Lite	GAB-4001	CB-4014	1927	Six	HUDSON	670
Auto-Lite	CE-4001	IGA-4023, 4	Electrolock	5-A	Auto-Lite	MUA-4001, 2	Auto-Lite	GAB-4008	CB-4014	1927-28	Six	HUDSON	672
Auto-Lite	CE-4001	IGA-4023, 24	Electrolock	5-A	Auto-Lite	MUA-4002	Auto-Lite	GAB-4008	CB-4014	1928	Six	HUDSON	674
Conn.			Conn.	M	Dyneto	D-288	Dyneto	C-288	Dyneto	1919-23	R	HUFFMAN	676
At.Kent	K-2	K-2	B. & S.	563	Westing.	600	Westing.	600	*	1915	K	HUPMOBILE	677
At.Kent	K-2	K-2	B. & S.	596	Westing.	700	Westing.	400-R	245401	1916	N	HUPMOBILE	678
At.Kent	K-2	K-2	B. & S.	596	Bijur	E-68	Bijur	L-61	Bijur	1916	N	HUPMOBILE	679
At.Kent	K-2	K-2	B. & S.	905	Westing.	700	Westing.	400-R	245401	1917	N	HUPMOBILE	680
At.Kent	K-2	K-2	B. & S.	905	Westing.	700	Westing.	400-R	245401	1918	R	HUPMOBILE	680
At.Kent	CC	CC	B. & S.	1423	Bijur	FD-140	Bijur	P-210	Bijur	1917-19	R-1, R-2	HUPMOBILE	681
At.Kent	CC	CC	B. & S.	1423	Remy	305-E	Remy	234-C	264-B	1919	R-2	HUPMOBILE	682
At.Kent	CC	CC	B. & S.	1423	Westing.	100	Westing.	760	262982C	1919-21	R-2, 3, 4, 5	HUPMOBILE	683
At.Kent	CC	CC	B. & S.	1423	Westing.	33AB	Westing.	760	262982D	1920-22	R-3, 4, 5	HUPMOBILE	684
Westing.	288761	395209	B. & S.	36780	Westing.	33AB	Westing.	35AT	301210A	1923	R-12	HUPMOBILE	685
Westing.	395271	395209	B. & S.	36780	Westing.	33AB	Westing.	35AT, 36DT	301210B	1924	R-13	HUPMOBILE	685
Westing.	395271	395209	B. & S.	36780	Westing.	33AB	Westing.	36DT	301210B	1925	R-14	HUPMOBILE	686
At.Kent	N	RA	B. & S.	38520	Westing.	59AO	Westing.	36GT	Westing.	1925	E-1	HUPMOBILE	687
Auto-Lite	IG-4061, 65	IG-4117-A	Clum	10582	Auto-Lite	MN-4109	Auto-Lite	GJ-4112	CB-4009	1925-26	A	HUPMOBILE	688
Delco	2182	5295	B. & S.	38530	Auto-Lite	MR-4101	Auto-Lite	GXB-4101	CB-4009	1925-26	E-2	HUPMOBILE	690
Auto-Lite	IG-4065	IG-4117-A			Auto-Lite	MN-4109	Auto-Lite	GJ4201	CB-4009	1927	A-1	HUPMOBILE	692

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	BATTERY		Gr. Ter.	Switch Make	LIGHTING									
					Model	Fuses			Circuit Breaker	Edison Mazda Lamp Numbers								
										Head	Aux.	Side	Dsh.-tail	Stop	Dome			
694	HUPMOBILE	E-3	E-15001	up	1927	Willard	SJRR-6	Pos.	Clum	10626	10	*	1110	*	63	63	87	63
696	HUPMOBILE	A-6	A-75001	up	1928	Willard	CRR-15	Pos.	Clum	10612	15	*	1110	63	*	63	87	63
698	HUPMOBILE	M-8			1928	Willard	SJRR-6	Pos.	Clum	10626	15	*	1110	*	63	63	87	63
700	INTERSTATE	TF	11504	up	1916-17	Willard	SJWR-3	Neg.	Remy	145-B	4	*	87	*	*	63	*	*
701	INTERSTATE	T, TR	11504	up	1916-19	Willard	SJWR-3	Neg.	Remy	143A, 48A, B	4	*	87	*	*	63	*	*
702	JACKSON	46			1915	Exide	3-XC-15-1	Neg.	Conn.		*	*	87	81	*	63	*	*
703	JACKSON	44			1915-16	Willard	SJWR-3	No			*	*	87	81	*	63	*	*
704	JACKSON	34			1916	Willard	SJWR-3	Neg.			20	*	87	*	*	61	*	*
705	JACKSON	68, 348			1916	Willard	SJWR-4	Neg.			20	*	87	*	*	61	*	*
705	JACKSON	349, 50			1917	Willard	SJWR-3	Neg.			20	*	87	*	*	63	*	*
706	JACKSON	6-38			1920-23	Willard	SJWR-3	Neg.	Remy	198-B	20	*	1129	63	*	63	*	*
706	JACKSON	6-38			1920-23	Exide	3-XC-15-1	Neg.	Remy	198-B	20	*	1129	63	*	63	*	*
707	JEFFERY	462, 661	57000	up	1916	Willard	SJWR-3	Pos.	B. & S.	648	20	*	1129	81	*	63	*	*
708	JEFFERY	671	86000	up	1917-18	Willard	SJWR-3	Pos.	B. & S.	882	20	*	1129	81	*	63	*	81
709	JEWETT	Six			1922	Willard	SJWR-3	Pos.	B. & S.	2324	20	*	1129	81	*	64-63	*	82
710	JEWETT	Export	28518	up	1923-24	Westing.	6-OB-13	Pos.	B. & S.	36400	20	*	1129	81	*	64-63	*	82
710	JEWETT	Six	28518	up	1923-24	Westing.	6-OB-13	Pos.	B. & S.	37350	20	*	1129	81	*	64-63	*	82
710	JEWETT	23, 25	102595	up	1925	Westing.	6-OB-13	Pos.	Remy	475-A	20	*	1129	81	*	64-63	*	82
710	JEWETT	26, 27			1925	Westing.	6-OB-13	Pos.	Remy	420-F	20	*	1129	81	*	64-63	*	82
712	JEWETT	New, 6-40	300000	up	1925	Westing.	6-OB-13	Pos.	Remy	420-F	20	*	1129	*	63	64-63	1129	*
712	JEWETT	6-45	315501	up	1926-27	Westing.	6-OB-13	Pos.	Remy	420-F	20	*	1129	*	63	64-63	1129	*
713	JONES	24, E	1	to 1999	1915	P-O-L	615-JFK	Neg.			*	*	87	81	*	63	*	*
714	JONES	25, 26	2000	up	1916-17	Willard	SJWR-3	Pos.			*	*	87	81	*	63	*	*
715	JONES	27, 28	5001	up	1918-20	Willard	SJWR-4	Pos.			*	*	1129	81	*	61	*	*
716	JONES	28, B, E, G	6001	up	1920-21	P-O-L	613-RHK	Pos.			*	*	1129	81	*	63	*	*
717	JORDAN	60	151	to 2157	1917	Willard	SJWR-4	Pos.	B. & S.	1010	*	*	1129	81	*	63	*	*
718	JORDAN	C, F	2157	up	1918-19	Willard	SJWR-4	Pos.	Delco	1112	*	Delco	1129	81	*	63	*	*
719	JORDAN	M	10000	up	1920	Willard	SJWR-3	Neg.	Delco	1160	*	Delco	1129	81	*	63	*	*
720	JORDAN	F	1501	up	1920-22	Willard	SJWR-4	Neg.	Delco	1167	*	Delco	1129	81	*	63	*	*
721	JORDAN	MX	15001	up	1921	Willard	SJWR-4	Neg.	Delco	1199	*	Delco	1129	81	63	63	*	*
721	JORDAN	F	5401	up	1922	Willard	SJWR-4	Neg.	Delco	1199	*	Delco	1129	81	63	63	*	*
722	JORDAN	MX	20001	up	1922	Willard	SJWR-4	Neg.	Delco	1218	*	Delco	1129	81	63	63	*	*
722	JORDAN	H	35001	up	1922	Willard	SJWR-4	Neg.	Delco	1218	*	Delco	1129	81	63	63	*	*
723	JORDAN	MX-H	25001	up	1923	Willard	CRR-15	Neg.	Delco	1243	*	Delco	1129	81	*	63	*	*
723	JORDAN	K & L	40001	up	1924-25	Willard	CRR-15	Neg.	Delco	1243	*	Delco	1129	81	*	63	*	*
724	JORDAN	A	60001	up	1924-26	Willard	CRR-19	Neg.	Kellogg		*	Kellogg	1129	81	*	63	*	*
725	JORDAN	J	70001	up	1926	Willard	CRR-15	Neg.	Kellogg	404	*	Kellogg	1129	81	*	63	1129	81
726	JORDAN	J	DY-992-S	up	1927	Willard	CWR-15	Neg.	Kellogg	404	*	Kellogg	1129	81	*	63	1129	81
728	JORDAN	AA	DL-682-L	up	1927	Willard	CRR-17	Neg.	Kellogg	404	*	Kellogg	1129	81	*	63	1129	*
730	JORDAN	R	DE-000-S	up	1927-28	Willard	WR-13	Neg.	Kellogg	409	*	Kellogg	1110	63	*	63	87	81

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-27

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	Page	CAR	
	Coil Model	Dist. Model		Model	Make	Model	Make						Model
Delco-Remy	2195	4027	Electrolock	5-A	Auto-Lite	MR-4101	Auto-Lite	GXB-4201	CB-4009	1927	E-3	HUPMOBILE	694
Auto-Lite	IG-4065	IGC-4001	Electrolock	5-A	Auto-Lite	MN-4109	Auto-Lite	GAJ-4101	C4-4012	1928	A-6	HUPMOBILE	696
Delco-Remy	2195	657-C	Electrolock	5-A	Auto-Lite	ML-4139	Auto-Lite	GAG-4106	CB-4009	1928	M-8	HUPMOBILE	698
Mea	Magneto				Remy	184-A	Remy	16-B	60-A	1916-17	TF	INTERSTATE	700
Remy	284-K	184-H, J			Remy	117A, 84A	Remy	18-A, C, D	60-A	1916-19	T, TR	INTERSTATE	701
Conn.					Auto-Lite	MC	Auto-Lite	GF	A. L.	1915	46	JACKSON	702
Conn.					NorthEast	H & K	NorthEast	L	N. E.	1915-16	44	JACKSON	703
Conn.					Auto-Lite	MF	Auto-Lite	GA	A. L.	1916	34	JACKSON	704
Conn.					Auto-Lite	MC	Auto-Lite	GG	A. L.	1916	68, 348	JACKSON	705
Remy	284-B	GA, EC			Auto-Lite	ME	Auto-Lite	GD	A. L.	1917	349, 50	JACKSON	705
Remy	284-B	350B, C	Remy	198-B	Auto-Lite	MH-1020, 25	Auto-Lite	GJ-1061, 68	A. L.	1920-23	6-38	JACKSON	706
Remy	284-B	350B, C	Remy	198-B	Auto-Lite	MG-1004	Auto-Lite	GJ-1061, 68	A. L.	1920-23	6-38	JACKSON	706
Bosch	Magneto		B. & S.	648	Bijur	E-68	Bijur	L-61	Bijur	1916	462, 661	JEFFERY	707
Split.	Dixie Magneto		B. & S.	882	Bijur	F-65	Bijur	L-61	Bijur	1917-18	671	JEFFERY	708
At.Kent	N-3	2-A	B. & S.	2324	Remy	721-A, 13E	Remy	913-E	266-A, 63-C	1925		JEWETT	709
At.Kent	N-3	2-A	B. & S.	36400	Remy	713-AC, C	Remy	915-B	266-A, F	1923-24	Export	JEWETT	710
At.Kent	N-3	2-A	B. & S.	37350	Remy	713-A, C	Remy	913-E	266-A, C	1923-24		JEWETT	710
At.Kent	N-3	L-A	Remy	475-A	Remy	713F	Remy	917-U	265-B	1925	23, 25	JEWETT	710
At.Kent	N-3	L-A	Remy	420-F	Remy	713F	Remy	917Z, ZA	265-B	1925	26, 27	JEWETT	710
Remy	525-A	637-A, R	Remy	420-F	Remy	711-E	Remy	943-A	265-B	1925	New 6-40	JEWETT	712
Remy	525-A	637-A, R	Remy	420-F	Remy	711-E	Remy	943-A	265-B	1926-27	6-45	JEWETT	712
Remy	175-A, 284-K	203-A			LeeceNev.	DR-500	LeeceNev.	CR-400	L.N.	1915	24, E	JONES	713
Remy	284-K	203-A	Remy	192-A	Gray-Davis	136	Gray-Davis	T	G.D.	1916-17	25, 26	JONES	714
Conn.					Auto-Lite	ME	Auto-Lite	GH	A.L.	1918-20	27, 28	JONES	715
Conn.					Auto-Lite	MH-1017	Auto-Lite	GJ	A.L.	1920-21	28, B, E, G	JONES	716
Bosch	Magneto		B. & S.	1010	Bijur	ED-160	Bijur	L-61	Bijur	1917	60	JORDAN	717
Delco	2159	5175	Delco	1112	Bijur	ED-160	Bijur	L-61	Bijur	1918-19	C, F	JORDAN	718
Delco	2159	5207	Delco	1160	Delco	164, 181	Delco	165	Delco	1920	M	JORDAN	719
Delco	2159	5215	Delco	1167	Delco	179	Delco	180	Delco	1920-22	F	JORDAN	720
Delco	2159	5207	Delco	1199	Delco	181	Delco	165	Delco	1921	MX	JORDAN	721
Delco	2159	5207	Delco	1199	Delco	181	Delco	165	Delco	1922	F	JORDAN	721
Delco	2159	5247	Delco	1218	Delco	208	Delco	234	Delco	1922	MX	JORDAN	722
Delco	2159	5247	Delco	1218	Delco	208	Delco	234	Delco	1922	H	JORDAN	722
Delco	2178	5255	Delco	1243	Delco	208	Delco	256	Delco	1923	MX & H	JORDAN	723
Delco	2178	5264	Delco	1243	Delco	208	Delco	256	Delco	1924-25	K & L	JORDAN	723
Am.Bosch	TC-30	T-8202			Am.Bosch	937	Am.Bosch	1261	A. B.	1924-26	A	JORDAN	724
Am.Bosch	TC-34-VI	T-8218			Am.Bosch	965	Am.Bosch	1277	A. B.	1926	J	JORDAN	725
Auto-Lite	CE-4003	IB-4004A			Auto-Lite	MUA-4003	Auto-Lite	GAB-4002	CB-4012	1927	J	JORDAN	726
Am.Bosch	TC-30	T-8202			Am.Bosch	937	Am.Bosch	1261	A. B.	1927	AA	JORDAN	728
Auto-Lite	IG-4065	IGA-4013			Auto-Lite	MN-4124	Auto-Lite	GYA-420	CB-4011	1927-28	R	JORDAN	730

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Circuit Fuses Breaker	Head	Aux.	Edison Mazda Lamp Numbers Side Dsh.-tail Stop Dome			
732	JORDAN	JE	ST-500-S	up	1928	Willard	CWR-15	Neg.	Kellogg	418	*	Kellogg 1110	63	*	63	87	81
734	JORDAN	RE			1928	Willard	WR-13	Neg.	Kellogg	409	*	Kellogg 1110	63	63	63	87	81
736	KANKAKEE			1919-21	Willard	SJWR-4		Neg.	Delco	1105, 72	*	Delco 1129	81	*	64-63	*	82
737	KENWORTHY	6-55		1920-21	Exide	3-LXRE-13-1		Neg.			15	*	1129	81	*	63	*
738	KING	C	2201 to 3200	1914	Willard	SJWR-3		No			10	*	87	81	*	63	*
738	KING	D	4000 to 8000	1915	Willard	SJWR-3		No			10	*	87	81	*	63	*
739	KING	E	12000 to 14950	1916	Willard	SJWR-3		Pos.			10	*	87	81	*	63	*
740	KING	EE,F,G	16000 up	1917-19	Willard	SJWR-3		Pos.			10	*	1129	81	*	63	*
741	KING	G,H,J,K	30001 up	1920-23	P-O-L	615-RHK		Pos.			10	*	1129	81	*	63	*
742	KISSEL KAR	6-42	25001 up	1915-17	Willard	SJWR-4		Pos.			20	*	87	*	*	63	*
743	KISSEL KAR	12 Cyl.	12-101 up	1917	Willard	SJWR-4		Neg.	Delco	1093	*	Delco 1129	81	*	63	*	*
744	KISSEL KAR	100Point6	38-101 up	1917-18	Willard	SJWR-3		Pos.	B. & S.	1719	20	*	1129	*	*	63	*
745	KISSEL	100Point6		1918-21	Willard	SJWR-3		Pos.	B. & S.	1135	20	*	87	81	*	63	*
746	KISSEL	Six-45		1922	Willard	SJRR-5		Pos.	B. & S.	2137	20	*	1129	81	81	63	*
747	KISSEL	55	55-100 up	1923-25	Willard	SJWR-4		Pos.	B. & S.	36560	20	*	1129	81	*	63	81
748	KISSEL	55	55-8934 up	1926	Willard	SJWR-4		Pos.	B. & S.	40042	20	*	1129	*	*	63-81	81
749	KISSEL	75	75-101 up	1925-26	Willard	SJWR-4		Pos.	B. & S.	40042	20	*	1129	*	*	63	63
750	KISSEL	6-55	55-13038 up	1927	Willard	SJWR-4		Pos.	B. & S.	37880	10	*	1110	*	63	63	87
751	KISSEL	8-65	65-1001 up	1927	Willard	SJWR-4		Pos.	B. & S.	37880	10	*	1110	*	63	63	87
752	KISSEL	6-70	70-1001 up	1928	Willard	RR-13		Pos.	Clum	10677	10	*	1110	*	63	63	87
753	KISSEL	8-80, 90	80-2501 up	1928	Willard	SJWR-4		Pos.	Clum	10677	10	*	1110	*	63	63	87
754	KLEIBER	80	1001 up	1924-23	P-O-L	613-SHK		Pos.	Delco-Remy	1244	*	D. R. 1129	*	63	63	87	63
756	KLEIBER	Sedan		1928	P-O-L	613-SHK		Pos.	Delco-Remy	1244	*	D. R. 1129	*	63	63	87	63
758	KLINE KAR	6-36	3000 up	1915-16	P-O-L	611-RHK		Pos.	Westing.	214847	15	*	1129	81	*	63	*
758	KLINE KAR	6-38	3600 up	1916-17	P-O-L	611-RHK		Pos.	Westing.	237571	15	*	1129	81	*	63	*
758	KLINE KAR	6-42	6000 up	1918	P-O-L	611-RHK		Pos.	Westing.	237571	15	*	1129	81	*	63	*
759	KLINE KAR	6-42H		1918-19	P-O-L	611-RHK		Pos.	Conn.	30-Y	15	*	87	*	*	63	*
760	KLINE KAR	6-55	7000 up	1920-23	P-O-L	613-RHK		Pos.	Conn.	96-11-Y	15	*	1129	*	*	63	*
761	KURTZ	A		1921-22	P-O-L	617-SHK		Pos.	B. & S.	2367	10	*	1129	81	63	63	1129
762	KURTZ	65		1923-24	P-O-L	613-SHK		Neg.	B. & S.	2367	20	*	1129	81	63	63	1129
763	LAFAYETTE	134	1001 up	1921-24	Exide	3-LXRV-15-2		Pos.	Delco	1183	*	Delco 1129	*	81	61	*	81
764	LA SALLE	303	2 to 2-12000	1927	Exide	3-XC-15-1G		Pos.	Delco-Remy	1313	*	D.R.5759 1110	*	63	63	1129	63
766	LA SALLE	303	2-12001 up	1927	Exide	3-XC-15-1G		Pos.	Delco-Remy	1313	*	D.R.5759 1110	*	63	63	1129	63
768	LA SALLE	303		1928	Exide	3-XC-15-1G		Pos.	Delco-Remy	1313	*	D.R.5759 1110	*	63	63	1129	63
770	LEACH	A, B	8000 up	1920-22	P-O-L	617-RHK		Neg.	Delco	1178	*	Delco 1129	81	*	63	*	*
771	LEXINGTON	4-K		1915	Willard	SJWR-4		Pos.	Westing.	206545	15	*	1129	81	*	63	*
771	LEXINGTON	6-L		1915	Willard	SJWR-4		Pos.	Westing.	206545	15	*	1129	81	*	63	*
772	LEXINGTON	O, 6-0		1916	Willard	SJWR-3		Pos.	Westing.	190679A	15	*	1129	81	*	63	*
772	LEXINGTON	OO, P		1917	Willard	SJWR-3		Pos.	Westing.	190679A	15	*	1129	81	*	63	*
773	LEXINGTON	R, R-19	17296 up	1918-19	Willard	SJWR-3		Pos.	Westing.	190679A	15	*	1129	81	*	63	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Auto-Lite	IG-4078	IGD-4001	Hershey		Auto-Lite	MUA-4003	Auto-Lite	GAG-4105	CB-4012	1928	JE	JORDAN	732
Auto-Lite	IG-4065	IGB-4011	Hershey		Auto-Lite	MN-4124	Auto-Lite	GAG-4110	CB-4011	1928	RE	JORDAN	734
Delco	2159	5215	Delco	1105, 72	Delco	102, 79	Delco	101, 80	Delco	1919-21		KANKAKEE	736
Bosch	Magneto	DU-6			Westing.	751	Westing.	760	Westing.	1920-21	6-55	KENWORTHY	737
At.Kent	K-2	K-2			Ward-Leon	RS	Ward-Leon	F. W. L.		1914	C	KING	738
At.Kent	K-2	K-2			Ward-Leon	RS	Ward-Leon	F. W. L.		1915	D	KING	738
At.Kent	K-2	K-2			Ward-Leon	RM	Ward-Leon	RM. W. L.		1916	E	KING	739
At.Kent	CC	CC			Bijur	ED-160	Bijur	L-61	Bijur	1917-19	EE, F, G	KING	740
At.Kent	CC	CC			Westing.	100	Westing.	150, 35AT	301210A	1920-23	G, H, J, K	KING	741
Eisemann	Magneto				Kissel		Westing.	208	240237	1915-17	6-42	KISSEL KAR	742
Delco	2123	5156	Delco	1093	Delco	86	Delco	87	None	1917	12 Cyl.	KISSEL KAR	743
Remy	172A, 285C	109C, F	B. & S.	1719	Remy	293-B	Remy	245B, C, G	60-A	1917-18	100Point 6	KISSEL KAR	744
Remy	284B, C	353-A	B. & S.	1135	Remy	303-C	Remy	230 B & E	264-A	1918-21	100Point 6	KISSEL	745
Remy	284A	606-B	B. & S.	2137	Remy	720-D	Remy	912-A	Remy	1922	Six-45	KISSEL	746
Remy	284A	626-B	B. & S.	36560	Remy	720-D, R	Remy	912-B	264C, 65AB	'23-25	55	KISSEL	747
Remy	284A	626-R	B. & S.	40042	Remy	720-D	Remy	944-A	265-B	1926	55	KISSEL	748
Remy	284-L	648-B	B. & S.	40042	Remy	720-J, Q	Remy	917-V	265-B	1925-26	75	KISSEL	749
Delco-Remy	284-A	627-C	B. & S.	38880	Delco-Remy	720-U	Delco-Remy	944-B	265-B	1927	6-55	KISSEL	750
Delco-Remy	525-C	658-B	B. & S.	37880	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1927	8-65	KISSEL	751
Delco-Remy	525-C	636-S	Clum	4790	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1928	6-70	KISSEL	752
Delco-Remy	525-C	658-B	Clum	4790	Delco-Remy	716-A	Delco-Remy	949-C	265-B	1928	8-80, 90	KISSEL	753
Delco-Remy	2178	5256	Delco-Remy	1244	Delco-Remy	181, 339	Delco-Remy	258	D. R.	1924-28	80	KLEIBER	754
Delco-Remy	525-C	658-H	Delco-Remy	1244	Delco-Remy	724-J	Delco-Remy	940-K	265-B	1928	Sedan	KLEIBER	756
Westing.	239274	239274	Westing.	214847	Westing.	318	Westing.	240,400	240437	1915-16	6-36	KLINE KAR	758
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	450,760	241739	1916-17	6-38	KLINE KAR	758
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	450	241739	1918	6-42	KLINE KAR	758
Conn.	M	17	Conn.	K	Westing.	710	Westing.	400-R	245401	1918-19	6-42-H	KLINE KAR	759
Conn.	225-Y	16	Conn.	M	Wagner	EM-320	Wagner	EM-305	K-44	1920-23	6-55	KLINE KAR	760
Westing.	288761	293845-A	B. & S.	2367	Westing.	100	Westing.	760	262982	1921-22	A	KURTZ	761
Westing.	313267	313347	B. & S.	2367	Westing.	100	Westing.	760	262982	1923-24	65	KURTZ	762
Delco	2115	5221	Delco	1183	Delco	187	Delco	187	None	1921-24	134	LAFAYETTE	763
Delco-Remy	2195	4023	Delco-Remy	1285	Delco-Remy	725-B	Delco-Remy	370	266-N	1927	303	LA SALLE	764
Delco-Remy	2195	4032	Electrolock	5-B	Delco-Remy	725-C	Delco-Remy	384	266-N	1927	303	LA SALLE	766
Delco-Remy	2195	4032	Electrolock	5-B	Delco-Remy	725-C	Delco-Remy	384	266-N	1928	303	LA SALLE	768
Delco	2159	5215	Delco	1178	Delco	179	Delco	180	Delco	1920-22	A, B	LEACH	770
Westing.			Westing.	206545	Westing.	300	Westing.	230		1915	4-K	LEXINGTON	771
Westing.			Westing.	206545	Westing.	310	Westing.	240		1915	6-L	LEXINGTON	771
Conn.			Conn.	H	Westing.	318	Westing.	400-R	245401	1916	O, 6-O	LEXINGTON	772
Conn.			Conn.	H	Westing.	380	Westing.	400-R	239855	1917	OO, P	LEXINGTON	772
Conn.			Conn.	H	Westing.	710	Westing.	760	262982B	1918-19	R, R-19	LEXINGTON	773

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
										Fuses	Breaker	Head	Aux.	Dim	Side	Dsh.-tail
																Stop Dome
774	LEXINGTON	S, T	18001	up	1919-20	Willard	SJWR-4	Pos.	Conn.	96-2-Y	15	*	1129	*	63	*
774	LEXINGTON	S, T	19001	up	1921	Willard	SJWR-4	Pos.	Conn.	96-2-Y	15	*	1129	*	63	*
774	LEXINGTON	S, T			1922	Willard	SJWR-4	Pos.	Conn.	96-2-Y	15	*	1129	*	63	*
775	LEXINGTON	22, 23			1922-23	Willard	SJWR-4	Pos.	Conn.	186-2-Y	15	*	1129	82	* 82-64	*
776	LEXINGTON	Concord			1924-26	Willard	LWR-4	Pos.	Conn.	198-1-Y	15	*	1129	*	63 64-63	81
776	LEXINGTON	Min.Man.			1924-26	Willard	SJRR-4	Pos.	Conn.	186-2-Y	15	*	1129	*	63 64-63	81
778	LEXINGTON	Concord	50,000	up	1927	Willard	CWR-15	Pos.	Conn.	198-1-Y	15	*	1129	*	63 64-63	81
780	LIBERTY	10,10A & B	30501	up	1916-19	Willard	SJWR-3	Neg.	Delco	1075	*	Delco	1129	81	* 63	*
781	LIBERTY	10B	36451	up	1919	Willard	SJWR-3	Pos.			*	87	81	*	63	*
781	LIBERTY	10C	50500	up	1920-21	P-O-L	613-SHK	Pos.			*	87	81	*	63	*
782	LIBERTY	10D			1922-24	P-O-L	613-SHK	Neg.			*	1129	*	*	63	*
783	LINCOLN	1	up		1921-25	Exide	3-LXRV-15-2	Neg.	Delco	1187, 1236	*	Del. 5742	1129	*	81 61	1129 81
784	LINCOLN	32030	up		1926	Exide	3-LXRV-15-2	Neg.	Delco	1275	*	Del.5770	1110	*	61	1129 *
786	LINCOLN	39090	up		1927	Exide	3-LXRV-15-2	Neg.	Delco-Remy	1275	*	D.R. 5770	1110	81	* 63	1129 *
788	LINCOLN				1928	Exide	3-LXRV-15-2	Neg.	Lincoln		*	D.R. 5770	1110	81	* 63	1129 *
790	LOCOMOBILE	R5,M5			1914-15	Willard	SJRR-5	Pos.	Bryant	10	*	1129	81	*	*	*
790	LOCOMOBILE	R6,M6			1916	Willard	SJRR-5	Pos.	Bryant	10	*	1129	81	*	*	*
790	LOCOMOBILE	R7,M7			1917	Willard	SJRR-5	Pos.	Bryant	10	*	1129	81	*	*	*
790	LOCOMOBILE	II, III			1918	Willard	SJRR-5	Pos.	Bryant	10	*	1129	81	63	63	*
791	LOCOMOBILE	IV,V,VI,VII	16000	up	'19-22	Exide	3-XC-21-1	Pos.	Bryant	10	*	1129	81	*	63	*
792	LOCOMOBILE	M48	18101 to 18210		1923	Exide	3-XC-21-1	Pos.	Bryant	B-2426-L	10	*	1129	81	* 63	*
794	LOCOMOBILE	M48	18210	up	1923-28	P-O-L	1211-SHK	Pos.	Bryant	B-2426-L	10	*	1141	*	67 67	67
796	LOCOMOBILE	90	33-101	up	1925-28	U.S.L.	3-HVX-8Z	Neg.	Clum	10471	10	*	1129	63	63 63	1129 63
798	LOCOMOBILE	Jr.Eight	101	up	1925-27	U.S.L.	3-HVX-6X	Neg.	Clum	10456	20	*	1129	63	63 63	1129 63
800	LOCOMOBILE	8-70	101	up	1927-28	U.S.L.	3-HVX-7X	Neg.	Clum	10658	20	*	1129	63	* 63	1129 63
802	LOCOMOBILE	8-80	101	up	1927-28	U.S.L.	3-HVX-7X	Neg.	Clum	10657	20	*	1129	63	63 63	1129 63
804	LORRAINE	20T,21T	999	up	1920-21	U.S.L.	3-HVX-5X	Pos.	B. & S.	1929	*	*	1129	63	* 63	*
805	LOZIER	82-84			1915-17	Willard	SJWR-3	Pos.		10	*	1129	*	81	63	*
806	MADISON	6-40			1916-19	Willard	SJWR-4	Pos.	Remy	149-A	4	*	1129	81	* 63	*
806	MADISON	8-18			1916-19	Willard	SJWR-4	Pos.	Remy	149-A	4	*	1129	81	* 63	*
807	MAIBOHM	B	501	up	1918-19	Willard	SJWR-3	Pos.		30	*	1129	81	*	61	*
808	MAIBOHM	B	6300	up	1920-22	Willard	SJWR-3	Pos.	Clum	10053	20	*	1129	*	* 63	*
809	MARION HANDLEY K				1916	Willard	SJWR-3	Pos.	Westing.	237571	15	*	87	63	* 63	*
809	MARION HANDLEY A-B				1917	Willard	SJWR-3	Pos.	Westing.	237571	15	*	87	63	* 63	*
810	MARMON	41	102000	up	1915	Willard	JWR-26	Pos.		20	*	1141	*	67	67	*
811	MARMON	34	151602	up	1916-17	Willard	JWR-26	Pos.		20	*	1143	89	*	89	*
812	MARMON	34	317002	up	1917-19	P-O-L	615-RHK	Pos.	B. & S.	1173	20	*	1129	81	* 81	*
814	MARMON	34-B			1920-23	Willard	SJRR-6	Pos.	Delco	1163	*	Del.5742	1129	81	* 63	*
815	MARMON	34-B	1230001	up	1923-24	P-O-L	617-SHK	Pos.	Delco	1241	*	Del.5742,59	1129	81	* 63	1129 64
816	MARMON	D-74	D-25001	up	1925	P-O-L	617-SHK	Pos.	Delco	1273	*	Delco	1129	81	* 63	1129 64

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Model	Make	Model	Make						
Conn.	MA	17C	Conn.	M	Gray-Davis	510	Gray-Davis	605, 31, 35	G. D.	1919-20	S, T	LEXINGTON	774
Conn.	MA	17C	Conn.	M	Gray-Davis	522, 31	Gray-Davis	631, 34, 35	G. D.	1921	S, T	LEXINGTON	774
Conn.	MA	17C	Conn.	M	Gray-Davis	522, 33, 34	Gray-Davis	647, 50	G. D.	1922	S, T	LEXINGTON	774
Conn.	225-Y		Conn.	186-2Y	Gray-Davis	532, 34	Gray-Davis	647, 50	G. D.	1922-23	22, 23	LEXINGTON	775
Conn.	225-Y		Conn.	198-1-Y	Am.Bosch	942	Am.Bosch	1051	A. B.	1924-26	Concord	LEXINGTON	776
Conn.	225-Y		Conn.	186-2-Y	Am.Bosch	942	Am.Bosch	1051	A. B.	1924-26	Min.Man	LEXINGTON	776
Conn.	225-Y		Conn.	198-1-Y	Am.Bosch	942	Am.Bosch	1051	A. B.	1927	Concord	LEXINGTON	778
Delco	2158	17015	Delco	1075	Delco	107	Delco	105	None	1916-19	10, 10A & B	LIBERTY	780
At.Kent	CC	CC			Wagner	EM-266	Wagner	EM-277	1-471	1919	10B	LIBERTY	781
Wagner	K-32	KC-335			Wagner	EM-266	Wagner	EM-277	1-471	1920-21	10C	LIBERTY	781
Wagner	K-32	KC-335			Wagner	EM-266	Wagner	EM-277	1-471	1922-24	10D	LIBERTY	782
Delco	2159, 78	5226	Delco	1187, 1236	Delco	193	Delco	193	None	1921-25		LINCOLN	783
Delco	2159	5226	Delco	1275	Delco	193	Delco	193	None	1926		LINCOLN	784
Delco-Remy	2192	5226	Delco-Remy	1275	Delco-Remy	193	Delco-Remy	193	None	1927		LINCOLN	786
Delco-Remy	2192	5226	Hershey		Delco-Remy	193	Delco-Remy	193	None	1928		LINCOLN	788
Bosch	Magneto	ZR-6			Westing.	311	Westing.	521	None	1914-15	R5, M5	LOCOMOBILE	790
Bosch	Magneto	ZR-6			Westing.	775	Westing.	521	None	1916	R6, M6	LOCOMOBILE	790
Eisemann	Magneto	EM-6			Westing.	775	Westing.	521	None	1917	R7, M7	LOCOMOBILE	790
Bosch	Magneto	ZR-6			Westing.	775	Westing.	521	None	1918	II, III	LOCOMOBILE	790
Berling	Magneto				Westing.	775, 777	Westing.	760	262982E	1919-22	IV, V, VI, VII	LOCOMOBILE	791
Delco	2171	5216	Delco	1237	Westing.	777	Westing.	788R		1923		LOCOMOBILE	792
Delco-Remy	2135	5258	Delco	1237	Westing.	779	Westing.	787-R	322873-3	1923-28	M48	LOCOMOBILE	794
DeJon	CA-04	IA-4007	Clum	10471	DeJon	SB-4001	DeJon	DD-4001	RA-4001-A	'25-28	90	LOCOMOBILE	796
DeJon	CA-4008	IA-4008	Clum	10456	DeJon	SA-4003	DeJon	DA-4006	RA-4001-H	'25-27	Jr.Eight	LOCOMOBILE	798
Delco-Remy	525-C	658-F	Clum	10658	Delco-Remy	716-B	Delco-Remy	944-E	265-B	1927-28	8-70	LOCOMOBILE	800
DeJon	CA-4021	IAA-4001	Clum	10657	DeJon	SA-4013	DeJon	DAA-4002	RA-4001-A	1927	8-80	LOCOMOBILE	802
Westing.	288761	293855	B. & S.	1929	Westing.	100	Westing.	765	273899	1920-21	20T, 21T	LORRAINE	804
Bosch	Magneto				Gray-Davis	H1, H2	Gray-Davis	C-1	G. D.	1915-17	82-84	LOZIER	805
Remy	284-K	108-B & C	Remy	149-A	Remy	186-A	Remy	168-A & B	60-A	1916-19	6-40	MADISON	806
Remy	284-K	108-F	Remy	149-A	Remy	180-C	Remy	16-C	60-A	1916-19	8-18	MADISON	806
At.Kent	CC	CC			Wagner	EM-218	Wagner	EM-165	Wagner	1918-19	B	MAIBOHM	807
At.Kent	CC	CC	Clum	10053	Bijur	FD-140	Bijur	P-230	Bijur	1920-22	B	MAIBOHM	808
Westing.	239274	239274	Westing.	237571	Westing.	318	Westing.	400-I	245401	1916	K	MARION HANDLEY	809
Westing.	239880	239880	Westing	237571	Westing.	700, 711	Westing.	760		1917	A-B	MARION HANDLEY	809
Bosch	Magneto				Bos.Rush.		Bos.Rush.	DS-X		1915	41	MARMON	810
Bosch	Magneto				Bos.Rush.	DSR-3	Bos.Rush.	DSG-7		1916-17	34	MARMON	811
Bosch	Magneto	B. & S.	1173	Bijur	AD-200	Bijur	K-643	Bijur		1917-19	34	MARMON	812
Delco	2135		Delco	1163	Delco	172	Delco	168	Delco	1920-23	34-B	MARMON	814
Delco	2177		Delco	1241	Delco	254	Delco	253	Delco	1923-24	34-B	MARMON	815
Delco	2177		Delco	1273	Delco	254	Delco	253	Delco	1925	D-74	MARMON	816

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	BATTERY			Ter.	Make	Switch Model	LIGHTING					
					Model	Type					Circuit	Edison	Mazda	Lamp	Numbers	
											Fuses	Breaker	Head	Aux.	Side Dsh.-tail	Stop Dome
818	MARMON	D-74	D-25201	up.....	1926	P-O-L	617-SHK	Pos.	Delco	1273	* Delco	1129	*	*	63	1129.....64
820	MARMON	L	YOLR-00	up.....	1927	P-O-L	613-JFK	Pos.	B. & S.	Special	* D.R. 1301	1110	*	*	63	63.....1129.....64
822	MARMON	E-75	10RR-01	up	1927-28	P-O-L	617-SHK	Pos.	Delco-Remy	1273	* Del.Rem	1110	*	*	63	63.....1129.....64
824	MARMON	68			1928	P-O-L	615-JFK	Pos.	B. & S.	40357	* D.R.	1110	*	*	63	63.....1129.....*
826	MARMON	78			1928	P-O-L	615-JFK	Pos.	B. & S.	40699	* D.R.	1110	*	*	63	63.....1129.....63
828	MAXWELL	25	14001	up	1915-17	P-O-L	127-SHK	Neg.	B. & S.	1147	20	* 87	*	*	63	*.....*
829	MAXWELL	25	193801	up	1918-19	P-O-L	127-SHK	Neg.	B. & S.	1140,1288	20	* 1141	*	*	67	*.....*
830	MAXWELL	25	239826	up	1919	P-O-L	127-SHK	Neg.	B. & S.	1440	20	* 1141	*	*	67	*.....*
831	MAXWELL	25	266801	up	1920	P-O-L	127-SHK	Neg.	B. & S.	1485	20	* 1141	89	*	67	*.....*
832	MAXWELL	25	294601	up	1920	P-O-L	613-RHK	Neg.	B. & S.	1485	20	* 87	81	*	63	*.....*
833	MAXWELL	25	294601	up	1920	P-O-L	613-SHK	Neg.	B. & S.	1485	20	* 1129	81	*	63	*.....*
834	MAXWELL	25		1921-22		P-O-L	613-SHK	Neg.	B. & S.	2192,2221	20	* 1129	*	*	63	*.....*
835	MAXWELL	25	294601	up	1921-22	P-O-L	613-SHK	Neg.	B. & S.	1485	20	* 1129	81	*	63	*.....*
836	MAXWELL	25		1922		P-O-L	613-SHK	Neg.	B. & S.	2410,11	20	* 1129	*	81	63	63.....81
836	MAXWELL	Good	388530	up	1923-24	Westing.	6-OB-13	Neg.	B. & S.	37160	20	* 1129	*	81	63	63.....81
837	MAXWELL	25	492825	up	1925	Westing.	6-OB-13	Neg.	Remy	475-B	20	* 1129	*	63	63	*.....63
838	McFARLAN	T & X	7000 to 9000		1915	Willard	SJWR-3	Pos.	Westing.	206545	10	* 1129	*	*	63	*.....*
839	McFARLAN	T & X	9000 to 10000		1916	Willard	SJWR-3	Pos.	Westing.	190808	10	* 1129	81	*	63	*.....*
839	McFARLAN	120-127	10000 to 11000		1917	Willard	SJWR-4	Pos.	Westing.	190808	10	* 1129	81	*	63	*.....*
840	McFARLAN	120-127	11000 to 18000		1917	Willard	SJWR-4	Pos.	Westing.	190808	15	* 1129	81	*	63	*.....*
840	McFARLAN	122-160	18000	up	1918-19	Willard	SJWR-4	Pos.	Westing.	190808	15	* 1129	81	*	63	*.....*
840	McFARLAN	Special	19000	up	1919	Willard	SJRR-5	Pos.	Westing.	190808	15	* 1129	*	*	63	*.....*
841	McFARLAN	127	20000	up	1920-23	Willard	SJRR-5	Pos.	Westing.	190808	10	* 1133	87	*	63	*.....*
842	McFARLAN	SV-6	100 to 400		1924-25	Willard	SJWR-4	Neg.	Delco	1147	* Delco	1129	81	63	63	*.....*
844	McFARLAN	SV-6	400 to 500		1925	Willard	SJRR-4	Pos.	Clum	10429	20	* 1129	*	81	64-63	*.....*
845	McFARLAN	TV-6	22000	up	1924-25	Willard	SJRR-6	Pos.	Clum	10160	30	* 1129	*	81	64-63	*.....*
846	McFARLAN	SV-6	500	up	1926-27	Willard	SJRR-4	Neg.	Delco	1246	10	Delco	1129	81	63	63.....1129.....*
848	McFARLAN	Eight	1000 to 2099		1925-26	Willard	SJRR-4	Neg.	Delco	1246	10	Delco	1110	*	81	63.....87.....82
850	McFARLAN	TV-6	23300	up	1925-26	Willard	SJRR-6	Pos.	Clum	10471	30	* 1129	81	81	63	87.....82
852	McFARLAN	Eight	2100	up	1927-28	Willard	SJRR-4	Neg.	Delco-Remy	1246	10	Del.Rem	1129	*	63	1129.....64
854	MERCER	22-70, 72	2099 to 3299	'14-16		Willard		Neg.			10	* 1141	89	*	89	*.....*
854	MERCER	22-73	3300 to 4099		1917	Willard		Neg.			10	* 1141	89	*	89	*.....*
855	MERCER	22-74	4100 to 4599		1917-18	Willard	SJRR-6	Pos.			20	* 1129	81	*	63	*.....81
856	MERCER	5	4600	up	1918-19	Willard	SJRR-6	Pos.			30	* 1129	81	*	63	*.....*
856	MERCER	5	9001	up	1920	Willard	SJRR-6	Pos.			30	* 1129	81	*	63	*.....*
856	MERCER	5	12000	up	1921	Willard	SJRR-6	Pos.			30	* 1129	81	*	63	*.....*
857	MERCER	6	19651	up	1922-25	Willard	SJRR-5	Pos.			15	* 1129	81	*	63	*.....64
858	MERCER	6	21000	up	1925-26	Willard	SJRR-5	Pos.			15	* 1129	81	*	63	*.....*
859	METEOR	75 & 80			1916-19	Willard	SJWR-3	Neg.	Delco	1067,1105	* Delco	1129	*	*	63	*.....*
860	METEOR	75A, 80A			1917-18	Willard	SJWR-3	Neg.	Delco	1105	* Delco	1129	*	*	63	*.....*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-33

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Delco	2178	17047	Delco	1273	Delco	320	Delco	319	Delco	1926	D-74	MARMON	818
Delco-Remy	525-C	658-C	Delco-Remy	1301	Delco-Remy	726-A	Delco-Remy	949-F	265-B	1927	L	MARMON	820
Delco-Remy	2178	17047	Delco-Remy	1273	Delco-Remy	319	Delco-Remy	320	Delco	1927-28	E-75	MARMON	822
Delco-Remy	525-C	658-C	Delco-Remy		Delco-Remy	714-C	Delco-Remy	949-X	265-B	1928	68	MARMON	824
Delco-Remy	525-C	658-M	Delco-Remy		Delco-Remy	726-A	Delco-Remy	949-F	265-B	1928	78	MARMON	826
Simms	Magneto		B. & S.	1147	Simms-Huff	HB, HK	Simms-Huff	HB, HK		1915-17	25	MAXWELL	828
At.Kent	CC	CC	B. & S.	1140, 1288	SimmsHuff	HM, SMS	SimmsHuff	HM, SMS	S. H.	1918-19	25	MAXWELL	829
At.Kent	CC	CC	B. & S.	1440	SimmsHuff	SMS-2	SimmsHuff	SMS-2	S. H.	1919	25	MAXWELL	830
At.Kent	CC	CC	B. & S.	1485	SimmsHuff	SMS-3	SimmsHuff	SMS-3	S. H.	1920	25	MAXWELL	831
At.Kent	CC	CC	B. & S.	1485	Simms Huff	B	Simms Huff	G	S. H.	1920	25	MAXWELL	832
At.Kent	CC	CC	B. & S.	1485	Auto-Lite	MH-1029	Auto-Lite	GJ-1031	A. L.	1920	25	MAXWELL	833
At.Kent	CC	CC	B. & S.	2192,2221	Auto-Lite	MG-1021	Auto-Lite	GJ-4004	A. L.	1921-22	25	MAXWELL	834
At.Kent	CC	CC	B. & S.	1485	SimmsHuff	B	SimmsHuff	GL	S. H.	1921-22	25	MAXWELL	835
Remy	284-L	369-A, B, C	B. & S.	2410,11	Remy	712-A	Remy	961-A	265A, 64B	1922	25	MAXWELL	836
Remy	284-L	369-A, B, C	B. & S.	37160	Remy	712-A	Remy	961-A, 51A	265-A	1923-24	Good	MAXWELL	836
Remy	284-L	369-C	Remy	475-B	Remy	712-B	Remy	961-A	265-B	1925	25	MAXWELL	837
Westing.			Westing.	206545	Westing.	390	Westing.	240	240237	1915	T & X	McFARLAN	838
Westing.	237108	237108	Westing.	191078	Westing.	750	Westing.	400-R	245401	1916	T & X	McFARLAN	839
Bosch	Magneto		Westing.	191078	Westing.	750	Westing.	400-R	245401	1917	120-127	McFARLAN	839
Bosch and Westing.			Westing.	191078	Westing.	775	Westing.	400R, 50R	245400	1917	120-127	McFARLAN	840
Bosch and Westing.			Westing.	191078	Westing.	775	Westing.	400R, 50R	245400	1918-19	122-160	McFARLAN	840
Westing.			Westing.	191078	Westing.	390	Westing.	240	240237	1919	Special	McFARLAN	840
Westing. and Berling			Westing.	191078	Westing.	777	Westing.	781-R	285426B	1920-23	127	McFARLAN	841
Delco	2178	5270	Delco	1147	Delco	240-313	Delco	258	Delco	1924-25	SV-6	McFARLAN	842
Westing.	288761C	382528	Clum	10429	Westing.	711	Westing.	56-AT	Westing.	1925	SV-6	McFARLAN	844
Westing. and Splitdorf			Clum	10160	Westing.	778	Westing.	781-1R	285426B	1924-25	TV-6	McFARLAN	845
Delco	2178	5270	Delco	1246	Delco	313	Delco	258	Delco	1926-27	SV-6	McFARLAN	846
Delco	2178	5286	Delco	1246	Delco	313	Delco	256	Delco	1925-26	Eight	McFARLAN	848
DeJon	CA-4011	IA-4011	Clum	10471	DeJon	SC-4001	DeJon	DE-4001	RA-4001A	'25-28	TV-6	McFARLAN	850
Delco-Remy	525-A	658-A	Delco-Remy	1246	Delco-Remy	720-YX	Delco-Remy	941-S	265-B	1927-28	Eight	McFARLAN	852
Bosch	Magneto	DU-4			U.S.L.	E-177, 97	U.S.L.	E-177, 97	U.S.L.	1914-16	22-70, 72	MERCER	854
Bosch	Magneto	DU-4			U.S.L.	207	U.S.L.	E-207	U.S.L.	1917	22-73	MERCER	854
Berling	Magneto	F-41			Westing.	775	Westing.	762-R	280055	1917-18	22-74	MERCER	855
Eisemann	Magneto				Westing.	775, 6, 7, 8	Westing.	760	262982	1918-19		MERCER	856
Berling	Magneto	F-41			Westing.	778	Westing.	760	262982	1920		MERCER	856
Eisemann	Magneto	G-4			Westing.	771, 5, 8	Westing.	760	262982	1921		MERCER	856
Splitdorf	Magneto	SS			Westing.	711	Westing.	56-AT	301210A	1922-25	6	MERCER	857
Splitdorf	Magneto	SS			Am.Bosch	1117	Am.Bosch	1250	A.B.	1925-26	6	MERCER	858
Delco	2158	17017	Delco	1067, 1105	Delco	102	Delco	101	None	1916-19	75 & 80	METEOR	859
Delco	2123	5136, 56	Delco	1105	Delco	86	Delco	87	Delco	1917-18	75A, 80A	METEOR	860

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	BATTERY			Switch	LIGHTING								
					Gr. Make	Type	Ter.		Make	Model	Fuses	Circuit Breaker	Head	Aux.	Edison Mazda Lamp Numbers	Side Dsh.-tail Stop Dome	
860	METEOR	82, 85		1917-18	Willard	SJWR-3	Neg.	Delco	1105	*	Delco	1129	*	*	63	*	*
861	METEOR			1919-20	Willard	SJWR-3	Neg.	Delco	1147	*	Delco	1129	*	*	63	*	*
862	METEOR			1923	Exide	3-XC-15-2	Neg.	Delco	1192, 1244	*	Delco	1129	81	*	63	*	*
863	METEOR	R, S, T, U		1923-26	Exide	3-XC-15-2	Neg.	Delco	1244	*	Delco	1129	81	*	63	*	*
864	METZ	25	33000 to 36380	1915	Willard	SJR-6	Pos.	Gray-Davis		5	*	87	81	*	63	*	*
864	METZ	25	36381 up	1916-17	Willard	SJR-6	Pos.	Gray-Davis		5	*	87	81	*	63	*	*
865	METZ	G	40249 up	1917-18	Willard	SJWR-3	Pos.	Westing.	227044	15	*	87	81	*	63	*	*
866	METZ	Master 6	45015 up	1919-20	Willard	SJWR-4	Pos.	Conn.	108-2-Y	15	*	87	81	*	63	*	*
867	MITCHELL	B, C-48	58000 up	1913	Willard	SJRR-5	Pos.			20	*	87	81	*	63	*	*
868	MITCHELL	C-42	60001 up	1916-17	Willard	SJWR-3	Pos.	Remy	403-A	20	*	87	*	*	63	*	*
868	MITCHELL	C-42	90000 up	1918	Willard	SJWR-3	Pos.	Remy	403-A	20	*	87	*	*	63	*	*
869	MITCHELL	C-42, E-40		1916-18	Willard	SJWR-4	Neg.	Remy	403-A	20	*	87	*	*	63	*	*
869	MITCHELL	E-40, E-42	95501 up	1918-19	Willard	SJWR-4	Neg.	B. & S.	1525	20	*	87	*	*	63	*	*
870	MITCHELL	D-40	70000 up	1917-18	Willard	SJWR-3	Pos.	Conn.	108-7-Y	20	*	87	*	*	63	*	*
871	MITCHELL	F-40	1 up	1920-21	Willard	SJWR-4	Pos.	B. & S.	1804	10	*	1129	*	*	63	*	*
872	MITCHELL	F-50	15001 up	1922-23	Willard	SJWR-4	Pos.	B. & S.	37950	10	*	1129	*	*	64-63	1129	*
873	MITCHELL-LEWIS	B-35, 45	50001 up	1916			No			15	*	87	*	*	63	*	*
874	MOLINE KNIGHT	MK40, C-40	6001 up	1915-16	Willard	SJWR-4	Pos.	Conn.	108-5-Y	20	*	1129	81	*	63	*	*
875	MOLINE KNIGHT	G	8451 up	1919	Willard	SJWR-4	Neg.	Conn.	108-5-Y	20	*	87	*	*	63	*	*
876	MONITOR	M, O		1917-21	P-O-L	613-RHK	Pos.	Conn.	96-O-Y	20	*	87	*	*	63	*	*
877	MONROE	M-2	501 up	1915	Willard	SJWR-3	Neg.	Conn.	101-1-Y	20	*	87	*	*	63	*	*
878	MONROE	M-3	4001 up	1916	Willard	SJWR-3	Neg.	Conn.	108-2-Y	20	*	1129	*	*	63	*	*
879	MONROE	M-3, 4, 5, 6	8001 up	1917-18	Willard	SJWR-3	Neg.	Conn.	108-2-Y	20	*	87	81	*	63	*	*
879	MONROE	S-7, 8, 9, 10		1919-22	Willard	SJWR-3	Neg.	Conn.	108-11-Y	20	*	87	81	*	63	*	*
880	MOON	6-30, 40, 42	70245 up	1916	Exide	3-XC-15-1	Neg.	Delco	1067	*	Delco	87	*	*	63	*	*
881	MOON	6-43, 45	71088 up	1917-19	Willard	SJWR-4	Neg.	Delco	1078, 1113	*	Delco	1129	*	*	63	*	*
882	MOON	6-66	66565 up	1917-19	Willard	SJWR-4	Neg.	Delco	1081, 1113	*	Delco	1129	81	*	63	*	*
884	MOON	6-36	36226 up	1918	Exide	3-XC-15-1	Pos.	Delco	1089	*	*	1129	*	*	63	*	*
884	MOON	Victory	46001 up	1919	Exide	3-XC-15-1	Pos.	Delco		*	*	1129	*	*	63	*	*
884	MOON	6-46	47552 up	1920	Exide	3-XC-15-1	Pos.	Delco		*	*	1129	*	*	63	*	*
883	MOON	6-68	68101 up	1920	Exide	3-XC-15-1	Neg.	Delco	1147	*	Delco	1129	*	*	63	*	*
885	MOON	6-68	68287 up	1920-21	Exide	3-XC-15-1	Neg.	Delco	1180	*	Delco	1129	81	*	63	*	*
886	MOON	6-48	48001 up	1920-23	Exide	3-XC-15-1	Neg.	Delco	1196	*	Delco	1129	81	81	63	*	*
887	MOON	6-40	40001 up	1922	Exide	3-XC-13-1	Neg.	Delco	1171	*	Delco	1129	81	*	63	*	*
887	MOON	6-40	43301 up	1923-24	Exide	3-XC-13-1	Neg.	Delco	1238	*	Delco	1129	81	*	63	*	*
888	MOON	6-58		1923	Exide	3-XC-15-1	Neg.	Delco	1230	*	Delco	1129	81	*	63	*	*
888	MOON	6-48, 6-58	58201 up	1923-24	Exide	3-XC-15-1	Neg.	Delco	1238, 39, 49	*	Delco	1129	81	*	63	*	*
890	MOON	A	101 to 4300	1924	Exide	3-XC-13-1	Neg.	Delco	1260	*	Delco	1129	*	*	63	*	*
887	MOON	Newport N	53446 up	1925	Exide	3-XC-13-1	Neg.	Delco	1238	*	Delco	1129	81	*	63	*	*
891	MOON	A	4301 up	1925	Exide	3-XC-13-1	Neg.	Delco	1264	*	Delco	1129	*	*	63	*	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay		Year	Model	CAR	Page
	Coil Model	Dist. Model		Model	Make	Model	Make	Model	Regulator				
Delco	2123	5136, 56	Delco	1105	Delco	86	Delco	87	Delco	1917-18	82, 85	METEOR	860
Delco	2159	5175	Delco	1147	Delco	136	Delco	135	None	1919-20		METEOR	861
Delco	2159, 78	5251	Delco	1192, 1244	Delco	208	Delco	165, 256	Delco	1923		METEOR	862
Delco	2178	5256, 75	Delco	1244	Delco	181	Delco	258	Delco	1923-26	R, S, T, U	METEOR	863
Bosch or Dixie Mag.					Gray-Davis	V	Gray-Davis	T	G.D.	1915	25	METZ	864
Bosch or Dixie Mag.					Gray-Davis	125, 53	Gray-Davis	228, 70	G.D.	1916-17	25	METZ	864
At.Kent	CC	CC	Westing.	227044	Westing.	700	Westing.	450-R	239855	1917-18	G	METZ	865
Conn.			Conn.	H	Westing.	100, 700, 10	Westing.	760	262982	1919-20	Six	METZ	866
Conn.					Westing.	700	Westing.	202, 208	40237	1916	B, C-48	MITCHELL	867
Conn.			Remy	403-A	Westing.	700	Westing.	400	245401	1916-17	C-42	MITCHELL	868
Remy	284-B	366-A	Remy	403-A	Westing.	700	Westing.	400	245401	1918	C-42	MITCHELL	868
Remy	284-B	366-A	Remy	403-A	Remy	304-A	Remy	232-A	264-A, B	1916-18	C-42, E-40	MITCHELL	869
Remy	284-B	366-A	B. & S.	1525	Remy	304-A	Remy	232-A	264-A, B	1918-19	E-40, E-42	MITCHELL	869
Conn.			Conn.		Splitdorf	RSUB	Splitdorf	RGU	Split.	1917-18	D-40	MITCHELL	870
Remy	284-B	366-A	B. & S.	1804	Remy	700-C	Remy	910-A	264-B	1920-21	F-40	MITCHELL	871
Remy	284-B	366-A	B. & S.	37950	Remy	721-B	Remy	910-B	264-B	1922-23	F-50	MITCHELL	872
Conn.			Conn.	H	Split.Apelco	A-29	Split.Apelco	A-29		1916		MITCHELL-LEWIS	873
Conn.			Conn.		Auto-Lite	M-MC	Wagner	EM-202	Wagner	1915-16	MK40, C40	MOLINE KNIGHT	874
Conn.			Conn.		Auto-Lite	MC	Wagner	EM-202	Wagner	1919	G	MOLINE KNIGHT	875
Conn.			Conn.	K	Dyneto	D-288	Dyneto	C-288	Dyneto	1917-21	M, O	MONITOR	876
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GB	A.L.	1915	M-2	MONROE	877
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GG	A.L.	1916	M-3	MONROE	878
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GG	A.L.	1917-18	M-3, 4, 5, 6	MONROE	879
Conn.			Conn.	H	Auto-Lite	MF	Auto-Lite	GH	A.L.	1919-22	S-7, 8, 9, 10	MONROE	879
Delco	2140, 41, 42	17029, 34	Delco	1067	Delco	73, 83	Delco	73, 83	None	1916	6-30, 40, 42	MOON	880
Delco	2158	17015	Delco	1078	Delco	106	Delco	105	None	1917-19	6-43, 45	MOON	881
Delco	2158	17017	Delco	1081	Delco	102	Delco	101	None	1917-19	6-66	MOON	882
Delco	2123	5171	Delco	1089	Wagner	EM-167	Wagner	EM-155	Wagner	1918	6-68	MOON	884
Wagner	K-32	KC-335	Delco		Wagner	EM-272	Wagner	EM-303	Wagner	1919	6-36	MOON	884
Wagner	K-32	KC-335	Delco		Wagner	EM-272	Wagner	EM-341	Wagner	1920	Victory	MOON	884
Delco	2159	5175	Delco	1147	Delco	136	Delco	135	None	1920	6-46	MOON	883
Delco	2159	5215	Delco	1180	Delco	179	Delco	180	Delco	1920-21	6-68	MOON	885
Delco	2159	5208	Delco	1196	Delco	181	Delco	165	Delco	1920-23	6-48	MOON	886
Delco	2159	17005	Delco	1171	Delco	240	Delco	241	Delco	1922	6-40	MOON	887
Delco	2178	17002	Delco	1238	Delco	240	Delco	257	Delco	1923-24	6-40	MOON	887
Delco	2159	5208	Delco	1230	Delco	181	Delco	165	Delco	1923	6-58	MOON	888
Delco	2178	5256	Delco	1238, 39, 49	Delco	181	Delco	258	Delco	1923-24	6-48, 6-58	MOON	888
Delco	2178	17039	Delco	1260	Delco	286	Delco	287	5754	1924	A	MOON	890
Delco	2178	17002	Delco	1238	Delco	240	Delco	257	Delco	1925	Newport	MOON	887
Delco	2182	5274	Delco	1264	Delco	286	Delco	296, 308	5754	1925	A	MOON	891

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Head	Aux.	Side Dsh.	-tail Stop	Dome
892	MOON	A		1925-27	U.S.L.	XY-13X		Neg.	Delco-Remy	1285	*	D. R.	1129	*	63	63	*
894	MOON	London	L-60384 up	1925-27	Exide	3-XC-15-1		Neg.	Delco-Remy	1238	*	D. R.	1129	81	*	63	*
896	MOON	6-60	6001 up	1927-28	U.S.L.	XY-13X		Neg.	Delco-Remy	1303	*	D. R.	1129	*	63	63	63
898	MOON	6-72		1928	U.S.L.	XY-15-X6		Neg.	Delco-Remy	1309	*	D. R.	1110	*	81	63	87
900	MOON	8-80		1928	U.S.L.	3-HVX-7X		Neg.	Delco-Remy	1309	*	D. R.	1110	*	81	63	87
902	MOORE	30		1917-18	Willard	SJWR-3		Neg.			*		1129	*		63	*
903	MURRAY	Eight		1916-18	Willard	SJRR-6		Pos.	Westing.	187471	15	*	1129	81	*	63	*
904	NASH	671		1917-18	U.S.L.	3-HVX-5X		Pos.	B. & S.	1926	15	*	1129	*	81	63	*
904	NASH	671		1917-18	U.S.L.	3-HVX-5X		Pos.	B. & S.	1926	15	*	1129	*	81	63	*
905	NASH	681 to 7	100101 up	1917-20	Willard	SJWR-4		Neg.	Delco	1118	*	Delco	1129	81	*	63	*
906	NASH	681 to 7		1920	Willard	SJWR-4		Pos.	B. & S.	1816	*	Delco	1129	81	*	63	*
907	NASH	681-87	188437 up	1921	Willard	SJWR-4		Pos.	B. & S.	1816	20	*	1129	81	*	63	*
908	NASH	41 to 44	1345 up	1920-21	Willard	SJWR-3		Pos.	B. & S.	1825	20	*	87	81	*	63	*
909	NASH	41 to 45	7194 up	1922	Willard	SJWR-3		Pos.	Delco	1221, 44	*	Delco	1129	81	*	63	*
910	NASH	691 to 7	195754 up	1922	Willard	SJWR-4		Pos.	Delco	1213	*	Delco	1129	81	63	63	*
911	NASH	41-45	19436 up	1923	Willard	SJWR-4		Pos.	Delco	1221, 44	*	Delco	1129	*	*	63	*
912	NASH	691 to 8		1923	Willard	SJWR-4		Pos.	Delco	1244	*	Delco	1129	81	63	63	*
913	NASH	691 to 9		1924	Willard	SJWR-4		Pos.	Delco	1244	*	Delco	1129	81	63	63	*
914	NASH	41,6,7,8,9	34577 up	1924	U.S.L.	3-HVX-5X		Pos.	Delco	1234	*	Delco	1129	*	*	63	*
915	NASH	131 to 133	51001 up	1925	U.S.L.	3-HVX-5X		Pos.	Delco	1264	*	Delco	1129	*	63	63	*
918	NASH	131 to 33	288001 up	1925	Gould	DSR-617		Pos.	Delco	1264, 80	*	Delco	1129	*	63	63	*
916	NASH	231 to 34	75276 up	1926	U.S.L.	3-HVX-5X		Pos.	Delco	1264	*	Delco	1129	*	63	63	*
918	NASH	161 to 9	330126 up	1926	Gould	DSR-617		Pos.	Delco	1280, 91	*	Delco	1129	*	63	63	*
920	NASH	Light Six	1001 up	1926	U.S.L.	3-HVX-5X		Neg.	B. & S.	35320	20	*	1110	*	63	63	81
922	NASH	231	A-23612 up	1927	U.S.L.	3-HVX-5X6		Pos.	Delco-Remy	1300	*	D. R.	1110	*	63	63	87
924	NASH	261 to 9	386972 up	1927	Willard	SJWR-4		Pos.	Delco-Remy	1300	*	D. R.	1110	*	63	63	87
926	NASH	Light Six R	28374 up	1927	U.S.L.	3-HVX-5X6		Neg.	B. & S.	40374	20	*	1110	*	63	63	81
928	NASH	360	423612 up	1927-28	Willard	SJWR-4		Pos.	Delco-Remy	1300	*	D. R.	1110	*	63	63	87
930	NASH	330	A-58246 up	1927-28	U.S.L.	3-HVX-5X6		Pos.	Delco-Remy	484-C	*	D. R.	1110	*	63	63	87
932	NASH	Std. Six R	71557 up	1927-28	U.S.L.	3-HVX-5X6		Neg.	Soreng Man.	17289A	20	*	1110	*	63	63	87
934	NATIONAL	AB	11101 up	1915	Willard	SJR-4-Ass.D		No	Westing.	196261	20	*		87	81	*	63
935	NATIONAL	AC	14001 up	1916	Willard	SJR-4-Ass.D		No	Westing.	196261	*	*		87	81	*	63
936	NATIONAL	AD	16001 up	1916	Willard	SJR-4-Ass.D		No	Westing.	196261	*	*		87	81	*	63
937	NATIONAL	AE	17003 up	1916	Willard	SJWR-4		Pos.	Westing.	196261	*	*	1129	81	*	63	*
937	NATIONAL	AF-1, 2	20001 up	1917	Willard	SJWR-4		Pos.	Westing.	196261	*	*	1129	81	*	63	*
938	NATIONAL	A-H,K,M	18001 up	1917-19	Willard	SJWR-4		Pos.	Delco	1088	*	*	1129	81	*	63	*
939	NATIONAL	AF-3,AL	27001 up	1918-19	Willard	SJWR-4		Pos.	Delco	1088, 1136	*	Delco	1129	81	*	63	*
939	NATIONAL	BB	60000 up	1920	P-O-L	615-RHK		Pos.	Delco	1168	*	Delco	1129	81	*	63	*
940	NATIONAL	BB		1921-24	P-O-L	615-RHK		Pos.	Delco	1191	*	Delco	1129	81	*	61	*
941	NATIONAL	H	12001 up	1923-25	Willard	SJWR-4		No			10	*	1129	*	*	61	*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-37

Make	IGNITION			STARTER		GENERATOR			Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model	Switch Make	Model	Make	Model	Make	Model					
Delco-Remy	2182	5274	Delco-Remy	1285	Delco-Remy	286	Delco-Remy	308	D.R.	1925-27	A	MOON	892
Delco-Remy	2178	5256	Delco-Remy	1238	Delco-Remy	181	Delco-Remy	258	D.R.	1925-27	London	MOON	894
Delco-Remy	525-A	4017	Delco-Remy	1302	Delco-Remy	714-E	Delco-Remy	940-C	265-B	1927-28	6-60	MOON	896
Delco-Remy	525-C	645-F	Delco-Remy	1325	Delco-Remy	714-G	Delco-Remy	949-V	265-B	1928	6-72	MOON	898
Delco-Remy	525-C	658F, H	Delco-Remy	1302, 25	Delco-Remy	724J, 16B	Delco-Remy	940K, H	265-B	1928	8-80	MOON	900
Eisemann	Magneto				Dyneto	DA	Dyneto	CA	Dyneto	1917-18	30	MOORE	902
Dixie	Magneto				Westing.	750, 51	Westing.	400-R	245401	1916-18	Eight	MURRAY	903
Dixie	Magneto		B. & S.	1926	Bijur	F-65	Bijur	L-61	Bijur	1917-18	671	NASH	904
Delco	2155	5163	B. & S.	1926	Bijur	F-65	Bijur	L-61	Bijur	1917-18	671	NASH	904
Delco	2163	5169	Delco	1118	Delco	126	Delco	125	None	1917-20	681 to 7	NASH	905
Wagner	K-32	KC-335	B. & S.	1816	Wagner	EM279, 353	Wagner	EM278, 337	Wagner	1920	681 to 7	NASH	906
Wagner	K-32	K-335	B. & S.	1816	Wagner	EM-279	Wagner	EM337	1-471	1921	681-87	NASH	907
Wagner	K-70	K-84	B. & S.	1825	Wagner	EM353	Wagner	EM337	I-471	1920-21	41 to 44	NASH	908
Delco	2159, 78	5243, 44	Delco	1221, 44	Delco	228	Delco	229	None	1922	41 to 45	NASH	909
Delco	2159	5244	Delco	1213	Delco	230	Delco	229	None	1922	691 to 7	NASH	910
Delco	2159	5243	Delco	1221, 44	Delco	228	Delco	229	None	1923	41-45	NASH	911
Delco	2178	5244	Delco	1244	Delco	230	Delco	229	None	1923	691 to 8	NASH	912
Delco	2178	5263	Delco	1244	Delco	230	Delco	269	None	1924	691 to 9	NASH	913
Delco	2178	5262	Delco	1234	Delco	228	Delco	269	None	1924	41, 6, 7, 8, 9	NASH	914
Delco	2182	5272	Delco	1264	Delco	292	Delco	291	None	1925	131 to 33	NASH	915
Delco	2178, 82	5263, 72	Delco	1264, 80	Delco	292, 71	Delco	291, 69	None	1925	131 to 33	NASH	918
Delco	2182	5272	Delco	1264	Delco	323	Delco	291	None	1926	231 to 34	NASH	916
Delco	2178	5263, 88	Delco	1280, 91	Delco	323	Delco	269	None	1926	161 to 9	NASH	918
Auto-Lite	IG-4065	IG-4110	B. & S.	35320	Auto-Lite	MN4108	Auto-Lite	G YA-4201	CB-4007	1926	Light Six	NASH	920
Delco-Remy	2182	4015	Delco-Remy	1299	Delco-Remy	323	Delco-Remy	353	None	1927	231	NASH	922
Delco-Remy	2178	5288	Delco-Remy	1299	Delco-Remy	323	Delco-Remy	269	None	1927	261 to 9	NASH	924
Auto-Lite	IG-4065	IG-4110	B. & S.	40374	Auto-Lite	MN-4108	Auto-Lite	G YA-4201	CB-4007	1927	Light Six	NASH	926
Delco-Remy	525-C	636-M	Delco-Remy	1299	Delco-Remy	726-B	Delco-Remy	373	None	1927-28	360	NASH	928
Delco-Remy	525-C	636-L	Delco-Remy	1299	Delco-Remy	726-B	Delco-Remy	949-G	None	1927-28	330	NASH	930
Auto-Lite	IG-4065	IGA-4016	B. & S.	40153	Auto-Lite	MN-4108	Auto-Lite	G YA-4205	CB-4007	1927-28	Stan. Six	NASH	932
Eisemann	Magneto		B. & S.	1513	Westing.	310	Westing.	202	240237	1915	AB	NATIONAL	934
Eisemann	Magneto		B. & S.	1513	Westing.	310	Westing.	202	240237	1916	AC	NATIONAL	935
Splitdorf	Magneto		B. & S.	1513	Westing.	310	Westing.	450	241754	1916	AD	NATIONAL	936
Dixie	Magneto		B. & S.	1513	Westing.	700, 10	Westing.	208	240237	1916	AE	NATIONAL	937
Dixie	Magneto		B. & S.	1513	Westing.	710	Westing.	208	240237	1917	AF-1, 2	NATIONAL	937
Delco	2152	5162	Delco	1088	Bijur	E-68	Bijur	L-61	Bijur	1917-19	A-H, K, M	NATIONAL	938
Delco	2159	5175	Delco	1088, 1136	Westing.	751	Westing.	760	262982	1918-19	AF-3, AL	NATIONAL	939
Delco	2159	5211	Delco	1168	Westing.	751	Westing.	760	262982	1920	BB	NATIONAL	939
Delco	2159	5211	Delco	1191	Westing.	751	Dyneto	C69-C284	262982	1921-24	BB	NATIONAL	940
Eisemann	Magneto		B. & S.	1513	Dyneto	D69-D284	Westing.	760	Dyneto	1923-25	H	NATIONAL	941

CAR MODEL INDEX—EQUIPMENT USED

Year	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Make	Switch Model	LIGHTING					
						Type					Circuit	Edison	Mazda	Lamp Numbers		
											Fuses	Breaker	Head	Aux.	Side Dsh.-tail	Stop Dome
942	NOMA	1-G, C	1-595	1920-22	Willard	SJWR-3	Neg.	Delco	1172	*	Delco	1129	81	*	63	*
943	NORWALK	30		1916-17	Willard	SJWR-3	Pos.	Delco	1089	*	Delco	87	*	*	63	*
943	NORWALK	30A-30-K		1918-21	Willard	SJWR-3	Pos.	Delco	1089	*	Delco	87	*	*	63	*
944	OAKLAND	37, 49		1915	Exide	3-XC-15-1	Neg.	Delco	1048	*	Delco	87	*	*	63	*
945	OAKLAND	32,32-B	320,000 up	1916	Exide	3-XC-15-1	Neg.	Remy	148A, 94A	20	*	87	*	*	63	*
946	OAKLAND	38	380,000 up	1916	Exide	3-XC-13-1	Neg.	Delco	1058, 67	*	Delco	87	*	*	63	*
947	OAKLAND	50	500,000 up	1916-17	Exide	3-XC-15-1	Neg.	Delco	1067	*	Delco	87	*	*	63	*
948	OAKLAND	34	134 up	1917	Exide	3-XC-13-1	Neg.	Delco	1078	*	Delco	87	*	*	63	*
948	OAKLAND	34K,32B	330,000 up	1917	Exide	3-XC-13-1	Neg.	Delco	1078	*	Delco	87	*	*	63	*
949	OAKLAND	34,34-B	3,000,134 up	'17-19	P-O-L	611-RHK	Neg.	Remy	198-A, C	*	*	87	*	*	63	*
950	OAKLAND	34C, D	11700134 up	1920-21	P-O-L	613-RHK	Neg.	Remy	198B, D	*	*	87	81	*	63	*
951	OAKLAND	6-44		1922	P-O-L	613-RHK	Neg.	Remy	470-G	*	*	1129	*	*	63	*
952	OAKLAND	6-44	1025144 up	1923	P-O-L	613-RHK	Neg.	Remy	470-G	*	*	1129	81	*	63	*
953	OAKLAND	6-54,64	1025144 up	1923-25	P-O-L	613-RHK	Neg.	Remy	481-A, B	*	*	1129	*	*	63	*
954	OAKLAND	6-54-C	64601-54 up	1925-26	Willard	CWR-15	Neg.	Remy	475-L	15	*	1129	*	*	63	63
956	OAKLAND	OS	64523-54 up	1926-27	Willard	CWR-15	Neg.	Remy	475-L	15	*	1110	*	*	63	63
958	OAKLAND	6-212	170,000 up	1928	Willard	CWR-15	Neg.	Clum	10707, 12	20	*	1110	63	63	63	63
960	OLDSMOBILE	42	84500 up	1915	Exide	3-XC-15-1	Neg.	Delco	1048	*	Delco	1129	*	*	63	*
961	OLDSMOBILE	55	92500 up	1915	Exide	3-XC-15-1	Neg.	Delco	1035	*	*	1129	*	*	63	*
962	OLDSMOBILE	44	93000 up	1916	Exide	3-XC-13-1	Neg.	Delco	1067	*	Delco	87	81	*	63	*
963	OLDSMOBILE	37	119000 up	1917	Exide	3-XC-13-1	Neg.	Delco	1066	*	Delco	87	81	*	63	*
964	OLDSMOBILE	45	190,000 up	1917	Exide	3-XC-13-1	Neg.	Delco	1066	*	Delco	1129	81	*	63	*
966	OLDSMOBILE	37,37A	150000 up	1917-19	Willard	SJWR-3	Neg.	Remy	198-B	*	*	1129	81	*	63	*
964	OLDSMOBILE	45-A	145,000 up	1918-19	Willard	SJWR-4	Neg.	Delco	1104	*	Delco	1129	81	*	63	*
965	OLDSMOBILE	45-B	45-BT-1 up	1919	Willard	SJWR-3	Neg.	Delco	1146	*	Delco	87	81	*	63	*
967	OLDSMOBILE	37-A	37-AT-1 up	1920-22	Willard	SJWR-3	Neg.	Remy	198-B	*	*	87	81	*	63	*
968	OLDSMOBILE	45B,46	45-BT-1 up	1920-22	Willard	SJWR-3	Neg.	Delco	1176, 98	*	Delco	87	81	*	63	*
969	OLDSMOBILE	43-A	7 up	1921-22	Willard	SJWR-4	Neg.	B. & S.	996	20	*	87	81	*	63	*
970	OLDSMOBILE	47	1 up	1922-23	Willard	SJWR-4	Neg.	Delco	1198,1245	*	Delco	87	81	63	63	*
971	OLDSMOBILE	43-A		1923-24	Willard	SJWR-4	Neg.	Delco	1245	*	Delco	1129	81	*	63	*
972	OLDSMOBILE	30	30-1 up	1924	Willard	WR-13	Neg.	Delco	1258	*	Delco	1129	*	*	63	81
973	OLDSMOBILE	30		1925	Willard	WR-13	Neg.	Delco	1270	*	Delco	1129	*	*	63	81
974	OLDSMOBILE	30		1926	Willard	WR-13	Neg.	Delco	1270	*	Delco	1129	*	*	63	63
976	OLDSMOBILE	E-30	First 12,000	1927	Willard	WR-13	Neg.	Delco-Remy	1303	*	D. R.	1110	*	*	63	63
978	OLDSMOBILE	E-30	12,000 up	1927	Willard	WR-13	Neg.	Delco-Remy	1303	*	D. R.	1110	*	63	63	87
980	OLDSMOBILE	F-28		1928	Willard	WR-13	Neg.	Delco-Remy	486-B	*	D. R.	1110	63	63	63	87
982	OLYMPIAN	35		1917	U.S.L.	3-HVX-5X	Neg.	Conn.	115-2-Y	*	*	87	*	*	63	*
983	OLYMPIAN	45		1918-19	U.S.L.	3-HVX-5X	Pos.	Conn.	29-Y	*	*	87	*	*	63	*
984	OVERLAND	80,81,82	1 to 20399	1915	Willard	SJR-4-Ass.D	Neg.			20	*	87	*	81	61	*
985	OVERLAND	75	1 to 33850	1916	Willard	SJWR-3	Neg.	Conn.		20	*	87	*	*	61	*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-39

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model		Model	Make	Model	Make					
Delco	2159	5207	Delco	1172	Delco	181	Delco	165	Delco	1920-22	I-G, C. NOMA	942
Conn.			Delco	1089	Dyneto	D-204	Dyneto	C-204	Dyneto	1916-17	30. NORWALK	943
Delco	2118, 38	5160	Delco	1089	Dyneto	D-204	Dyneto	C-204	Dyneto	1918-21	30, A-30-K. NORWALK	943
Delco	2111		Delco	1048	Delco	49, 50	Delco	49, 50	Delco	1915	37, 49. OAKLAND	944
Remy	172A, 285C	109-A	Remy	148A, 94A	Remy	114-A	Remy	166-A	60A	1916	32, 32-B. OAKLAND	945
Delco	2118	17028	Delco	1058, 67	Delco	68	Delco	68	None	1916	38. OAKLAND	946
Delco	2123	5135, 53	Delco	1067	Delco	72	Delco	91	None	1916-17	50. OAKLAND	947
Delco	2137	17014	Delco	1078	Delco	100	Delco	111	None	1917	34. OAKLAND	948
Delco	2137	17018	Delco	1078	Delco	100	Delco	99	None	1917	34K, 32B. OAKLAND	948
Remy	284-C	356C-D	Remy	198-A, C	Remy	307-A	Remy	234A-D	264-B	1917-19	34, 34B. OAKLAND	949
Remy	284-C	356-C	Remy	198-B, D	Remy	701-A	Remy	911A, 17B	264-B	1920-21	34C, D. OAKLAND	950
Remy	284-M	606-D, 16-C	Remy	470-G	Remy	701A, 21-C	Remy	917-F	264-B	1922	6-44. OAKLAND	951
Remy	284-L	606, 26-D	Remy	470-G	Remy	721-C	Remy	917-F	264-B	1923	6-44. OAKLAND	952
Remy	284-L	616-E, G	Remy	481-A, B	Remy	713-B	Remy	917-K, S	265-A, B	1923-25	6-54, 64. OAKLAND	953
Remy	284-A	636-B	Remy	475-L	Remy	713-G	Remy	917S	265-B	1925-26	6-54-C. OAKLAND	954
Delco-Remy	284-A	636-J	Delco-Remy	475-L	Delco-Remy	713-G	Delco-Remy	941-M	265-B	1926-27	OS. OAKLAND	956
Delco-Remy	284-A	640-B	Clum	10707, 12	Delco-Remy	714-F	Delco-Remy	949-N	265-B	1928	6-212. OAKLAND	958
Delco	2111		Delco	1048	Delco	49	Delco	49	None	1915	42. OLDSMOBILE	960
Delco	2111	5124	Delco	1035	Delco	54, 54B	Delco	54, 54B	5686	1915	55. OLDSMOBILE	961
Delco	2130	5162	Delco	1067	Delco	72	Delco	91	None	1916	44. OLDSMOBILE	962
Delco	2137	17014	Delco	1066	Delco	100	Delco	111	None	1917	37. OLDSMOBILE	963
Delco	2153	5152, 58	Delco	1066	Delco	72	Delco	113	None	1917	45. OLDSMOBILE	964
Remy	284-C	356-C	Remy	198-B	Remy	307-A	Remy	234-A	264A, B	1917-19	37, 37A. OLDSMOBILE	966
Delco	2162	5174	Delco	1104	Delco	72	Delco	134, 37	None	1918-19	45-A. OLDSMOBILE	964
Delco	2162	1146	Delco	1146	Delco	72	Delco	137	None	1919	45-B. OLDSMOBILE	965
Remy	284-C	356-C	Remy	198-B	Remy	701-A	Remy	911-A	264-B	1920-22	37-A. OLDSMOBILE	967
Delco	2127	5210	Delco	1176, 98	Delco	178	Delco	169	None	1920-22	45B, 46. OLDSMOBILE	968
Remy	287-A	350A, 66G	B. & S.	996	Auto-Lite	ME1067	Auto-Lite	GH	A.L.	1921-22	43-A. OLDSMOBILE	969
Delco	2127	5210	Delco	1198, 1245	Delco	219	Delco	148, 220	None	1922-23	47. OLDSMOBILE	970
Delco	2178	17003	Delco	1245	Delco	261	Delco	260	None	1923-24	43-A. OLDSMOBILE	971
Delco	2178	17008	Delco	1258	Delco	274	Delco	273	None	1924	30. OLDSMOBILE	972
Delco	2182	5273	Delco	1270	Delco	274	Delco	295, 324	None	1925	30. OLDSMOBILE	973
Delco	2182	5284	Delco	1270	Delco	326	Delco	327	Delco	1926	30. OLDSMOBILE	974
Delco-Remy	2198	5284	In Coil		Delco-Remy	354	Delco-Remy	352	Delco	1927	E-30. OLDSMOBILE	976
Delco-Remy	2198	637-T	In Coil		Delco-Remy	713-G	Delco-Remy	940-B	265-B	1927	E-30. OLDSMOBILE	978
Delco-Remy	550-F	639-B	In Coil		Delco-Remy	714-H	Delco-Remy	949-W	265-B	1928	F-28. OLDSMOBILE	980
Conn.			Conn.		Auto-Lite	ME	Auto-Lite	GH	A.L.	1917	35. OLYMPIAN	982
Conn.			Conn.		Dyneto	D-162	Dyneto	C-162	Dyneto	1918-19	45. OLYMPIAN	983
Splitdorf	Magneto				Auto-Lite	MC, MD	Auto-Lite	GC, GA	A.L.	1915	80, 81, 82. OVERLAND	984
Dixie	Magneto				Auto-Lite	MF	Auto-Lite	GB	A.L.	1916	75. OVERLAND	985

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
										Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
986	OVERLAND	75-B	33850	up	1916-17	Willard	SJWR-3	Neg.	Conn.	38-Y	20	*	87	*	61	*
987	OVERLAND	83	1 to 102840	1916-18	Willard	SJWR-4	Neg.			20	*	87	*	61	*	*
988	OVERLAND	86	1 to 2150	1918	Willard	SJWR-4	Neg.			20	*	87	*	61	*	*
989	OVERLAND	86,86B	2150	up	1916-17	Willard	SJWR-4	Neg.	Conn.	38-Y	20	*	87	*	61	*
990	OVERLAND	85-6	1	up	1917-18	Willard	SJWR-3	Neg.	Conn.	38-Y	20	*	87	*	61	*
991	OVERLAND	85-4	15334	up	1917-18	U.S.L.	3-CVX-5X	Neg.	Conn.	38-Y	20	*	87	*	61	*
992	OVERLAND	90	1 to 104400	1917-18	U.S.L.	3-CVX-5X	Neg.	Conn.	38-Y	20	*	87	*	61	*	*
993	OVERLAND	90	104400	up	1918	U.S.L.	3-CVX-5X	Neg.	Conn.	20	*	87	*	61	*	*
994	OVERLAND	88,89-6	4905	up	1918	U.S.L.	3-CVX-5X	Neg.	Conn.	38-Y	20	*	87	*	61	*
995	OVERLAND	Four	1	up	1919-21	U.S.L.	3-CVX-5X	Neg.	Conn.	48-Y	20	*	87	*	63	*
996	OVERLAND	Four	174820	up	1922	U.S.L.	3-CVX-5X	Neg.	B. & S.	36590	20	*	1129	*	61	*
997	OVERLAND	91	1 to 132398	1923	U.S.L.	3-CVX-5X	Neg.	Clum	10250	20	*	1129	*	61	*	*
998	OVERLAND	91&92	132399	up	1924-25	U.S.L.	3-CVX-5X	Neg.	Clum	10489	20	*	1129	*	61	*
1000	OVERLAND	93	1 to 45999	1925	U.S.L.	3-CVX-5X	Neg.	B. & S.	39320	20	*	1129	*	61	*	*
999	OVERLAND	91&92	343000	up	1926	U.S.L.	3-CVX-5X	Neg.	B. & S.	38200	20	*	1129	*	61	*
1000	OVERLAND	93	46001	up	1926	U.S.L.	3-CVX-6X	Neg.	B. & S.	40097	20	*	1129	*	61	*
1001	OWEN MAGNETIC	O-36		1917-18				No		10	*	*	*	*	*	*
1002	OWEN MAGNETIC	W-42		1919-20	Exide	12-LXR-9-1	No			—	*	*	*	*	*	*
1003	PACKARD	1-38,3-48	35026-38000	'13-14				No		*	*	1129	*	81	61-63	81
1004	PACKARD	1-25,1-35	80026-90000	'15-16	Willard	SMR-7 Sp	Pos.	Delco	1060, 70	*	*	1129	81	81	63	87
1004	PACKARD	2-25,2-35	125051	up	1916-17	Willard	SMR-7 Sp	Pos.	Delco	1076	*	1129	81	81	63	87
1006	PACKARD	3-25,3-35	150051	up	1918-20	Willard	SMR-7 Sp	Pos.	Delco	1092	10	1129	81	81	63	87
1007	PACKARD	3-25,3-35	160130	up	1920-23	Willard	SMR-7 Sp	Pos.	Delco	1092	10	1129	81	81	63	87
1008	PACKARD	1-16	U-9000	up	1920-22	Willard	SJRR-4	Pos.	Delco	1179	*	Delco	1129	81	63	81
1009	PACKARD	1-26,1-33		1923	Willard	SJRR-4	Pos.	Delco	1229	*	Delco	1129	81	63	81	
1009	PACKARD	2-26,2-33	U-37000	up	1924	Willard	SJRR-4	Pos.	Delco	1229	*	Delco	1129	81	63	81
1010	PACKARD (Six)	2-26,2-33		1924	P-O-L	613-SHK	Pos.	Delco	1229	*	Delco	1129	81	63	81	
1010	PACKARD	1-36,143	200001	up	1923-24	P-O-L	617-SHK	Pos.	Delco	1251	*	Delco	1133	81	63	81
1010	PACKARD (Eight)	2-36,2-43	209001	up	1925	P-O-L	617-SHK	Pos.	Delco	1251	*	Delco	1133	81	63	81
1010	PACKARD (Six)	3-26,3-33	U-49501	up	1925	P-O-L	613-SHK	Pos.	Delco	1229	*	Delco	1129	81	63	81
1012	PACKARD	326,333	95007	up	1926	P-O-L	613-SHK	Pos.	Delco	1229	*	Delco	1129	81	63	81
1012	PACKARD	236,243	220007	up	1926	P-O-L	617-SHK	Pos.	Delco	1251	*	Delco	1133	1129	63	81
1014	PACKARD	326,333		1926	P-O-L	613-SHK	Pos.	Delco	1278	*	Delco	1158	1129	63	81	
1014	PACKARD	236,243		1926	P-O-L	617-SHK	Pos.	Delco	1278	*	Delco	1158	1129	63	81	
1016	PACKARD	426,433		1927	P-O-L	613-SHK	Pos.	Delco	1307	*	Delco	1158	1129	63	81	
1016	PACKARD	336,343		1927	P-O-L	617-SHK	Pos.	Delco	1307	*	Delco	1158	1129	63	81	
1018	PACKARD	526,533	125013	up	1927-28	P-O-L	A-613-SH	Pos.	Delco-Remy	1317	*	D.R.5773	1110	64	63	1129
1020	PACKARD	436,443	225,013	up	1927-28	P-O-L	A-617-SH	Pos.	Delco-Remy	1317	*	D.R.5773	1110	64	63	1129
1022	PACKARD	5-26, 33		1928	P-O-L	A-613-SH	Pos.	Delco-Remy	1317	*	D.R.410-C	1110	81	63	63	1129
1024	PACKARD	433		1928	P-O-L	A-617-SH	Pos.	Delco-Remy	1317	*	D.R.410-C	1110	81	63	63	1129

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-41

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page			
	Coil Model	Dist. Model		Model	Make	Model	Make								
Conn.			Conn.		Auto-Lite	MF	Auto-Lite	GB	A.L.	1916-17	75-B	OVERLAND	986		
Dixie	Magneto				Auto-Lite	MC	Auto-Lite	GD	A.L.	1916-18	83	OVERLAND	987		
Dixie	Magneto				Auto-Lite	MD	Auto-Lite	GA	A.L.	1916	86	OVERLAND	988		
Dixie	Magneto				Auto-Lite	MD	Auto-Lite	GA	A.L.	1916-17	86,86B	OVERLAND	989		
Conn.			Conn.		Auto-Lite	ME	Auto-Lite	GG, GH	A.L.	1917-18	85-6	OVERLAND	990		
Conn.			Conn.		Auto-Lite	MC	Auto-Lite	GD	A.L.	1917-18	85-4	OVERLAND	991		
Conn.			Conn.		Auto-Lite	MC, MF	Auto-Lite	GH	A.L.	1917-18	90	OVERLAND	992		
Conn.			Conn.		Auto-Lite	MF-1086	Auto-Lite	GH-1006	A. L.	1918	90	OVERLAND	993		
Conn.			Conn.		Auto-Lite	MF	Auto-Lite	GA	A.L.	1918	88, 89-6	OVERLAND	994		
Conn.			Conn.		M	Auto-Lite	MG-1001	Auto-Lite	GK1001	A.L.	1919-21	Four	OVERLAND	995	
Conn.			B. & S.		36590	Auto-Lite	MG-1001	Auto-Lite	GP-4003A	A.L.	1922	Four	OVERLAND	996	
Auto-Lite	IG-4035	IG-4036A	Clum		10250	Auto-Lite	MG-1001	Auto-Lite	GP-4003A	CB-1078	1923	91	OVERLAND	997	
Auto-Lite	IG-4035	IG-4036A	Clum		10489	Auto-Lite	MO	Auto-Lite	GP-4003A	CB-1078	1924-25	91 & 92	OVERLAND	998	
Auto-Lite	IG-4060	IG-4057-A	B. & S.		39320	Auto-Lite	MN-4104	Auto-Lite	GP-4103	CB-4007	1925	93	OVERLAND	1000	
Auto-Lite	IG-4035	IG-4036-A	B. & S.		38200	Auto-Lite	MG-1001	Auto-Lite	GP-4003A	CB-1078	1926	91 & 92	OVERLAND	999	
Auto-Lite	IG-4060	IG-4057-A	B. & S.		40097	Auto-Lite	MN-4104	Auto-Lite	GP-4103	CB-4007	1926	93	OVERLAND	1000	
Bosch	Magneto				Owen		Owen				O-36	OWEN MAGNETIC	1001		
Berling	Magneto				Owen		Owen				W-42	OWEN MAGNETIC	1002		
Bosch	Magneto				Delco		13,19	Delco		13, 19	Bijur	1913-14	1-38, 3-48	PACKARD	1003
Delco	2131	5128	Delco		1060, 70	Bijur	A-44	Bijur	K-646	Bijur	1915-16	1-25, 1-35	PACKARD	1004	
Delco	2135	5149	Delco		1076	Bijur	A-44	Bijur	K-646	Bijur	1916-17	2-25,2-35	PACKARD	1004	
Delco	2150	5161	Delco		1092	Bijur	ED-160	Bijur	K-646	Bijur	1918-20	3-25, 3-35	PACKARD	1006	
Delco	2150	5220, 38	Delco		1092	Bijur	ED-160	Bijur	K-646	Bijur	1920-23	3-25,3-35	PACKARD	1007	
Delco	2150	5228	Delco		1179	At.Kent	6324	At.Kent	5418	A.K.	1920-22	1-16	PACKARD	1008	
Delco	2175	5248	Delco		1229	At.Kent	6484	At.Kent	5870	A.K.	1923	1-26, 1-33	PACKARD	1009	
Delco	2175	5248	Delco		1229	At.Kent	6484	At.Kent	5870	A.K.	1924	2-26, 2-33	PACKARD	1009	
Delco	2175	5249	Delco		1229	Owen-Dyn.	DE-524	Owen-Dyn.	CE-523	O.D.	1924	2-26, 2-33	PACKARD (Six)	1010	
Delco	2175	5260	Delco		1251	Owen-Dyn.	DG-646	Owen-Dyn.	CE-523	O.D.	1923-24	1-36,1-43	PACKARD (Eight)	1010	
Delco	2175	5260	Delco		1251	Owen-Dyn.	DG-646	Owen-Dyn.	CE-523	O.D.	1925	2-36, 2-43	PACKARD (Eight)	1010	
Delco	2175	5249	Delco		1229	Owen-Dyn.	DE-524	Owen-Dyn.	CE-523	O.D.	1925	3-26, 3-33	PACKARD (Six)	1010	
Delco	2187	5249	Delco		1229	OwenDyn.	DH	OwenDyn.	CE523	O.D.	1926	326, 333	PACKARD	1012	
Delco	2187	5260	Delco		1251	OwenDyn.	DM	OwenDyn.	CG678	O.D.	1926	236, 243	PACKARD	1012	
Delco	2187	5249	Delco		1278	OwenDyn.	DH	OwenDyn.	CG678	O.D.	1926	326, 333	PACKARD	1014	
Delco	2187	5260	Delco		1278	OwenDyn.	DM	OwenDyn.	CG678	O.D.	1926	236, 243	PACKARD	1014	
Delco	2195	4009	Delco		Coil	OwenDyn.	DH	OwenDyn.	CG678	O.D.	1927	426, 433	PACKARD	1016	
Delco	2195	4008	Delco		Coil	OwenDyn.	DM	OwenDyn.	CG678	O.D.	1927	336, 343	PACKARD	1016	
Delco-Remy	552-A	656-J	Delco-Remy		Coil	OwenDyn.	DH-695	OwenDyn.	CG678	O.D.	1927-28	526, 533	PACKARD	1018	
Delco-Remy	553-A	4030	Delco-Remy		Coil	OwenDyn.	DM	OwenDyn.	CG678	O.D.	1927-28	436, 443	PACKARD	1020	
Delco-Remy	552-A	656-J	In Coil		Owen-Dyn.	DH-695	Owen-Dyn.	CD-777	20058	1928	5-26, 33	PACKARD	1022		
Delco-Remy	553-A	4033	In Coil		Owen-Dyn.	DM-696	Owen-Dyn.	CD-800	20030	1928	4-33	PACKARD	1024		

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp Numbers			
									Model	Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
1026	PAIGE	6-46	55000	up	1915-16	Willard	SJWR-3	Pos.		20	*	87	81	*	63	*
1027	PAIGE	6-38	85000	up	1916	Willard	SJWR-3	Pos.		20	*	87	81	*	63	*
1028	PAIGE	6-39	70000	up	1917-18	Willard	SJWR-4	Pos.	B. & S.	947	20	*	87	81	*	63
1029	PAIGE	6-51	70000	up	1917	Willard	SJWR-4	Neg.		20	*	87	81	*	63	*
1030	PAIGE	6-51	70000	up	1917	Willard	SJWR-3	Pos.		20	*	87	81	*	63	*
1031	PAIGE	6-51	70000	up	1917	Willard	SJWR-3	Pos.		20	*	87	81	*	63	*
1032	PAIGE	6-55	75000	up	1918-19	Willard	SJWR-4	Pos.	B. & S.	1513R	20	*	1129	81	*	63
1033	PAIGE	15,16-19	115001	up	1920	Willard	SJWR-4	Pos.	B. & S.	1513R	20	*	1129	81	*	63
1034	PAIGE	15-19,17-20	200000	up	1921	Willard	SJWR-4	Pos.	B. & S.	1613R	20	*	1129	81	*	63
1034	PAIGE	6-42,44,66	211903	up	1921-22	Willard	SJWR-4	Pos.	B. & S.	1613R	20	*	1129	81	*	63
1035	PAIGE	6-70	137500	up	1923	Westing.	6-OB-17	Pos.	B. & S.	35120	20	*	1129	81	63	63
1036	PAIGE	6-72	143,115	up	1924-25	Westing.	6-OB-19	Pos.	B. & S.	38120	20	*	1129	81	63	63
1038	PAIGE	6-65,75	160001	up	1926-27	Westing.	6-OB-13	Pos.	Delco-Remy	420-F	10	*	1129	*	63	64-63 1129
1040	PAIGE	6-45	315501	up	1927	Westing.	6-OB-13	Pos.	Delco-Remy	420-F	20	*	1129	*	63	64-63 1129
1042	PAIGE	8-85	500001	up	1927	Westing.	6-OB-15	Pos.	Delco-Remy	420-F	10	*	1129	*	63	64-63 87
1044	PAN AMERICAN	G-4,5,7			1917-19	Willard	SJWR-4	Pos.		10	*	87	81	*	63	*
1044	PAN AMERICAN	G-4,5,7			1917-19	Willard	SJWR-3	Pos.		10	*	87	81	*	63	*
1045	PAN AMERICAN	6-45,48	3000	up	1919-21	Willard	SJWR-3	Pos.	Westing.	256991	15	*	1133	*	*	63
1046	PARENTI				1920-22	U.S.L.	3-CVX-5X	Pos.	B. & S.		20	*	87	63	*	63
1047	PATERSON	6-42	301 to 1302		1916	Willard	SJWR-3	Neg.	Delco	1066	*	Delco	87	81	*	61
1047	PATERSON	6-45,R	5001 to 6986		1917-18	Willard	SJWR-3	Neg.	Delco	1066	*	Delco	87	81	*	61
1047	PATERSON	6-45	6869	up	1919	Willard	SJWR-4	Neg.	Delco	1104	*	Delco	87	81	*	63
1048	PATERSON	6-46,R			1920	Willard	SJWR-4	Neg.	Delco	1152	*	Delco	87	81	*	63
1049	PATERSON	6-47	12078	up	1920	Willard	SJWR-4	Neg.	Delco	1152	*	Delco	1129	81	*	61
1049	PATERSON	6-47	12101	up	1920-22	Willard	SJWR-4	Neg.	Delco	1171	*	Delco	1129	81	*	61
1049	PATERSON	22-6-52			1922-23	Willard	SJWR-3	Neg.	Delco	1246	*	Delco	1129	81	*	61
1050	PATHFINDER		2002	up	1915	Willard	SJRR-5	Pos.	Westing.	190807	20	*	87	81	*	63
1051	PATHFINDER	8-A,B,C	2002 to 2566		1915-17	Willard	SJWR-4	Pos.	Westing.	226796	20	*	87	81	*	63
1052	PATHFINDER	1,2,3B,2C	2901	up	1916-18	Willard	SJRR-5	Neg.	Delco	1066, 82	*	Delco	87	81	*	63
1053	PEERLESS	54&55	DD101	up	1915	Willard	SJWR-4	Pos.		10	*	1129	81	*	63	*
1054	PEERLESS	56	16001	up	1917-20	Willard	SJWR-4	Neg.	B. & S.	1186	10	*	1129	81	*	63
1055	PEERLESS	56	260000	up	1920-22	Willard	SJRR-5	Neg.	B. & S.	1855	10	*	1129	81	81	63
1056	PEERLESS	66			1922-24	Exide	3-XXV-19-2	Pos.	Delco	1231	*	Del. 5749	1129	*	81	61 1129 81
1057	PEERLESS	67	329501	up	1925	Exide	3-XXV-19-2	Pos.	Delco	1265	*	Del. 5749	1129	*	81	61 1129 81
1058	PEERLESS	6-70,72	299501	up	1924-26	Exide	3-XX-15-1	Pos.	Delco	1259, 60	*	Delco	1129	*	63	63 1129 81
1060	PEERLESS	6-80	350501	up	1926	U.S.L.	XY-13X	Pos.	Clum	10592	20	*	1129	*	63	63 1129 63
1062	PEERLESS	8-69	335501	up	1926	Exide	3-XC-15-1	Pos.	Delco	1298	*	Delco	1110	*	63	63 1129 63
1066	PEERLESS	6-80	A-350001	up	1927	U.S.L.	XY-15X-6	Pos.	Clum	10638	20	*	1110	*	63	63
1068	PEERLESS	6-90	A-390001	up	1927	U.S.L.	XY-15X-6	Pos.	Clum	10638	20	*	1110	*	63	63 1129 81
1064	PEERLESS	6-72	A302201	up	1927-28	Exide	3-XC-15-1	Pos.	Delco-Remy	1260	*	D. R.	1129	*	63	63 1129

Make	Switch	IGNITION		Coil	Make	STARTER		GENERATOR		Relay	Year	Model	CAR	Page
		Dist.	Make			Model	Make	Model	Make					
Remy	284-B	108-L	Remy	144-A	Gray-Davis	120	Gray-Davis	210,22,40,50	G.D.	1915-16	6-46	PAIGE	1026	
Remy	285-B	203B,D,E,F,H	Remy	144-A	Gray-Davis	120, 124	Gray-Davis	210, 222	G.D.	1916	6-38	PAIGE	1027	
Remy	285-B	203-O	B. & S.	947	Gray-Davis	120	Gray-Davis	413	G.D.	1917-18	6-39	PAIGE	1028	
Remy	175A, 285B	203-O	Remy	192-A	Remy	298-A	Remy	257-A	Remy	1917	6-51	PAIGE	1029	
Remy	285-B	203-O	Remy	192-A	Gray-Davis	120	Gray-Davis	250	G.D.	1917	6-51	PAIGE	1030	
Remy	285-B	203-O	Remy	192-A	Gray-Davis	120	Gray-Davis	400	G.D.	1917	6-51	PAIGE	1031	
Remy	284-B	354-A	B. & S.	1513-R	Remy	306-A	Remy	257B, E	263-C	1918-19	6-55	PAIGE	1032	
At.Kent	CC	CC	B. & S.	1513-R	Gray-Davis	502, 700	Gray-Davis	605, 606	G.D.	1920	15 & 16-19	PAIGE	1033	
At.Kent	CA	CA	B. & S.	1613-R	Remy	721A, 705C	Remy	913E	263-C	1921	15-19, 17-20	PAIGE	1034	
At.Kent	CA	CA	B. & S.	1613-R	Remy	721A, 705-C	Remy	913D-E	263-C	1921-22	6-42, 44, 46	PAIGE	1034	
At.Kent	N-7	RA	B. & S.	35120	Remy	722-A	Remy	923-A	266A,B,63C	1923	6-70	PAIGE	1035	
At.Kent	N-7	LA	B. & S.	38120	Remy	722-A	Remy	913H, 17X, V	266A,F	1924-25	6-72	PAIGE	1036	
At.Kent	N-3	LA	Hershey		Delco-Remy	713-F	Delco-Remy	941P, 17ZA	265-B	1926-27	6-65, 75	PAIGE	1038	
Delco-Remy	525-A	637-A	Hershey		Delco-Remy	711-E	Delco-Remy	943-A	265-B	1927	6-45	PAIGE	1040	
Delco-Remy	525-A	658-A	Hershey		Delco-Remy	720-Q	Delco-Remy	945-F	265-B	1927	8-85	PAIGE	1042	
Remy	284-B	354-A			Gray-Davis	515	Gray-Davis	619	G.D.	1917-19	G-4, 5, 7	PAN AMERICAN	1044	
Gray-Davis					Gray-Davis	515	Gray-Davis	619	G. D.	1917-19	G-4, 5, 7	PAN AMERICAN	1044	
At.Kent	CC	CC	Westing.	256991	Westing.	711, 100	Westing.	760	262982	1919-21	6-45, 48	PAN AMERICAN	1045	
Remy	284-B	366-H	B. & S.		Bijur	FD-140	Bijur	H-66	Bijur	1920-22		PARENTI	1046	
Delco	2158	17021	Delco	1066	Delco	85	Delco	84	None	1916	6-42	PATERSON	1047	
Delco	2158	17015	Delco	1066	Delco	106	Delco	105	None	1917-18	6-45, R	PATERSON	1047	
Delco	2158	17015	Delco	1104	Delco	106	Delco	105	None	1919	6-45	PATERSON	1047	
Delco	2158	17015	Delco	1152	Delco	106	Delco	105	None	1920	6-46, R	PATERSON	1048	
Delco	2159	5207	Delco	1152	Delco	164	Delco	165	None	1920	6-47	PATERSON	1049	
Delco	2159	5207	Delco	1171	Delco	181	Delco	165	None	1920-22	6-47	PATERSON	1049	
Delco	2159, 23	5207, 56	Delco	1246	Delco	181	Delco	165, 258	Delco	1922-23	22-6-52	PATERSON	1049	
Westing.			Westing.	191078A	Westing.	380	Westing.	240	240237	1915		PATHFINDER	1050	
Westing.	239274	239274	Westing.	226796	Westing.	318, 700, 50	Westing.	400	245401	1915-17	8-A, B, C	PATHFINDER	1051	
Delco	2123	5136, 56	Delco	1066, 82	Delco	86	Delco	87	Delco	1916-18	1, 2, 3B, 2C	PATHFINDER	1052	
At.Kent			B. & S.	641	Gray-Davis		Gray-Davis		G.D.	1915	54 & 55	PEERLESS	1053	
At.Kent			B. & S.	1146	Auto-Lite	M, MD, ME	Auto-Lite	GH	A.L.	1917-20	56	PEERLESS	1054	
At.Kent	N-7	CA	B. & S.	1854	Auto-Lite	MG-1025	Auto-Lite	GH	A.L.	1920-22	56	PEERLESS	1055	
Delco	2115, 77	5250	Delco	1231	Delco	248	Delco	247	None	1922-24	66	PEERLESS	1056	
Delco	2177	5250	Delco	1265	Delco	277	Delco	258	Delco	1925	67	PEERLESS	1057	
Delco	2178	5267	Delco	1259, 60	Delco	282	Delco	284	5754	1924-26	6-70, 72	PEERLESS	1058	
Auto-Lite	IG-4065	IG-4118-B	Clum	10592	Auto-Lite	MN-4102	Auto-Lite	GY-4102	CB-4007	1926	6-80	PEERLESS	1060	
Delco	2178	5297	Delco	1298	Delco	277	Delco	258	Delco	1926	8-69	PEERLESS	1062	
Auto-Lite	IG-4065	IG-4118	Clum	10638	Auto-Lite	MK-4114	Auto-Lite	GYA-4203	CB-4007	1927	6-80	PEERLESS	1066	
Auto-Lite	IG-4065	IG-4137	Clum	10638	Auto-Lite	MW-4101	Auto-Lite	GRE-4201-6	CB-4007	1927	6-90	PEERLESS	1068	
Delco-Remy	2178	5267	Delco-Remy	1260	Delco-Remy	282	Delco-Remy	284	5754	1927-28	6-72	PEERLESS	1064	

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Head	Aux.	Side Dsh.	-tail Stope	Dome
1070	PEERLESS	8-69	A-335001	up	1927-28	Exide	3-XC-15-1	Pos.	Delco-Remy	1293	*	D. R.	1110	*	63	63	87
1072	PEERLESS	6-60	A-400501	up	1927-28	U.S.L.	3-HVX-5X	Pos.	Clum	10638	20	*	1110	*	63	63	87
1074	PEERLESS	6-80	B-800001	up	1928	U.S.L.	XY-15X-6	Pos.	Clum	10687	20	*	1110	*	63	63	1129
1076	PEERLESS	6-91	B-900001	up	1928	U.S.L.	XY-15X	Pos.	Delco-Remy		20	*	1110	*	63	63	1129
1078	PIEDMONT	4-30	1 to 3000	1917-21	Willard	SJWR-3		Pos.	Delco		*	*	87	*	63	*	*
1079	PIEDMONT	6-40	2500	up	1919-21	Willard	SJWR-3	Neg.	Remy	198-A, B	*	*	87	*	63	*	*
1080	PIERCE ARROW	1, 2, 3		1913-15	Exide	3-XC-15-1		Pos.	Westing.	178841	10	*	1129	*	81	63	*
1082	PIERCE ARROW	4 & 5		1916-18	Exide	3-XCR-19		Pos.	Westing.	238100	10	*	1129	*	81	63	*
1083	PIERCE ARROW	38&48	311001	up	1919-21	Willard	SJR-6	Pos.	Westing.	238102	10	*	1129	81	*	63	*
1084	PIERCE ARROW	32	321001	up	1921-22	Willard	SJR-6	Pos.	Delco	1186	10	*	1129	81	*	63	*
1085	PIERCE ARROW	33	331001	up	1922-23	Willard	SJRR-6	Pos.	Delco	1186	10	*	1129	81	*	63	*
1086	PIERCE ARROW	33	338501	up	1924-26	Willard	SJRR-6	Pos.	Delco	1186	10	*	1129	81	*	63	*
1088	PIERCE ARROW	80	801001	up	1925-26	Willard	SJRR-4	Pos.	Delco	1271	10	*	1129	81	*	63	*
1090	PIERCE ARROW	80		1927	Willard	SJRR-4		Pos.	Delco-Remy	1271	10	*	1129	81	*	63	1129
1092	PIERCE ARROW	36	361001	up	1927-28	Willard	SJRR-6	Pos.	Delco-Remy	1186	10	*	1129	81	*	63	1129
1094	PIERCE ARROW	81	8101001	up	1928	Willard	SJRR-4	Pos.	Delco-Remy	1320	10	*	1129	81	*	81	1129
1096	PILOT	6-45	1756	up	1916-19	P-O-L	611RHK	Neg.	Delco	1067	*	Delco	87	*	61	*	*
1097	PILOT	6-45	3575	up	1919-20	P-O-L	611RHK	Neg.	Delco	1148, 64	*	Delco	87	*	61	*	*
1098	PILOT	6-50	5045	up	1921-23	P-O-L	611RHK	Neg.	Conn.		*	*	1129	*	63	*	*
1099	PONTIAC	Six	1-27	up	1926	P-O-L	613-JFKA	Neg.	Clum	10541	20	*	1129	*	63	63	*
1100	PONTIAC	6-27	41716-27	up	1927	P-O-L	613-JFKA	Neg.	Clum	10598	20	*	1110	*	63	63	*
1102	PONTIAC	6-28	204001	up	1928	U.S.L.	XY-13X-6	Neg.	Clum	10707	20	*	1110	*	63	63	63
1104	PORTER	46	100	up	1920-22	P-O-L	613-RHK	Pos.			15	*	1141	67	*	67	*
1105	PREMIER	M, MJ		1913-15					Remy		10	*	87	81	*	63	*
1107	PREMIER	6-B, C	1 to 5000	1917-19	Willard	SJWR-4		Neg.	Delco	1086	*	Delco	1129	81	*	63	*
1106	PREMIER	6-D	5011	up	1920	Willard	SJWR-4	Neg.	Delco	1155	*	Delco	1129	81	*	63	*
1108	PREMIER	6-D	6331	up	1921-23	Willard	SJWR-4	Neg.	Delco	1155	*	Delco	1129	81	*	63	*
1108	PREMIER	6-D-24	8001	up	1924	P-O-L	613-SHK	Neg.	Delco	1155	*	Delco	1129	81	*	63	1129
1109	PREMIER	4-ATaxi	T-0001	up	1923	P-O-L	611KPC	Neg.	Clum	10361	*	*	1129	*	81	63	87
1109	PREMIER	4-ATaxi	T-0307	up	1924	P-O-L	611KPC	Neg.	Clum	10361	*	*	1129	*	81	63	87
1109	PREMIER	4-A	T-2001	up	1925	P-O-L	611KPC	Neg.	Clum	10361	*	*	1170	*	81	63	1129
1110	PREMIER	4-BTaxi	T-2301	up	1925-26	P-O-L	611-KPC	Neg.	Clum	10361	*	*	1170	*	81	*	1129
1112	PULLMAN	4-34		1917	Willard	SJWR-3		Pos.			20	*	1129	81	*	63	*
1113	R. & V. KNIGHT	J	20000	up	1920-22	Willard	SJWR-4	Pos.			20	*	87	81	*	63	*
1113	R. & V. KNIGHT	R	50000	up	1920	Willard	SJWR-4	Pos.			20	*	87	81	*	63	*
1113	R. & V. KNIGHT	R	50000	up	1921-22	Willard	SJWR-4	Pos.			20	*	87	81	*	63	*
1114	R. & V. KNIGHT	H	22050	up	1923-24	Willard	SJRR-6	Pos.			20	*	1129	81	*	63	*
1115	REGAL	D,E,F,R	10171	up	1915-17	Willard	SLWR-26	Neg.			*	*	1141	*	67	*	*
1116	REGAL	J	24382	up	1917-18	Willard	SJWR-3	Neg.			*	*	1129	*	63	*	*
1117	REO	R,S,M,N	64001	up	1915	Willard	SJWR-4	No	Reo		*	*	87	*	61	*	*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-45

Make	IGNITION			STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page	
	Coil Model	Dist. Model	Switch Make	Model	Make	Model	Make						
Delco-Remy	2178	5297	Delco-Remy	1293	Delco-Remy	277	Delco-Remy	258	D.R.	1927-28	8-69	PEERLESS	1070
Auto-Lite	IG-4065	IG-4012	Clum	10592	Auto-Lite	MN-4128	Auto-Lite	Gya-4207	CB-4011	1927-28	6-60	PEERLESS	1072
Auto-Lite	IG-4065	IFA-4003-A	Electrolock	5-B	Auto-Lite	MN-4114	Auto-Lite	GAG-4101	CB-4007	1928	6-80	PEERLESS	1074
Delco-Remy	525-C	641-B	Electrolock	5-B	Delco-Remy	720-Z	Delco-Remy	945-Q	265-B	1928	6-91	PEERLESS	1076
Delco or Conn.			Delco		Dyneto	D-367	Dyneto	C-162	Dyneto	1917-21	4-30	PIEDMONT	1078
Remy	284-C	353-A	Remy	198-A	Remy	303-A	Remy	230-B	264-A	1919-21	6-40	PIEDMONT	1079
Bosch	Magneto	ZR-6			Westing.	501	Westing.	250, 51	240237	1913-15	1, 2, 3	PIERCE ARROW	1080
Bosch	Magneto	ZR-6			Westing.	501, 775	Westing.	246-R	249910	1916-18	4, 5	PIERCE ARROW	1082
Delco	2171	5207, 16	Delco	1144	Westing.	777	Westing.	781-R	285426B	1919-21	38, 48	PIERCE ARROW	1083
Delco	2171	5216	Delco	1186	Delco	191	Delco	192	5513	1921-22	32	PIERCE ARROW	1084
Delco	2171	5216	Delco	1186	Delco	191, 252	Delco	238	5513	1922-23	33	PIERCE ARROW	1085
Delco	2178	5265	Delco	1186	Delco	252	Delco	279	Delco	1924-26	33	PIERCE ARROW	1086
Delco	2178	17042	Delco	1271	Delco	297	Delco	300	Delco	1925-26	80	PIERCE ARROW	1088
Delco-Remy	2178	17042	Delco-Remy	1271	Delco-Remy	336	Delco-Remy	300	D.R.	1927	80	PIERCE ARROW	1090
Delco-Remy	2178	5265	Delco-Remy	1186	Delco-Remy	252	Delco-Remy	279	D.R.	1927-28	36	PIERCE ARROW	1092
Delco-Remy	552-B	17042	In Coil		Delco-Remy	336	Delco-Remy	300	D.R.	1928	81	PIERCE ARROW	1094
Delco	2158	17016, 20	Delco	1067	Delco	86, 104	Delco	89, 103	None	1916-19	6-45	PILOT	1096
Delco	2158	17016	Delco	1148, 64	Delco	104	Delco	103	None	1919-20	6-45	PILOT	1097
Conn.			Conn.		Bijur	ED-160	Bijur	L-220	Bijur	1921-23	6-50	PILOT	1098
Remy	525-C	637-L	Clum	10541	Remy	714-C	Remy	943-C	265-B	1926	Six	PONTIAC	1099
Delco-Remy	525-C	637-C,L,M	Clum	10598	Delco-Remy	710C, 14-C	Delco-Remy	943B, C	265-B	1927	6-27	PONTIAC	1100
Delco-Remy	525-C	639-A	Clum	10707	Delco-Remy	714-F	Delco-Remy	943-B	265-B	1928	6-28	PONTIAC	1102
Berling.	Magneto				Westing.	751	Westing.	765	247845	1920-22	46	PORTER	1104
Remy			Remy		None		Remy	M	B-214	1913-15	M, MJ	PREMIER	1105
Delco	2145	17011, 13	Delco	1086	Delco	110	Delco	109, 118	None	1917-19	6-B, C	PREMIER	1107
Delco	2145	17011	Delco	1155	Delco	110	Delco	118	None	1920	6-D	PREMIER	1106
Delco	2159	17025	Delco	1155	Delco	194	Delco	195	Delco	1921-23	6-D	PREMIER	1108
Delco	2159	17025	Delco	1155	Delco	194	Delco	195	Delco	1924	6-D-24	PREMIER	1108
Am.Bosch	TC-30	TM-4130	Clum	10361	Am.Bosch	917	Am.Bosch	1229	21560	1923	4-A, Taxi	PREMIER	1109
Am.Bosch	TC-30	T-4224	Clum	10361	Am.Bosch	917	Am.Bosch	1229	21560	1924	4-A, Taxi	PREMIER	1109
Am.Bosch	TC-30	T-4234	Clum	10361	Am.Bosch	1213	Am.Bosch	1229	21560	1925	4-B	PREMIER	1109
Am.Bosch	TC-30	T-4234	Clum	10361	Am.Bosch	959	Am.Bosch	1229	21560	1925-26	4-B, Taxi	PREMIER	1110
At.Kent					Split.Apelco	SU	Split.Apelco	RGU		1917	434	PULLMAN	1112
Wagner					Wagner	EM322	Wagner	EM189		1920-22	J	R. & V. KNIGHT	1113
Wagner					Wagner	EM322	Wagner	EM189		1920	R	R. & V. KNIGHT	1113
Wagner					Auto-Lite	ML-4001	Wagner	EM189		1921-22	R	R. & V. KNIGHT	1113
Auto-Lite	IG-4014	IG-4033			Auto-Lite	ML-4001	Auto-Lite	GJ-4020	CB-1072	1923-24	H	R & V. KNIGHT	1114
Conn.			B. & S.	609	Dyneto	DSL-B	Dyneto	DSL-B	Dyneto	1915-17	D, E, F, R	REGAL	1115
At.Kent					Auto-Lite	MF	Auto-Lite	GH	A.L.	1917-18	J	REGAL	1116
Remy	45-A		Remy	ZA	Remy	181A, 4-C	Remy	165A, B	264-C	1915	R, S, M, N	REGO	1117

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial Nos.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp	Numbers		
										Model Fuses Breaker Head	Aux.	Side Dsh.-tail	Stop	Dome		
1118	REO	R, S	76001 up	1913	Willard	SJWR-4	No	Reo		5	*	87	*	61	*	*
1118	REO	M & N	2101 up	1916	Willard	SJWR-4	No	Reo		5	*	87	*	61	*	*
1120	REO	R, S, M, N	96001 up	1917	Willard	SJWR-4	No	Reo		5	*	87	*	61	*	*
1121	REO	T, U, R, S, F		1917-22	Willard	SJWR-4	No	Reo		5	*	87	*	61	*	*
1121	REO	F		1920-22	Willard	SJWR-4	No	Reo		5	*	87	*	61	*	*
1122	REO	T, U		1919	Willard	SJWR-3	No	Reo		5	*	87	*	61	*	*
1123	REO	T-6, U-6	24301 up	1920-21	Willard	SJWR-4	Neg.	Reo		15	*	87	*	63	*	*
1124	REO	T-6		1921-22	Willard	SJWR-4	Neg.	Reo		5	*	1129	63	*	63	*
1125	REO	T-6	45236 up	1923-25	Willard	SJWR-4	Neg.	Reo		15	*	1129	63	*	63	*
1126	REO	T-6	71001 up	1925	Willard	SJWR-4	Neg.	Reo		10	*	1129	63	*	63	*
1128	REO	E, G	83993 up	1926	Willard	SJRR-4	Neg.	Reo		10	*	1110	*	63	63	1129 63
1130	REO	Wolverine	61667 up	1927	Willard	LWR-13	Neg.	Clum	10578	20	*	1110	*	63	63	87 63
1132	REO	Fly Cloud A-1	up	1927-28	Willard	SJRR-4	Neg.	Delco-Remy	482-F	20	*	1110	*	63	63	87 *
1134	REO	Wolverine		1928	Willard	LWR-13	Neg.	Clum	10578	20	*	1110	63	63	63	1129 *
1136	REVERE	A, B, C, D	501 up	1919-20	Willard	SJR-5	Pos.	Westing.	273371	15	*	1129	81	63	63	* *
1136	REVERE	D		1920	Willard	SJR-5	Pos.	Westing.	273371	15	*	1129	81	63	63	* *
1137	REVERE	M		1921-25	Willard	SJR-5	Pos.	Westing.	273371	15	*	1129	81	63	63	* *
1138	REVERE	25		1925-26	P-O-L	615-SHK	Pos.	Am. Bosch	S-108	10	*	1129	*	63	63	* *
1139	RICKENBACKER	A	1 to 5000	1922	P-O-L	613-SHK	Neg.	B. & S.	2276	20	*	1129	*	63	*	*
1140	RICKENBACKER	B, C, D	5000 up	1923-25	U.S.L.	3-CVX-6X	Neg.	B. & S.	2276	20	*	1158	63	63	63	1129 *
1141	RICKENBACKER	A-8	25001 up	1924-25	U.S.L.	3-CVX-6X	Neg.	B. & S.	38770	20	*	1158	*	63	63	1129 63
1142	RICKENBACKER	E-6	49243 up	1925-26	Willard	CWR-15	Neg.	B. & S.	37750	20	*	1110	*	63	63	87 63
1144	RICKENBACKER	B-8	27001 up	1925-26	Willard	CWR-19	Neg.	B. & S.	40032	20	*	1110	*	63	63	87 63
1146	RICKENBACKER	6-70	6-HH-01 up	1927	Willard	CWR-15	Neg.	B. & S.	40119	20	*	1110	*	63	63	87 63
1148	RICKENBACKER	8-80	6-HH-01 up	1927	Willard	CWR-15	Neg.	B. & S.	40119	20	*	1110	*	63	63	87 63
1150	RICKENBACKER	8-90	6-HH-01 up	1927	Willard	CWR-19	Neg.	B. & S.	40119	20	*	1110	*	63	63	87 63
1152	ROAMER	45 & 54	1 to 14004	1916-17	Willard	SJWR-3	No			10	*	87	81	*	63	* *
1153	ROAMER	D-4-74	15737 up	1918-19	Willard	SJWR-3	Neg.	Clum	10092NP	10	*	1129	81	*	63	* *
1153	ROAMER	C-6-54	15737 up	1918-19	Willard	SJWR-4	Neg.	Clum	10092NP	10	*	1129	81	*	63	* *
1154	ROAMER	C-6-54	15891 up	1920	Willard	SJWR-4	Neg.	Clum	10092NP	10	*	1129	81	*	63	* *
1154	ROAMER	E-6-54		1921-22	Willard	SJWR-4	Neg.	Clum	10092NP	10	*	1129	81	*	63	* *
1155	ROAMER	4-75-E		1920-24	P-O-L	613-SHK	Pos.	B. & S.	37950	10	*	1129	81	*	63	* *
1156	ROAMER	6-54-E		1920-25	P-O-L	613-SHK	Neg.	Clum	10092NP	10	*	1129	81	*	63	* *
1156	ROAMER	4-75-E		1925	P-O-L	613-SHK	Neg.	Clum	10391	20	*	1129	81	*	63	* *
1157	ROAMER	3-50, 55	35600 up	1925-26	P-O-L	611-SHK	Pos.	Clum	10391	20	*	1129	*	*	63	* *
1158	ROAMER	3-88, 78	80000 up	1925-28	P-O-L	611-SHK	Pos.	Clum	10414	20	*	1129	*	*	63	* *
1160	ROLLIN	G	101 to 7000	1924	U.S.L.	3-CVX-6X	Pos.	Conn.	187-1-Y	15	*	1129	*	*	63	1129 81
1160	ROLLIN	G-2	7001 up	1925-26	Willard	CWR-15	Pos.	Conn.	187-1-Y	15	*	1129	*	*	63	1129 81
1162	ROLLS ROYCE	40-50		1923-24	Exide	6-XCR-15-1	No			10	*	1141	*	67	67	* *
1163	ROLLS ROYCE	40-50		1925	Exide	3-XC-21-1	Pos.	Westing.	366059A	10	*	1129	*	63	63	1129 63

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-47

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	MODEL	CAR	Page	
	Coil Model	Dist. Model		Make	Model	Make	Model						
Remy	45-A	208-A	Reo		Remy	185-A	Remy	241-A	261A, B	1916	R & S	REO	1118
Remy	45-A	208-B	Reo		Remy	188-A	Remy	240-A	261A, B	1916	M & N	REO	1118
Remy	284-A	208-D	Reo		Remy	300A, B	Remy	254A, 56A	263-A	1917	R, S, M, N	REO	1120
Remy	284-A	208-C	Reo		Remy	300-A	Remy	254-A	263-A, D	1917-19	T, U, R, S, F	REO	1121
Remy	284-A	208-C	Reo		Remy	735B, C	Remy	920-A	263-D	1920-22	F	REO	1121
Remy	284-A	208-C	Reo		Remy	300-A	Remy	254-A	263-D	1919	T, U	REO	1122
NorthEast	T-10444	T-10442	Reo		NorthEast	R-3581	NorthEast	L-3711	8212	1920-21	T-6, U-6	REO	1123
NorthEast	10481	10442	Reo		NorthEast	R-3581-A	NorthEast	LR-3819	8212	1921-22	T-6	REO	1124
NorthEast	10481	T-10695	Reo		NorthEast	R-3581-A	NorthEast	MAT	11690-A	1923-25	T-6	REO	1125
NorthEast	10481	T-10695	Reo		NorthEast	R-3581-A	NorthEast	MAT	11690-A	1925	T-6	REO	1126
NorthEast	15381	T	Reo		NorthEast	SBR-6237	NorthEast	MAT	11690-A	1926	E, G	REO	1128
NorthEast	17232	10820	Clum	4388	NorthEast	6304	NorthEast	5394	15850	1927	Wolverine	REO	1130
Delco-Remy	525-E	636-K	Clum	4790	Delco-Remy	724-E	Delco-Remy	949-B	265-B	1927-28	Fly. Cloud	REO	1132
NorthEast	17232	10820A	Electrolock	5-B	NorthEast	6304	NorthEast	5394	15850	1928	Wolverine	REO	1134
Bosch	Magneto		Westing.	273371	Westing.	776	Westing.	781	285426	1919-20	A, B, C, D	REVERE	1136
Bosch	Magneto		Westing.	273371	Westing.	751	Westing.	781	285426B	1920	D	REVERE	1136
Bosch	Magneto		Westing.	273371	Westing.	776	Westing.	781	285426B	1921-25	M	REVERE	1137
Am.Bosch	TC-30	TM-672	Am.Bosch	S-108	Am.Bosch	1118	Am.Bosch	1250	A, B	1925-26	25	REVERE	1138
Auto-Lite	At.Kent N-7	IG-4019	B. & S.	2276	Simms	T	Simms	R	B.S.1441	1922	A	RICKENBACKER	1139
Am.Bosch	TC-30	T-61, 6248	B. & S.	2276	Am.Bosch	933CWDE	Am.Bosch	1032	1032CWDE	'23-25	B, C, D	RICKENBACKER	1140
Delco	2182	5276	B. & S.	38770	Am.Bosch	947	Am.Bosch	1055	A.B.	1924-25	A-8	RICKENBACKER	1141
Am.Bosch	TC-30	T-6294			Am.Bosch	966	Am.Bosch	1066	A.B.	1925-26	E-6	RICKENBACKER	1142
Delco	2190	5292			Am.Bosch	957	Am.Bosch	1066	A.B.	1925-26	B-8	RICKENBACKER	1144
Am.Bosch	TC-30	T-6294			Am.Bosch	966	Am.Bosch	1066	A.B.	1927	6-70	RICKENBACKER	1146
Delco-Remy	2190	5292			Am.Bosch	966	Am.Bosch	1066	A.B.	1927	8-80	RICKENBACKER	1148
Delco-Remy	2190	5292			Am.Bosch	957	Am.Bosch	1066	A.B.	1927	8-90	RICKENBACKER	1150
Bosch	Magneto	DU-6			Bijur	E-68, F-65	Bijur	L-61	Bijur	1916-17	45 & 54	ROAMER	1152
Bosch	Magneto		Clum	10092NP	Bijur	C-8	Bijur	L-61	Bijur	1918-19	D-4-74	ROAMER	1153
Bosch	Magneto		Clum	10092NP	Bijur	ED-160	Bijur	L-61	Bijur	1918-19	C-6-54	ROAMER	1153
Bosch	Magneto		Clum	10092NP	Bijur	ED-160	Bijur	L-61	Bijur	1920	C-6-54	ROAMER	1154
Bosch	Magneto		Clum	10092NP	Bijur	ED-160	Bijur	L-61	Bijur	1921-22	E-6-54	ROAMER	1154
Bosch or Split. Mag.			B. & S.	37950	Westing.	776, 78, 51	Westing.	781-R	285426B	1920-24	4-75-E	ROAMER	1155
Bosch or Split. Mag.			Clum	10092NP	Westing.	711	Westing.	760	262982	1920-25	6-54-E	ROAMER	1156
Bosch or Split. Mag.			Clum	10391	Westing.	711	Westing.	760	262982	1925	4-75-E	ROAMER	1156
Auto-Lite	IG-4062	IG-4034-A	Clum	10391	Auto-Lite	MG-4102	Auto-Lite	GJ-4103	CB-4008	1925-26	6-50, 55	ROAMER	1157
Auto-Lite	IG-4062	IG-4105	Clum	10414	Auto-Lite	MN-4102	Auto-Lite	GJ-4116	CB-4009	1925-27	8-88, 78	ROAMER	1158
Conn.	600-Y	373-2Y	Conn.	187-1-Y	Owen-Dyn.	DE-607	Owen-Dyn.	CE-614	O.D.	1924	G	ROLLIN	1160
Conn.	600Y	373-2Y	Conn.	187-I-Y	Owen-Dyn.	DE-607	Owen-Dyn.	CE-680	O.D.	1925-26	G-2	ROLLIN	1160
Am.Bosch	Special				Bijur	EX-21	Bijur	EX-11	KXL	1923-24	40-50	ROLLS ROYCE	1162
Am.Bosch and Mag.			Westing.	366059A	Westing.	778	Westing.	77R, 57-IR	382440	1925	40-50	ROLLS ROYCE	1163

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison Mazda Lamp Numbers					
									Model	Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
1164	ROLLS ROYCE	40-50		1925-28	Exide	3-XC-21-1	Pos.	Delco	1216	10	*	1129	1129	63	64-63	1129
1166	ROLLS ROYCE	Phantom		1927-28	Exide	3-XC-21-1	Pos.	RollsRoyce	A-10257	10	*	1110	*	63	64-63	1129
1168	ROSS	A,B,C	1003 up	1916-18	Willard	SJWR-4	Pos.			*	*	1129	81	*	63	*
1169	SAXON	A,B-14	100 up	1915-16	Exide	3-XC-13-1	Pos.			*	*	87	*	*	63	*
1170	SAXON	S	101 to 4843	1915-16	Exide	3-XC-13-1	Pos.			15	*	87	*	*	63	*
1171	SAXON	S-2	5101 up	1916	Exide	3-XC-13-1	Pos.			15	*	87	*	*	63	*
1172	SAXON	B-5-R,6-R	9601 up	1917	Exide	3-XC-13-1	Pos.	B. & S.	881	15	*	87	*	*	63	*
1173	SAXON	S2,4-R,S,T	19201 up	1917-18	Exide	3-XC-13-1	Pos.	B. & S.	898	15	*	87	*	*	63	*
1173	SAXON	Y-18	7650 up	1918-19	Exide	3-XC-13-1	Pos.	B. & S.	898	15	*	87	*	*	63	*
1174	SAXON	Y-18-T		1920	P-O-L	611-RHK	Pos.	B. & S.	1094	15	*	87	*	*	63	*
1175	SAXON	125,25G	90001 up	1920-22	P-O-L	613-RHK	Pos.	B. & S.	37950	15	*	87	*	*	63	*
1176	SAYERS	P	5100 up	1917-19	Willard	SJWR-3	Neg.	Delco	1075, 1104	*	Delco	87	81	*	63	*
1176	SAYERS	P	5100 up	1917-19	Willard	SJWR-3	Neg.	Delco	1066, 1104	*	Delco	87	81	*	63	*
1176	SAYERS	A-P,B-P	5301 up	1918-19	Willard	SJWR-3	Neg.	Delco	1104	*	Delco	87	81	*	63	*
1177	SAYERS	C-P	5700 up	1919-20	Willard	SJWR-3	Neg.	Delco	1147	*	Delco	87	*	*	63	*
1178	SAYERS	D-P	6100 up	1920-21	Willard	SJWR-3	Neg.	Delco	1172	*	Delco	1129	*	81	63	*
1178	SAYERS	F & AL	1226 up	1920-21	Willard	SJWR-3	Neg.	Delco	1172	*	Delco	1129	*	81	63	*
1178	SAYERS	G & H		1922	Willard	SJWR-3	Neg.	Delco	1192, 96	*	Delco	1129	*	81	63	*
1180	SAYERS-SCOVILL	CL		1923	Willard	SJRR-5	Neg.	Delco	1246	*	Delco	1129	81	*	63	*
1180	SAYERS-SCOVILL	CL, G-L		1923-24	Willard	SJRR-5	Neg.	Delco	1246	*	Delco	1133	81	*	63	87
1182	SAYERS-SCOVILL	HL, IL		1925	Willard	SJRR-5	Neg.	Delco	1246	*	Delco	1133	81	81	63	87
1182	SAYERS-SCOVILL	JL, KL		1926	Willard	SJRR-5	Neg.	Delco	1246	*	Delco	1133	81	81	63	87
1184	S AND S	AA		1926-28	Willard	SJRR-6	Neg.	Delco	1257	*	D. R.	1129	81	81	63	1129
1184	S AND S	KL		1926-28	Willard	SJRR-5	Neg.	Delco	1246	*	D. R.	1129	81	81	63	1129
1184	S AND S	LHI		1926-28	Willard	SJRR-5	Neg.	Delco	1246	*	D. R.	1129	81	81	63	1129
1186	SCRIPPS BOOTH	C	1 up	1915-16	Willard	LWR-26	Pos.			*	*	93	67	*	67	*
1187	SCRIPPS BOOTH	C,D,G	3101 up	1916-17	Willard	SJWR-3	Pos.			*	*	1129	81	*	63	*
1188	SCRIPPS BOOTH	G	3 to 855	1917	Willard	SJWR-3	Pos.			*	*	1129	81	*	63	*
1189	SCRIPPS BOOTH	6-39,40	9001 up	1918-19	P-O-L	611-RHK	Neg.	B. & S.	1249	*	*	1129	81	*	63	*
1190	SCRIPPS BOOTH	B-39,40,41,42	20250 up	'20-21	P-O-L	613-RHK	Neg.	B. & S.	1547	15	*	1129	*	*	63	*
1192	SCRIPPS BOOTH	F		1921-22	P-O-L	613-RHK	Neg.	B. & S.	1547	15	*	1129	*	*	63	*
1193	SENECA	A to G	500 to 1000	1917-18	P-O-L	611-RHK	Neg.	B. & S.	1466	20	*	1129	*	*	63	*
1193	SENECA	H,H2,L	1000 to 2000	'19-20	P-O-L	611-RHK	Neg.	B. & S.	1466	20	*	1129	*	*	63	*
1194	SENECA	L,O,M	2001 up	1921	P-O-L	611-RHK	Neg.	B. & S.	37880	*	*	1129	*	*	63	*
1195	SENECA	L-2,O-2	2420 up	1921-22	P-O-L	611-RHK	Neg.	B. & S.	37880	*	*	87	*	81	63	1129
1196	SENECA	50-51		1922-23	P-O-L	611-RHK	Neg.	B. & S.	2367	*	*	1129	*	63	64-63	1129
1197	SEVERIN			1920-21	Exide	3-XC-15-1	Pos.			10	*	1129	81	*	63	*
1198	SHERIDAN	B-40,41,42,43		1921	U.S.L.	3-HVX-6X	Pos.			20	*	1129	81	*	63	81
1199	SIMPLEX	Crane	1500 up	1915-18	Willard	SJRR-6	Pos.			10	*	1133	81	*	61	81
1200	SINGER	15 to 19	7500 up	1915-19	Willard	SJWR-4	Pos.	Westing.	190807	20	*	1133	81	*	63	*

Make	IGNITION		Make	Model	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model			Make	Model	Make	Model					
Am.Bosch			Delco	1216	Westing.	778	Westing.	57-IR	382440	1925-28	40-50	ROLLS ROYCE	1164
DeJon			RollsRoyce	A-10257	RollsRoyce	A-9860	RollsRoyce	A-9547	A-10194	1927-28	Phantom	ROLLS ROYCE	1166
At.Kent	K2	K2			Rob.Myers	AM	Rob.Myers	AG	W.L.	1916-18	A, B, C	ROSS	1168
At.Kent	K3	K3			D.W.L.	RS	D.W.L.	RS	CC	1915-16	A,B-14	SAXON	1169
At.Kent	K2	K2			Gray-Davis	9	Gray-Davis	9	G.D.	1915-16	S	SAXON	1170
At.Kent	K3	K3			Wagner	EM158	Wagner	EM157	Wagner	1916	S-2	SAXON	1171
At.Kent	K3	K3	B. & S.	881	Wagner	EM156	Wagner	EM174	Wagner	1917	B-5-R, 6-R	SAXON	1172
Remy	284-B	217A, D	B. & S.	898	Wagner	EM156, 58	Wagner	EM155	Wagner	1917-18	S2,4-R,S,T	SAXON	1173
Remy	284-B	217E	B. & S.	898	Wagner	EM-167	Wagner	EM343	Wagner	1918-19	Y-18	SAXON	1173
Wagner			B. & S.	1094	Wagner	EM167, 358	Wagner	EM155, 353	Wagner	1920	Y-18-T	SAXON	1174
Wagner	KD-286	KD	B. & S.	37950	Wagner	36-T	Wagner	46-V-5	Wagner	1920-22	125, 25G	SAXON	1175
Delco	2158		Delco	1075, 1104	Delco	106	Delco	105	None	1917-19		SAYERS	1176
Delco	2158		Delco	1066, 1104	Delco	102	Delco	101	None	1917-19		SAYERS	1176
Delco	2159	5175	Delco	1104	Delco	136	Delco	135	None	1918-19		SAYERS	1176
Delco	2158	5175	Delco	1147	Delco	106, 36	Delco	105, 35	None	1919-20		SAYERS	1177
Delco	2159	5207	Delco	1172	Delco	181	Delco	165	Delco	1920-21	D & P	SAYERS	1178
Delco	2159	5215	Delco	1172	Delco	179	Delco	180	Delco	1920-21	F & AL	SAYERS	1178
Delco	2159	5215, 08	Delco	1192, 96	Delco	179, 200	Delco	180, 65	Delco	1922	G & H	SAYERS	1178
Delco	2178	5251	Delco	1246	Delco	208	Delco	256	Delco	1923	CL	SAYERS-SCOVILL	1180
Delco	2178	5208	Delco	1246	Delco	181	Delco	258	Delco	1923-24	C, GL	SAYERS-SCOVILL	1180
Delco	2178	5208	Delco	1246	Delco	200	Delco	258	Delco	1925	HL, IL	SAYERS-SCOVILL	1182
Delco	2178	5208	Delco	1246	Delco	200	Delco	258	Delco	1926	JL, KL	SAYERS-SCOVILL	1182
Delco-Remy	2178	4009	Delco-Remy	1257	Delco-Remy	355	Delco-Remy	258	D.R.	1926-28	AA	S AND S	1184
Delco-Remy	2178	5208	Delco-Remy	1246	Delco-Remy	355	Delco-Remy	258	D.R.	1926-28	KL	S AND S	1184
Delco-Remy	2178	4009	Delco-Remy	1246	Delco-Remy	339	Delco-Remy	258	D.R.	1926-28	LHI	S AND S	1184
Remy	285-B	213A	B. & S.	582	Bijur	MG1213	Bijur	1213	None	1915-16	C	SCRIPPS BOOTH	1186
Remy	285-B	213A, 14A	B. & S.	596	Wagner	EM161	Wagner	EM169	Wagner	1916-17	C, D, G	SCRIPPS BOOTH	1187
Remy	284-C	219-A	B. & S.	1166	Remy	290-B	Remy	248-A	263-C	1917	G	SCRIPPS BOOTH	1188
Remy	284-C	356-C	B. & S.	1249	Remy	307-A	Remy	234-A	264-A	1918-19	6-39, 40	SCRIPPS BOOTH	1189
Remy	284-C	356-C	B. & S.	1547	Remy	701-A	Remy	911-A	264-B	1920-21	B-39,40,1,2	SCRIPPS BOOTH	1190
Remy	284-B	366-F	B. & S.	1547	Remy	705-D	Remy	913-B	264-B	1921-22	F	SCRIPPS BOOTH	1192
Remy	175A, 285B	207D, 13A	B. & S.	1466	Allis-Chal.	MG9-L,16-L	Allis-Chal.	MG9-L,16-L	A.C.	1917-18	A to G	SENECA	1193
Conn.			B. & S.	1466	Allis-Chal.	MG9-L,16-L	Allis-Chal.	MG9-L,16-L	A.C.	1919-20	H, H2, L	SENECA	1193
Conn.			B. & S.	37880	Allis-Chal.	MG-9-L	Allis-Chal.	MG-9-L	A.C.	1921	L, O, M	SENECA	1194
Auto-Lite	IG-4012	IG-4011	B. & S.	37880	Auto-Lite	MG-1004	Auto-Lite	GJ-4001	CB-1072	1921-22	L-2, O-2	SENECA	1195
Auto-Lite	IG-4012	IG-4011	B. & S.	2367	Auto-Lite	MG-1004	Auto-Lite	GJ-4001	CB-1072	1922-23	50-51	SENECA	1196
Wagner	K-67	K-51			Wagner	EM-322	Wagner	EM-276	Wagner	1920-21		SEVERIN	1197
Remy	287-A	350-A			Auto-Lite	MH	Auto-Lite	GH	A.L.	1921	B-40,1,2,3	SHERIDAN	1198
Bosch	Magneto	ZR			Bosch-Rush	AB	Bos.-Rush	DSR-3, G-7		1915-18	Crane	SIMPLEX	1199
Bosch	Magneto	DU-6			Westing.	750	Westing.	203, 08	240237	1915-19	15 to 19	SINGER	1200

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Edison Head	Mazda Aux.	Lamp Side	Dsh.-tail	Numbers Stop Dome
1201	SINGER	20	20101	up	1919-20	Willard	SJWR-4	Pos.	Westing.	190807	20	*	87	81	*	63	*
1202	SKELTON	35	500	up	1919-20	P-O-L	611-RHK	Pos.	Conn.	96-7-Y	*	*	1129	*	*	63	*
1202	SKELTON	35			1921-22	P-O-L	611-RHK	Pos.	Conn.	96-7-Y	*	*	1129	*	*	63	*
1203	STANDARD		1	up	1915	Willard	SJWR-3	Pos.	Westing.	226796	20	*	1129	81	*	63	*
1204	STANDARD	8	175 to 356		1915-16	Willard	SJWR-3	Pos.	Westing.	226796	20	*	1129	81	*	63	*
1204	STANDARD	E	175 to 519		1916	Willard	SJWR-3	Pos.	Westing.	237571	20	*	1129	81	*	63	*
1205	STANDARD	E			1917	Willard	SJWR-3	Pos.	Westing.	237571	20	*	1129	81	*	61	*
1206	STANDARD	F	C-100 to 599		1917	Willard	SJWR-4	Pos.			20	*	1129	81	*	63	*
1207	STANDARD	G,H	600	up	1918-19	Willard	SJRR-6	Pos.	Westing.		15	*	1129	81	*	63	*
1207	STANDARD	I	1600	up	1920-22	Willard	SJRR-6	Pos.	Westing.		15	*	1129	81	*	63	*
1208	STANLEY	735	18001	up	1918-22	Willard	SJWR-3	Neg.			20	*	1129	81	*	63	*
1209	STANLEY	740,50	23001	up	1923-25	Westing.	6-PB-13	Neg.			20	*	1129	81	81	63	81
1210	STANLEY	252,262	25000	up	1925-27	P-O-L	611-SHK	Neg.	Clum	10073	10	*	1129	81	*	63	81
1211	STANLEY	770	27000	up	1928	Exide	3-XC-13-1	Neg.	Clum	10073	10	*	1129	81	81	81	81
1212	STAR	F	1	up	1922-25	U.S.L.	3-CVX-5X	Neg.	B. & S.	39370	20	*	1129	81	*	63	*
1213	STAR	F-25,M	201609	up	1925	U.S.L.	3-CVX-5X	Neg.	Clum	10491	20	*	1129	*	*	64-63	*
1214	STAR	R	14003	up	1926	U.S.L.	3-CVX-5X	Neg.	Clum	10555	20	*	1129	*	*	63	*
1216	STAR	M	350000	up	1926-27	U.S.L.	3-CVX-5X	Neg.	Clum	10542	20	*	1129	*	*	63	63
1218	STAR	R	33000	up	1927	U.S.L.	3-CVX-5X	Neg.	Clum	10628	20	*	1129	*	63	63	63
1220	STEARNS KN'G'T	Light 4	L-1 to L-703		1915	Willard		Pos.			*	*	87	81	*	63	*
1221	STEARNS KN'G'T	SKL-4,SK-8	L-703 up '16-18		1915	Willard	SJR-27	Pos.			20	*	1143	89	*	67	*
1222	STEARNS KN'G'T	SKL-4	L-4745 up		1918-19	Willard	SJR-27	Pos.	B. & S.	1243	10	*	1141	89	*	67	*
1223	STEARNS KN'G'T	SKL-4	L-5901 up		1919-21	Willard	SJR-27	Pos.	B. & S.	1974	20	*	1141	89	*	67	*
1224	STEARNS KN'G'T	B	B-1 up		1922-24	Willard	CR-613	Pos.	B. & S.	2071	20	*	1141	89	*	67	*
1225	STEARNS KN'G'T	S	S-1 up		1922-24	Exide	6-XC-13-1	Pos.	B. & S.	2071	20	*	1141	67	67	67	*
1226	STEARNS KN'G'T	B	B-1214 up		1925-26	Exide	6-XC-13-1	Pos.	Clum	10510	25	*	1141	89	67	67	89
1226	STEARNS KN'G'T	S,C			1925-26	Exide	6-XC-13-1	Pos.	Clum	10510	25	*	1141	89	67	67	89
1228	STEARNS KN'G'T	F-6-85	F-1 up		1927	U.S.L.	6-HVX-5X	Pos.			10	*	1110	89	*	67	89
1230	STEARNS KN'G'T	F-6-85	F-607 up		1927-28	U.S.L.	3-CVX-10X	Pos.			10	*	1110	63	*	63	87
1232	STEARNS KN'G'T	G-8-85	G-1 up		1927-28	U.S.L.	3-CVX-10X	Pos.			10	*	1110	63	*	63	87
1234	STEPHENS	65	101 to 1100		1916-17	U.S.L.	3-CVX-5X	Neg.	Conn.	108-2-Y	20	*	1129	*	*	61	*
1235	STEPHENS	60-65	1100 up		1916-17	U.S.L.	3-CVX-5X	Neg.	Delco	1081	*	Delco	1129	81	*	63	*
1235	STEPHENS	70,4,5,8	10736 up		1918	U.S.L.	3-CVX-5X	Neg.	Delco	1109	*	Delco	1129	81	*	63	*
1235	STEPHENS	70,75	12488 up		1919	U.S.L.	3-CVX-5X	Neg.	Delco	1109	*	Delco	1129	81	*	63	*
1236	STEPHENS	82,86	15001 up		1919-20	U.S.L.	3-CVX-5X	Pos.	Conn.	64-Y	20	*	87	*	63	63	*
1237	STEPHENS	90	20001 up		1921-22	U.S.L.	3-CVX-5X	Pos.	B. & S.	1873	20	*	87	63	63	63	*
1238	STEPHENS	10-20	32001 up		1923-24	U.S.L.	3-CVX-5X	Pos.	Delco	1246	*	Delco	1129	81	63	63	*
1239	STERLING KN'T	B-6	101 up		1924-25	Exide	6-XC-11-1	Pos.	Delco	1256	*	Delco	1141	89	*	67	89
1240	STERLING KN'T	B-6	523 up		1925-26	Exide	6-XC-11-1	Pos.	Delco	1256	*	Delco	1141	89	*	67	89
1241	STEVENS DURYEAD-6				1915	Exide	3-PHC-13-2	Pos.	Delco	1044	*	Del. 5692	87	*	81	63	*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-51

Make	IGNITION		Switch	STARTER		GENERATOR		Relay	Year	Model	CAR	Page	
	Coil Model	Dist. Model		Model	Make	Model	Make						
Philbrin	D	D		Westing.	751	Westing.	760	Westing.	1919-20	20	SINGER	1201	
Conn.	M	15TR	Conn.	Westing.	100	Westing.	760	Westing.	1919-20	35	SKELTON	1202	
Conn.	M	15TR	Conn.	Westing.	33AB	Westing.	35AT	Westing.	1921-22	35	SKELTON	1202	
Westing.			Westing.	226796	Westing.	310	Westing.	207	240237	1915	STANDARD	1203	
Westing.	239282	239282	Westing.	226796	Westing.	700	Westing.	400	245401	1915-16	8	STANDARD	1204
Westing.	239282	239282	Westing.	237571	Westing.	700	Westing.	400	245401	1916-17	E	STANDARD	1204
Westing.	239282	239282	Westing.	237571	Westing.	700	Westing.	400	245401	1916-17	E	STANDARD	1205
Splitdorf	Magneto			Split.Apel	SU	Split.Apel	RGU		1917	F	STANDARD	1206	
Splitdorf	Magneto		Westing.	Westing.	751	Westing.	760	273899	1918-19	G-H	STANDARD	1207	
At.Kent	CC	CC	Westing.	Westing.	751	Westing.	760	273899	1920-22	I	STANDARD	1207	
							Remy	239-A	263-C	1918-22	735	STANLEY	1208
							Bijur	L-220	27	1923-25	740, 50	STANLEY	1209
							Am.Bosch	1272	A.B.	1925-27	252, 62	STANLEY	1210
							Am.Bosch	1272	A.B.	1928	770	STANLEY	1211
Auto-Lite	IG-4041	IG-4030-A	B. & S.	39270	Auto-Lite	MG-4004	Auto-Lite	GJ-4014	CB-4007	1922-25	F	STAR	1212
Auto-Lite	IG-4063	IG-4035-D	Clum	10491	Auto-Lite	MO-4102	Auto-Lite	GT-4001-A	CB-4007	1925	F-25, M	STAR	1213
Auto-Lite	IG-4063	IG-4067-A	Clum	10555	Auto-Lite	MO-4102	Auto-Lite	GT-4001-A	CB-4007	1926	R	STAR	1214
Auto-Lite	IG-4063	IG-4036-D	Clum	10542	Auto-Lite	MO-4102	Auto-Lite	GT-4001-A	CB-4007	1926-27	M	STAR	1216
Auto-Lite	IG-4063	IG-4067-A	Clum	10628	Auto-Lite	MO-4102	Auto-Lite	GT-4001-A	CB-4007	1927	R	STAR	1218
Bosch	Magneto	N-4		Gray-Davis	Y	Gray-Davis	T	G.D.	1915	Light 4	STEARNS KN'G'T	1220	
Remy	175, 76	207, 03	B. & S.	668	Westing.	755	Westing.	208	240237	1916-18	SKL-4, K-8	STEARNS KN'G'T	1221
Remy	285-B	207-E	B. & S.	1243	Remy	309-A	Remy	238-A	263-E	1918-19	SKL-4	STEARNS KN'G'T	1222
At.Kent	CC	CC	B. & S.	1974	Westing.	755	Westing.	765	287845	1919-21	SKL-4	STEARNS KN'G'T	1223
Westing.	395113	382410, 26	B. & S.	2071	Westing.	755	Westing.	57-GT	331224	1922-24	B	STEARNS KN'G'T	1224
At.Kent			B. & S.	2701	Westing.	755	Westing.	57-GT	331224	1922-24	S	STEARNS KN'G'T	1225
DeJon	CA-4005	IA-4003	Clum	10510	DeJon	SB-4002	DeJon	DC-4001	RA-4002	1925-26	B	STEARNS KN'G'T	1226
DeJon	CA-4003	IA-4004	Clum	10510	DeJon	SB-4003	DeJon	DC-4001	RA-4002	1925-26	S, C	STEARNS KN'G'T	1226
DeJon	CA-4003	IA-4004			DeJon	SB-4003	DeJon	DC-4001	RA-4002	1927	F-6-85	STEARNS KN'G'T	1228
DeJon	CA-4023	IAA-4003			DeJon	SD-4101	DeJon	DA-4016	RA-4001-A	'27-28	F-6-85	STEARNS KN'G'T	1230
DeJon	CA-4023	IAA-4002			DeJon	SD-4102	DeJon	DJ-4016	RA-4001-A	'27-28	G-8-85	STEARNS KN'G'T	1232
Conn.			Conn.	H	Auto-Lite	ME	Auto-Lite	GG	A.L.	1916-17	65	STEPHENS	1234
Delco	2158	17015	Delco	1081	Delco	106	Delco	105	None	1916-17	60-65	STEPHENS	1235
Delco	2161	17018	Delco	1109	Delco	100	Delco	123	None	1918	70, 4, 5, 8	STEPHENS	1235
Delco	2161	17018	Delco	1109	Delco	100	Delco	123	None	1919	70, 75	STEPHENS	1235
Conn.			Conn.	64-Y	Auto-Lite	MH	Auto-Lite	GJ-1020	A.L.	1919-20	82, 86	STEPHENS	1236
Conn.	RG-101-(A.L.)	16-6	B. & S.	1873	Auto-Lite	MG-1020	Auto-Lite	GJ-1020	CB-1072	1921-22	90	STEPHENS	1237
Delco	2178	5257	Delco	1246	Delco	262	Delco	258	5754	1923-24	10-20	STEPHENS	1238
Westing.	395113	382528	Delco	1256	Westing.	755	Westing.	57-GT	331224C	1924-25	B-6	STERLING KNGT	1239
DeJon	CA-4006	IA-4006	Delco	1256	DeJon	SB-4004	DeJon	DC-4002	RA-4002	1925-26	B-6	STERLING KNGT	1240
Eisemann	Magneto			Delco	35	Delco	35	5688	1915	D-6	STEVENS DURYEA	1241	

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch		LIGHTING						
						Type			Make	Model	Fuses	Circuit Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
1242	STEVENS DURYEA	1001 up	1920-23	U.S.L.	3-HVX-8Z	Pos.				10	*	1129	81	*	63	*	*
1243	STUDEBAKER	SD-4	423001 up	1915	Willard	SJWR-4	No			15	*	1129	*	*	63	*	*
1243	STUDEBAKER	EC-6	500001 up	1915	Willard	SJWR-4	No			15	*	1129	*	*	63	*	*
1244	STUDEBAKER	SF & ED	460001 up	1916-17	Willard	SJWR-4	Pos.	Remy	190-A, B, C	10	*	1129	*	*	63	*	*
1245	STUDEBAKER	SH, EH, EG	133101 up	'18-19	Willard	SJWR-4	Pos.	Remy	190-F, G	15	*	87	*	*	63	*	*
1246	STUDEBAKER	EH, EG	257,465 up	1920-21	Willard	SJWR-4	Pos.	B. & S.	1772	10	*	87	*	81	63	*	*
1247	STUDEBAKER	EJ	1,000,001 up	1920-21	Willard	SJWR-3	Pos.	B. & S.	37950	10	*	87	*	*	63	*	*
1248	STUDEBAKER	EJ		1921-22	Willard	SJWR-3	Pos.	B. & S.	2118	10	*	87	*	*	63	*	*
1249	STUDEBAKER	EG, EH	329,129 up	1921	Willard	SJWR-4	Pos.	B. & S.	1772	10	*	87	*	81	63	*	*
1250	STUDEBAKER	EJ, EM		1922-23	Willard	SJWR-3	Pos.	Remy	472A, C	10	*	1129	*	63	63	81	81
1252	STUDEBAKER	EK, EL		1922-23	Willard	SJWR-4	Pos.	Remy	471B, 72A	10	*	1129	*	63	63	81	81
1252	STUDEBAKER	EK, EL	2,017,140 up	1923-24	Willard	SJWR-4	Pos.	Remy	471A, B	10	*	1129	*	63	63	81	81
1250	STUDEBAKER	EM	1,084,001 up	1923-24	Willard	SJWR-3	Pos.	Remy	472-C	10	*	1129	*	63	63	81	81
1254	STUDEBAKER	ER	1,202,001 up	1925-26	Willard	SJRR-3	Pos.	Remy	420-A	10	*	1129	*	63	63	81	81
1256	STUDEBAKER	ER	1,202,001 up	1925-26	Willard	SJRR-3	Pos.	Remy	420-A	10	*	1129	*	81	63	81	81
1258	STUDEBAKER	EP, EQ	2,060,001 up	1925-26	Willard	SJRR-4	Pos.	Remy	420-B	10	*	1129	*	63	63	81	81
1260	STUDEBAKER	EP, EQ	3,120,001 up	1925-26	Willard	SJRR-4	Pos.	Remy	420-B	10	*	1129	*	81	63	81	81
1262	STUDEBAKER	ER, EU	1,346,001 up	1926-27	Willard	SJRR-3	Pos.	Delco-Remy	420-J	10	*	1110	*	81	63	81	81
1264	STUDEBAKER	EU	1,346,001 up	1927	Willard	SJRR-3	Pos.	Delco-Remy	420-J	10	*	1110	*	81	63	81	81
1266	STUDEBAKER	EP, EQ	2,073,001 up	1926	Willard	SJRR-4	Pos.	Delco-Remy	420-K	10	*	1110	*	81	63	81	81
1266	STUDEBAKER	ES, EW	2,102,101 up	1927	Willard	SJRR-4	Pos.	Delco-Remy	420-K	10	*	1110	*	81	63	81	81
1268	STUDEBAKER	ES, EW	4,000,001 up	1927	Willard	SJRR-4	Pos.	Delco-Remy	420-K	10	*	1110	*	81	63	81	81
1270	STUDEBAKER	Dictator	1,410,001 up	1928	Willard	SJWR-3	Pos.	Delco-Remy	484-D	*	D. R. 410C	1110	*	81	63	81	81
1272	STUDEBAKER	Comndr	4,039,801 up	1928	Willard	SJWR-4	Pos.	Delco-Remy	484-D	*	D. R. 410C	1110	*	81	63	81	81
1274	STUDEBAKER	Prest	6,000,001 up	1928	Willard	SJWR-4	Pos.	Delco-Remy	484-D	*	D. R. 410C	1110	*	81	63	81	81
1276	STUTZ	C, R		1916-17	Willard	SJWR-4	No	Remy	OA, 25B	15	*	1129	81	*	63	*	*
1276	STUTZ	S, G		1918-19	Willard	SJWR-4	No	Remy	25-B	15	*	1129	81	*	63	*	*
1277	STUTZ	H	5001 up	1920	Willard	SJRR-5	No	Remy	25-B	15	*	1129	81	*	63	*	*
1278	STUTZ	K		1921	Willard	SJR-5	Pos.	Delco	1175	*	Delco	87	81	*	63	*	*
1279	STUTZ	KL		1922-24	Willard	SJRR-5	Pos.	Delco	1175	*	Delco	1129	81	*	63	*	*
1280	STUTZ	6-60	6-101 up	1923-24	Willard	SJRR-5	Pos.	Remy	472-E	*	Remy	1129	*	63	63	87	*
1280	STUTZ	6-90, 2,5	6-1601 up	1924	Willard	CWR-15	Pos.	Remy	472-E	*	Remy	1129	*	63	63	87	*
1280	STUTZ	6-93, 4,5	2601 up	1925	Willard	CWR-15	Pos.	Remy	472-E	*	Remy	1129	*	63	63	87	*
1281	STUTZ	AA	70,001 up	1926	P-O-L	617-SHK	Pos.	Delco	1283	*	Remy	1110	81	*	63	1129	*
1282	STUTZ	AA		1927	P-O-L	617-SHK	Neg.	Delco-Remy	1283	*	D. R.	1110	81	*	63	1129	*
1284	STUTZ	AA	Late	1927	P-O-L	617-SHK	Neg.	Delco-Remy	1308	*	D. R.	1110	81	*	63	1129	*
1286	STUTZ	BB	87226 up	1928	P-O-L	A-617-SH	Neg.	Delco-Remy	1315	*	D. R.	1110	81	81	63	1129	1129
1288	SUN	17		1916-18	Willard	SJWR-3	Neg.			20	*	1129	*	*	63	*	*
1289	TEMPLAR	4-45	1-150	1917-18	Willard	SJWR-3	Neg.	Clum	10144	20	*	1129	81	*	63	*	*
1289	TEMPLAR	4-45	1-150	1917-18	Willard	SJWR-3	Neg.	Clum	10144	20	*	1129	81	*	63	*	*

Make	IGNITION		Switch	STARTER		GENERATOR		Relay Regulator	Year	Model	CAR	Page
	Coil Model	Dist. Model		Model	Make	Model	Make					
Berling	Magneto			Westing.		777	Westing.	781	Westing.	1920-23	STEVENS DURYEA	1242
Remy	O	84		Wagner		EM-113	Wagner	EM-14	Wagner	1915	SD-4	STUDEBAKER 1243
Remy	B-119	86		Wagner		EM-113	Wagner	EM-14	Wagner	1915	EC-6	STUDEBAKER 1243
Remy	171A	87A, 88A	Remy	190-A, B, C	Wagner	EM117, 54	Wagner	EM-126	Wagner	1916-17	SF & ED	STUDEBAKER 1244
Remy	284-D	357A, 58A	Remy	190-F, G	Wagner	EM201	Wagner	EM-214	Wagner	1918-19	SH, EH, EG	STUDEBAKER 1245
Wagner	K-43	KC-666	B. & S.	1772	Wagner	EM201	Wagner	EM326, 38	Wagner	1920-21	EH, EG	STUDEBAKER 1246
Remy	284-A	606-A	B. & S.	37950	Remy	715-B	Remy	917-A	264-B	1920-21	EJ	STUDEBAKER 1247
Wagner	K-83	K-97	B. & S.	2118	Wagner	EM356	Wagner	EM355	I-471	1921-22	EJ	STUDEBAKER 1248
Remy	284-D	358-A	B. & S.	1772	Remy	736-A	Remy	917-E	263-F	1921	EG, EH	STUDEBAKER 1249
Remy	284-A	626-A	Remy	472A, C	Remy	720-C	Remy	917-A	264-B	1922-23	EJ, EM	STUDEBAKER 1250
Remy	284D, A	358B, 626F	Remy	471B, 72A	Remy	736-A, 23-A	Remy	917-E	263F, 64B	1922-23	EK, EL	STUDEBAKER 1252
Remy	284-A	626-F	Remy	471AB	Remy	723-A	Remy	917-E	263-F	1923-24	EK, EL	STUDEBAKER 1252
Remy	284-A	626-A	Remy	472-C	Remy	720-C	Remy	917-A	264-B	1923-24	EM	STUDEBAKER 1250
Remy	284-S	626-K	Remy	440-A	Remy	720-M	Remy	917-A	265-B	1925-26	ER	STUDEBAKER 1254
Wagner	K-789	K-815		Wagner		S-533	Wagner	S-509	K-44	1925-26	ER	STUDEBAKER 1256
Remy	284-S	626-L	Remy	440-A	Remy	723-A	Remy	917-E	266-E	1925-26	EP, EQ	STUDEBAKER 1258
Wagner	K-789	K-814		Wagner		S-503	Wagner	S-508	K-44	1925-26	EP, EQ	STUDEBAKER 1260
Delco-Remy	284-S	626-K	Delco-Remy	440-A	Delco-Remy	720-N	Delco-Remy	941-K	265-B	1926-27	ER, EU	STUDEBAKER 1262
Wagner	K-789	K-815	Delco-Remy	440-A	Wagner	S-533	Wagner	S-509	K-44	1927	EU	STUDEBAKER 1264
Delco-Remy	284-S	626-W	Delco-Remy	440-A	Delco-Remy	723-B	Delco-Remy	941-L	265-B	1926	EP, EQ	STUDEBAKER 1266
Delco-Remy	284-S	626-W	Delco-Remy	440-A	Delco-Remy	723-B	Delco-Remy	941-L	265-B	1927	ES, EW	STUDEBAKER 1266
Wagner	K-789	K-889	Delco-Remy	440-A	Wagner	S-503	Wagner	S-602	K-880	1927	ES, EW	STUDEBAKER 1268
Delco-Remy	525-E	636-Y	Hershey		Delco-Remy	720-N	Delco-Remy	949-J	265-B	1928	Dictator	STUDEBAKER 1270
Delco-Remy	525-E	636-X	Hershey		Delco-Remy	723-B	Delco-Remy	941-L	265-B	1928	Commdr.	STUDEBAKER 1272
Delco-Remy	525-E	658-J	Hershey		Delco-Remy	724-H	Delco-Remy	949-U	265-B	1928	President	STUDEBAKER 1274
Bosch	Magneto			Remy		189-A	Remy	OD	264-C	1916-17	C, R	STUTZ 1276
Delco	2162	5186, 95	Delco	1124	Remy	189-A	Remy	OD	264-C	1918-19	S, G	STUTZ 1276
Delco	2159	5209	Delco	1124	Remy	189-A	Remy	OD	264-C	1920	H	STUTZ 1277
Delco	2159	5209	Delco	1175	Remy	741A	Remy	OF	264-C	1921	K	STUTZ 1278
Delco	2159	5209	Delco	1175	Remy	741A, B	Remy	OF	264-C	1922-24	KL	STUTZ 1279
Remy	284-P	626-H	Remy	472-E	Remy	720-J	Remy	917-J	265-B	1923-24	6-60	STUTZ 1280
Remy	284-P	626-J	Remy	472-E	Remy	720-J	Remy	917-R	265-A, B	1924	6-90, 2, 5	STUTZ 1280
Remy	284-P	626-J	Remy	472-E	Remy	720-J	Remy	917-R	265-A, B	1925	6-93, 4, 5	STUTZ 1280
Delco	2191	5296	Delco	1293	Delco	334	Delco	333	Delco	1926	AA	STUTZ 1281
Delco-Remy	2195	4022	Delco-Remy	1293	Delco-Remy	334	Delco-Remy	363	D, R	1927	AA	STUTZ 1282
Delco-Remy	525-C	4028	Delco-Remy	1293	Delco-Remy	726-C	Delco-Remy	949-H	265-B	1927	AA	STUTZ 1284
Delco-Remy	527-A	4028	Delco-Remy	1301	Delco-Remy	726-C	Delco-Remy	391	265-B	1928	BB	STUTZ 1286
Remy	172A, 285C	109D, E		Remy		180-B	Remy	166B, C	60-A	1916-18	17	SUN 1288
Bosch	Magneto		Clum	10144	Remy	305-C	Remy	234B	264A	1917-18	4-45	TEMPLAR 1289
Remy	284-B	219-C	Clum	10144	Remy	305-C	Remy	234B	264A	1917-18	4-45	TEMPLAR 1289

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY		Gr. Ter.	Switch Make	LIGHTING						
						Type				Circuit	Edison	Mazda	Lamp Numbers			
									Model	Fuses	Breaker	Head	Aux.	Side	Dsh.-tail	Stop Dome
1290	TEMPLAR	4-45	1200	up	1920-22	P-O-L	613-RHK	Pos.	Clum	10143	20	*	1129	81	*	63
1291	TEXAN	A-38,B-38			1919-20	P-O-L	611-SHK	Pos.	Delco	1089	20	*	87	*	*	81
1291	TEXAN	A-38,B-38			1920	P-O-L	611-SHK	Pos.	Delco	1089	20	*	87	*	*	81
1291	TEXAN	A-38,B-38			1921	P-O-L	611-SHK	Pos.	Delco	1089	20	*	87	*	*	81
1292	TULSA	T	3000	up	1918	Exide	3-XC-15-1	Pos.	Delco	1073	*	*	1129	*	*	63
1292	TULSA	D,E			1919-22	Exide	3-XC-15-1	Pos.	Conn.	96-6-Y	*	*	1129	*	*	63
1293	VELIE	24,27	40,000	up	1916-17	Willard	SJWR-3	Pos.	B. & S.	843	20	*	87	81	*	63
1293	VELIE	28,38	50000	up	1917-18	Willard	SJWR-3	Pos.	B. & S.	844	20	*	87	81	*	63
1293	VELIE	39	40473	up	1918	Willard	SJWR-3	Pos.	Remy	197B	20	*	87	81	*	63
1294	VELIE	38	62000	up	1918-20	Willard	SJWR-3	Pos.	Remy	197B	15	*	87	81	*	61
1294	VELIE	39			1918-20	Willard	SJWR-3	Pos.	Remy	197B	15	*	87	81	*	61
1295	VELIE	34	110001	up	1920-21	Willard	SJWR-3	Pos.			20	*	1129	64	*	64
1296	VELIE	48	69001	up	1919-21	Willard	SJWR-4	Pos.			15	*	87	81	*	63
1297	VELIE	58			1922-24	Willard	SJWR-3	Pos.	Clum	10374	10	*	1129	81	63	63
1298	VELIE	56,58,60	127000	up	1924-25	Willard	SJWR-3	Pos.	Clum	10373	10	*	1129	*	63	63
1300	VELIE	60	144100	up	1925-26	P-O-L	613-SHK	Pos.	Remy	420-G	10	*	1129	*	*	63
1302	VELIE	50	160101	up	1927	P-O-L	613-JFK	Pos.	Sor.Man.		10	*	1129	*	*	63
1304	VELIE	60	150990	up	1926-27	P-O-L	615-JFK	Pos.	Delco-Remy	420-G	10	*	1129	*	*	63
1306	VELIE	66			1923	P-O-L	613-JFK	Pos.	Sor.Man.		10	*	1129	*	63	63
1308	VELIE	77			1923	P-O-L	615-JFK	Pos.	Delco-Remy	420-G	10	*	1129	*	63	63
1310	VELIE	88			1928	P-O-L	615-JFK	Pos.	Delco-Remy	420-G	10	*	1129	*	63	63
1312	WESTCOTT	O-35,U-50	1101	up	1915	Exide	3-XC-15-1	Neg.	Delco	1048	*	Delco	1129	*	*	61
1313	WESTCOTT	41,42,51	4001	up	1916	Willard	SJWR-3	Neg.	Delco	1065, 66	*	Delco	87	81	*	61
1314	WESTCOTT	17 & 18	5501	up	1917-18	Willard	SJWR-3	Neg.	Delco	1079	*	Delco	87	81	*	61
1315	WESTCOTT	18-A	7201	up	1918-19	Willard	SJWR-3	Neg.	Delco	1079	*	Delco	1129	81	*	63
1315	WESTCOTT	A-48,B-48	8001	up	1919-20	Willard	SJWR-3	Neg.	Delco	1142, 57	*	Delco	1129	81	*	63
1316	WESTCOTT	A-38	10001	up	1919	Willard	SJWR-3	Neg.	Delco	1145	*	Delco	1129	81	*	63
1317	WESTCOTT	B & C-38	11001	up	1920	Willard	SJWR-4	Neg.	Delco	1145	*	Delco	1129	81	*	63
1318	WESTCOTT	C-38	13750	up	1921-22	Willard	SJWR-4	Neg.	Delco	1197	*	Delco	1129	81	*	61
1318	WESTCOTT	A,B-44			1922-23	Willard	SJWR-4	Neg.	Delco	1197	*	Delco	1129	81	*	61
1319	WESTCOTT	C,D-48	20001	up	1920-23	Willard	SJWR-4	Neg.	Delco	1157	*	Delco	1129	81	*	62-61
1320	WESTCOTT	60	27000	up	1924	Willard	CWR-15	Neg.	Delco	1244	*	Delco	1129	81	*	63
1321	WESTCOTT	C,H-44	25700	up	1923-25	Willard	SJWR-4	Neg.	Delco	1246, 44	*	Delco	1129	81	*	61
1322	WESTCOTT	H-60	27500	up	1925	Willard	CWR-15	Neg.	Delco	1244	*	Delco	1129	81	*	63
1324	WHIPPET	96	48000	up	1927	U.S.L.	3-CVX-5X-6	Neg.	B. & S.	38200	20	*	1129	*	*	63
1326	WHIPPET	93A	1	up	1927	U.S.L.	3-CVX-6X	Neg.	B. & S.	39320	20	*	1129	*	*	61
1328	WHIPPET	96			1928	U.S.L.	3-CVX-5X-6	Neg.	B. & S.		20	*	1129	*	*	63
1330	WHIPPET	98			1928	U.S.L.	3-CVX-6X6	Neg.	B. & S.		20	*	1129	*	*	63
1332	WHITE	GM			1917-18	Exide	6-XC-11-3	No			*	*	1141	89	*	67
1333	WILLS ST. CLAIR	A-68	1	up	1922-23	Willard	SJR-5	Neg.	Delco	1204, 20	*	Delco	1129	63	*	63

Make	IGNITION		Switch	STARTER		GENERATOR		Relay		Year	Model	CAR	Page
	Coil Model	Dist. Model		Model	Make	Model	Make	Model	Generator				
Simms	Magneto		Clum	10143	Bijur	ED-160	Bijur	L-61, 220	Z-7	1920-22	4-45	TEMPLAR	1290
Delco	2138	5187	Delco	1089	Bijur	FD-140	Bijur	L-61	Bijur	1919-20	A-38, B-38	TEXAN	1291
Conn.	M		Delco	1089	Bijur	FD-140	Bijur	P-230	Bijur	1920	A-38, B-38	TEXAN	1291
Conn.	M		Delco	1089	Bijur	ED-160	Bijur	L-220	Bijur	1921	A-38, B-38	TEXAN	1291
Delco	2138	5160	Delco	1073	Dyneto	D-162	Dyneto	C-162	Dyneto	1918	T	TULSA	1292
Conn.	GO, GA, M		Conn.	96-6-Y	Dyneto	D-162	Dyneto	C-162	Dyneto	1919-22	D, E	TULSA	1292
Remy	172A	202A, B	B. & S.	843	Remy	293-A	Remy	243A, B	60-A	1916-17	24, 27	VELIE	1293
Remy	172A, 75C	202B	B. & S.	844	Remy	180-A	Remy	161B, C, D	60-A	1917-18	28, 38	VELIE	1293
Remy	172A	202C	Remy	197B	Remy	293-A	Remy	243F	60-A	1918	39	VELIE	1293
Remy	284B, C	219B, D	Remy	197B	Remy	299B, C	Remy	231A, B	264A, B	1918-20	38	VELIE	1294
Remy	284B	219D	Remy	197B	Remy	299B	Remy	231B	264A, B	1918-20	39	VELIE	1294
At.Kent	CC, CA	CC, CA			Westing.	100	Westing.	150	273899C	1920-21	34	VELIE	1295
At.Kent	CC	CC			Bijur	ED160	Bijur	L-61, 220	Bijur	1919-21	48	VELIE	1296
At.Kent	N-3	RA	Clum	10374	Westing.	711	Westing.	35-AT	301210B	1922-24	58	VELIE	1297
Westing.	SC	JA	Clum	10373	Westing.	711	Westing.	36-DT	301210B	1924-25	56, 58, 60	VELIE	1298
Remy	284-P	636-D	Remy	420-G	Remy	720G	Remy	917-W	265-B	1925-26	60	VELIE	1309
Auto-Lite	IG-4064	IG-4146			Auto-Lite	MN-4119	Auto-Lite	GTB-4201	CB-4007	1927	50	VELIE	1302
Delco-Remy	525-A	637-H			Delco-Remy	720-P	Delco-Remy	941-R	265-B	1926-27	60	VELIE	1304
Auto-Lite	IG-4064	IG-4146	Electrolock	5-A	Auto-Lite	MN-4119	Auto-Lite	GTB-4201	CB-4007	1928	66	VELIE	1306
Delco-Remy	525-C	637-H, P	Electrolock	5-B	Delco-Remy	720-P	Delco-Remy	941-R	265-B	1928	77	VELIE	1308
Delco-Remy	525-A	658-A	Electrolock	5-A	Delco-Remy	720-Q	Delco-Remy	949-A	265-B	1928	88	VELIE	1310
Delco	2111		Delco	1048	Delco	59, 64	Delco	59, 64	None	1915	O-35, U-50	WESTCOTT	1312
Delco	2140, 1, 2	17029, 31, 34	Delco	1065, 66	Delco	73, 83, 93	Delco	73, 83, 93	None	1916	41, 42, 51	WESTCOTT	1313
Delco	2158	17017	Delco	1079	Delco	102	Delco	101	None	1917-18	17, 18	WESTCOTT	1314
Delco	2159	5175	Delco	1079	Delco	136	Delco	135	None	1918-19	18-A	WESTCOTT	1315
Delco	2159	5175	Delco	1142, 57	Delco	136	Delco	135	None	1919-20	A-48, B-48	WESTCOTT	1315
Delco	2158	17015	Delco	1145	Delco	106	Delco	105	None	1919	A-38	WESTCOTT	1316
Delco	2159	5208	Delco	1145	Delco	181	Delco	165	Delco	1920	B & C-38	WESTCOTT	1317
Delco	2159	5208	Delco	1197	Delco	181	Delco	165	Delco	1921-22	C-38	WESTCOTT	1318
Delco	2159	5208	Delco	1197	Delco	181	Delco	165	Delco	1922-23	A, B-44	WESTCOTT	1318
Delco	2159	5175	Delco	1157	Delco	179	Delco	180	Delco	1920-23	C, D-48	WESTCOTT	1319
Delco	2178	5257	Delco	1244	Delco	278	Delco	258	Delco	1924	60	WESTCOTT	1320
Delco	2178	5256	Delco	1246, 44	Delco	181	Delco	258	Delco	1923-25	C, H-44	WESTCOTT	1321
Delco	2178	5256	Delco	1244	Delco	181	Delco	258	Delco	1925	H-60	WESTCOTT	1322
Auto-Lite	IG-4065	IG-4135-A, B. & S.		38200	Auto-Lite	MO-4105	Auto-Lite	GTB-4101	CB-4007	1927	96	WHIPPET	1324
Auto-Lite	IG-4065	IG-4116-B, B. & S.		39320	Auto-Lite	MN-4104	Auto-Lite	GP-4105	CB-4007	1927	Six	WHIPPET	1326
Auto-Lite	IG-4065	IGB-4001-A, B. & S.			Auto-Lite	MZ-4001	Auto-Lite	GAL-4102	CB-4014	1928	96	WHIPPET	1328
Auto-Lite	IG-4065	IGB-4009-B. & S.			Auto-Lite	MZ-4011	Auto-Lite	GAL-4106	CB-4014	1928	98	WHIPPET	1330
Eisemann	Magneto				Leece-Nev.	391-M	Leece-Nev.	113-G	L.N.	1917-18	GM	WHITE	1332
Delco	2159	5235	Delco	1204, 20	Delco	207	Delco	207	None	1922-23	A-68	WILLS ST. CLAIRE	1333

CAR MODEL INDEX—EQUIPMENT USED

Page	CAR	Model	Serial No.	Year	Make	BATTERY			Gr. Ter.	Switch Make	LIGHTING							
						Type					Circuit	Edison Mazda Lamp Numbers						
										Model	Fuses	Breaker	Head	Au.	Side Dsh.	-tail Stop	Dome	
1334	WILLS ST. CLAIR	B,C-68	10163	up	1924-26	Willard	SJR-5	Pos.	Delco	1259	*	Delco	1129	63	*	63	*	*
1336	WILLS ST. CLAIR	W-6	20000	up	1925	Willard	SJR-5	Neg.	Delco	1264	*	Delco	1129	*	*	63	*	*
1338	WILLS ST. CLAIR	W-6	21898	up	1926	Willard	SJR-5	Neg.	Delco	1297	*	Delco	1129	*	*	63	*	*
1340	WILLS ST. CLAIR	W,T-6	23001	up	1926-27	Willard	SJR-5	Neg.	Delco-Remy	1297	*	D. R.	1129	*	*	63	1129	63
1342	WILLYS KNIGHT	84	1 to 12297	1916	U.S.L.	3-CVX-6Z	Pos.			20	*	87	81	*	61	*	*	
1343	WILLYS KNIGHT	88-4	1 to 14090	1916-19	U.S.L.	3-CVX-6Z	Neg.	Conn.	38-Y	20	*	87	81	*	61	*	*	
1344	WILLYS KNIGHT	88-8	1 to 3000	1916-19	U.S.L.	3-CVX-6Z	Neg.	Conn.		20	*	87	81	*	61	*	*	
1345	WILLYS KNIGHT	20	12680	up	1920-21	U.S.L.	3-HVX-8X	Neg.	B. & S.	1524	20	*	1133	81	*	61	*	*
1346	WILLYS KNIGHT	20-A		1922	U.S.L.	3-HVX-8X	Neg.	B. & S.	37930	20	*	1133	81	*	61	*	*	
1347	WILLYS KNIGHT	64-67	1 up	1923-25	U.S.L.	3-HVX-8X	Neg.	Clum	1033	20	*	1129	*	*	61	*	*	
1348	WILLYS KNIGHT	GHF,Taxi	001 up	1925-26	U.S.L.	3-HVX-8X	Neg.	B. & S.	38360	20	*	1129	*	81	61	*	*	
1349	WILLYS KNIGHT	66	1 to 14999	1925-26	U.S.L.	3-HVX-8X	Neg.	B. & S.	40072	20	*	1129	*	63	63	*	63	
1350	WILLYS KNIGHT	70	1 up	1926	U.S.L.	3-HVX-7X	Neg.	B. & S.	40072	20	*	1110	*	63	63	1129	*	
1352	WILLYS KNIGHT	66	14500	up	1927	U.S.L.	3-HVX-8X	Neg.	B. & S.	10482	20	*	1129	*	63	63	1129	63
1352	WILLYS KNIGHT	66A	1 up	1927	U.S.L.	3-HVX-8X	Neg.	B. & S.	40355	20	*	1129	*	63	63	1129	63	
1354	WILLYS KNIGHT	70-A	41000	up	1927	U.S.L.	3-HVX-7X	Neg.	B. & S.	40639	20	*	1110	*	63	63	1129	*
1356	WILLYS KNIGHT	56		1928	U.S.L.	3-HVX-7X-4	Neg.	B. & S.	40693	20	*	1110	*	63	63	87	63	
1358	WILLYS KNIGHT	66-A		1928	U.S.L.	3-HVX-8X-4	Neg.	B. & S.	40639	20	*	1129	*	63	63	87	63	
1360	WILLYS KNIGHT	70-A		1928	U.S.L.	3-HVX-7X	Neg.	B. & S.	40463	20	*	1110	*	63	63	87	63	
1362	WINTHER	61	61-1	up	1919	Willard	SJWR-4	Pos.	Westing.	256992	10	*	1129	81	*	63	*	*
1362	WINTHER	61	61-001	up	1920	Willard	SJWR-4	Pos.	Westing.	256992	10	*	1129	81	*	63	*	*
1362	WINTHER	61		1921-22	Willard	SJWR-4	Pos.	Westing.	256992	10	*	1129	81	*	63	*	*	
1363	WINTON	21	17 to 18037	1915	Willard	SJR-5	Pos.	Gray-Davis		10	*	87	81	*	63	*	*	
1364	WINTON	20, 21	To 18037	1914-15	Willard	SJR-5	Pos.	Gray-Davis		10	*	87	81	*	63	*	*	
1365	WINTON	21A, 22		1915-16	Willard	SJR-5	Pos.	Delco	1072, 74	15	*	1129	81	*	63	*	*	
1365	WINTON	22, 22A		1916-18	Willard	SJR-5	Pos.	Delco	1074	15	*	1129	81	*	63	*	*	
1366	WINTON	24, 25	1 up	1919-21	Willard	SJRR-5	Pos.	Delco	1162	15	*	1129	81	*	63	*	*	
1367	WINTON	40	3000	up	1922	Willard	SJRR-5	Pos.	Delco	1203	*	Delco	1129	81	*	63	*	*
1367	WINTON	40	3300	up	1923	Willard	SJRR-5	Pos.	Delco	1247	*	Delco	1129	81	*	63	*	*

CAR MODEL INDEX—EQUIPMENT USED

PAGE C-57

Make	IGNITION		Switch	STARTER		GENERATOR		Relay		Year	Model	CAR	Page
	Coil Model	Dist. Model		Model	Make	Model	Make	Model	Regulator				
Delco	2178	5235	Delco	1259	Delco	207	Delco	207	None	1924-26	B, C-68	WILLS ST. CLAIRE	1334
Delco	2177	5280	Delco	1264	Delco	310	Delco	311	Delco	1925	W-6	WILLS ST. CLAIRE	1336
Delco	2177	5280	Delco	1297	Delco	321	Delco	311	Delco	1926	W-6	WILLS ST. CLAIRE	1338
Delco	2177	5280	Delco-Remy	1297	Am.Bosch	974	Delco-Remy	335, 57	5766	1926-27	W, T-6	WILLS ST. CLAIRE	1340
Dixie	Magneto				Auto-Lite	MC	Auto-Lite	GF	A.L.	1916	84	WILLYS KNIGHT	1342
Conn.			Conn.	O.	Auto-Lite	MC	Auto-Lite	GF	A.L.	1916-19	88-4	WILLYS KNIGHT	1343
Remy	287-A	CB, EA			Auto-Lite	MC	Auto-Lite	GG, GH	A.L.	1916-19	88-8	WILLYS KNIGHT	1344
Conn.			Conn.	M.	Auto-Lite	MH	Auto-Lite	GJ	A.L.	1920-21	20	WILLYS KNIGHT	1345
Auto-Lite	IG-4035	IG-4003B	B. & S.	37930	Auto-Lite	MH	Auto-Lite	GJ	A.L.	1922	20-A	WILLYS KNIGHT	1346
Auto-Lite	IG-4035, 48	IG-4036-B	Clum	10333	Auto-Lite	MH	Auto-Lite	GJ4010A	A.L.	1923-25	64-67	WILLYS KNIGHT	1347
Auto-Lite	IG-4035	IG-4036-B	B. & S.	38360	Auto-Lite	MH-4101	Auto-Lite	GJ-4105	A.L.	1925-26	GHF, Taxi	WILLYS KNIGHT	1348
DeJon	CA-4010	IA-4010	B. & S.	40072	DeJon	SB-4008	DeJon	DB-4003	RA-4001A	1925-26	66	WILLYS KNIGHT	1349
Auto-Lite	IG-4065	IG-4107-B	B. & S.	40072	Auto-Lite	ML-4106	Auto-Lite	GY-4103	CB-4007	1926	70	WILLYS KNIGHT	1350
Auto-Lite	IG-4065	IG-4107	B. & S.	10482	Auto-Lite	ML-4105	Auto-Lite	GJA-4109	CB-4007	1927	66	WILLYS KNIGHT	1352
Auto-Lite	IG-4065	IG-4131	B. & S.	40355	Auto-Lite	ML-4105	Auto-Lite	GRE-4207	CB-4007	1927	66	WILLYS KNIGHT	1352
Auto-Lite	IG-4065	IGA-4021	B. & S.	40639	Auto-Lite	MAB-4002	Auto-Lite	GYA-4202A	CB-4007	1927	70-A	WILLYS KNIGHT	1354
Auto-Lite	IG-4065	IGA-4042	B. & S.	40693	Auto-Lite	MAB-4002	Auto-Lite	GAL-4103	CB-4104	1928	56	WILLYS KNIGHT	1356
Auto-Lite	IG-4065	IGA-4035	Electrolock	5-A	Auto-Lite	MAB-4001	Auto-Lite	GRE-4207A	CB-4007	1928	66-A	WILLYS KNIGHT	1358
Auto-Lite	IG-4065	IGA-4042	Electrolock	5-A	Auto-Lite	MAB-4002	Auto-Lite	GAL-4103	CB-4104	1928	70-A	WILLYS KNIGHT	1360
Westing.	288761	290358	Westing.	256992	Westing.	700, 11	Westing.	150, 760	273899	1919	61	WINTHER	1362
Westing.	288761	290356	Westing.	256992	Westing.	100, 751	Westing.	760, 65	273899	1920	61	WINTHER	1362
Westing.	288761	293845	Westing.	256992	Westing.	100, 711	Westing.	150, 760, 5	273899	1921-22	61	WINTHER	1362
Bosch	Magneto				Bijur	A-42	Bijur	K-638	Bijur	1915	21	WINTON	1363
Bosch or Mea Magneto					Gray-Davis	M1	Gray-Davis	E	G.D	1914-15	20, 21	WINTON	1364
Bosch	Magneto		Delco	1072, 74	Bijur	A-14	Bijur	K-634	Bijur	1915-16	21A, 22	WINTON	1365
Bosch	Magneto		Delco	1074	Bijur	C-3, C-8	Bijur	K-643	Bijur	1916-18	22, 22A	WINTON	1365
Bosch	Magneto		Delco	1162	Bijur	C-8	Bijur	K-643	Bijur	1919-21	24, 25	WINTON	1366
Delco	2159	5233, 08	Delco	1203	Delco	209, 44	Delco	210, 43	Delco	1922	40	WINTON	1367
Delco	2178	5208	Delco	1247	Delco	244	Delco	243, 66	Delco	1923	40	WINTON	1367

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads, Fuel or Distributors	IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING	
				Flywheel°	Piston"	Spk. Cntl.	Valve	Timing	Running	Flywheel°	Piston"
AUBURN	8-98, 98A	(1931)	First Cars	13° BTDC.	.0760" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	8-98, 98A	(1931)	Later Cars	12°30' BTDC.	.0702" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	8-100	(1932)	Std. Comp.	12°30' BTDC.	.0702" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	8-100	(1932)	High Comp.	8°30' BTDC.	.0326" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	12-160	(1932)	All Cars	11° BTDC.	.0477" BTDC.	Adv.	IO.	.015" C.	.008" H.	At TDC.	.000" TDC.
"	8-101, 5	(1933)	Std. Comp.	12°30' BTDC.	.0702" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	8-101, 5	(1933)	High Comp.	8°30' BTDC.	.0326" BTDC.	Adv.	IO.	.010" C.	.008" H.	5° BTDC.	.0113" BTDC.
"	12-161, 5	(1933)	All Cars	11° BTDC.	.0477" BTDC.	Adv.	IO.	.015" C.	.008" H.	At TDC.	.000" TDC.
AUSTIN	Bantam	(31-2)		¾" BTDC.	.020" BTDC.	FA.	IO.	.003" H.	.003" H.	At TDC.	.000" TDC.
"		(1933)	L-15038 Up	BTDC.	.010"-0.12" BTDC.	FA.	IO.	.003" H.	.003" H.	At TDC.	.000" TDC.
BUICK	8-50	(1931)		12° BTDC.	.0572" BTDC.	Adv.	IO.	.008" H.	.008" H.	1½° BTDC.	.0008" BTDC.
"	8-60	(1931)		11° BTDC.	.0523" BTDC.	Adv.	IO.	.008" H.	.008" H.	4½° BTDC.	.0087" BTDC.
"	8-80, 90	(1931)		10° BTDC.	.0466" BTDC.	Adv.	IO.	.008" H.	.008" H.	4½° BTDC.	.0094" BTDC.
"	32-33-50	(32-3)	Std. & H.C.	7° BTDC.	.0198" BTDC.	Adv.	IO.	.008" H.	.008" H.	4½° BTDC.	.0080" BTDC.
"	32-33-60	(32-3)	Std. & H.C.	11° BTDC.	.0523" BTDC.	Adv.	IO.	.008" H.	.008" H.	4½° BTDC.	.0087" BTDC.
"	32-33-80, 90	(32-3)	Std. & H.C.	10° BTDC.	.0466" BTDC.	Adv.	IO.	.008" H.	.008" H.	4½° BTDC.	.0094" BTDC.
CADILLAC	355 V8	(1931)		7°20' BTDC.	.0250" BTDC.	Adv.	IO.	.004" H.	.004" H.	9° BTDC.	.0376" BTDC.
"	370 V12	(1931)		15° BTDC.	.0826" BTDC.	Adv.	IO.	None	None	At TDC.	.000" TDC.
"	452 V16	(1931)		10°5' BTDC.	.0376" BTDC.	Adv.	IO.	None	None	At TDC.	.000" TDC.
"	355B V8	(1932)		9°12' BTDC.	.0392" BTDC.	FA.	IO.	.004" H.	.004" H.	6° BTDC.	.0165" BTDC.
"	370B V12	(1932)		15° BTDC.	.0826" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
"	452B V16	(1932)		10°5' BTDC.	.0376" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
"	355C V8	(1933)	All Engines	9°12' BTDC.	.0392" BTDC.	FA.	IO.	.004" H.	.004" H.	6° BTDC.	.0165" BTDC.
"	370C V12	(1933)	All Engines	4° BTDC.	.0058" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
"	452C V16	(1933)	All Engines	4° BTDC.	.0058" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
CHEVROLET	AE Ind.	(1931)		12° BTDC.	.0520" BTDC.	Adv.	IO.	.006" H.	.006" H.	4° ATDC.	.0058" ATDC.
"	BA Con.	(1932)		12° BTDC.	.0520" BTDC.	Adv.	IO.	.006" H.	.006" H.	4° BTDC.	.0058" BTDC.
"	CC Std.	(1933)		10° BTDC.	.0337" BTDC.	FA.	IO.	.006" H.	.006" H.	4° BTDC.	.0054" BTDC.
"	CB Mstr.	(1933)		10° BTDC.	.0385" BTDC.	FA.	IO.	.006" H.	.006" H.	4° BTDC.	.0061" BTDC.
CHRYSLER	CM Six	(1931)	Std. Comp.	9° BTDC.	.034" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.014" ATDC.
"	CM Six	(1931)	High Comp. R.H.	8° BTDC.	.026" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.014" ATDC.
"	CD 8	(1931)	5.2 Std. Comp.	BTDC.	.060" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CD 8	(1931)	5.4 Std. Comp.	7° BTDC.	.018" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CD 8	(1931)	High Comp. R.H.	5° BTDC.	.010" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CDX 8	(1931)	5.4 Std. Comp.	10° BTDC.	.040" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CDX 8	(1931)	5.3 A.S. Head	11° BTDC.	.048" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CDX 8	(1931)	6.3 R.H.	10° BTDC.	.040" BTDC.	FA.	IO.	.011" C.	.005" H.	4° BTDC.	.0035" ATDC.
"	CG Imp.	(1931)	Std. & R.H.	BTDC.	.038" BTDC.	Adv.	IO.	.008" C.	.005" H.	6° ATDC.	.017" ATDC.
"	CG Imp.	(1931)	5.0 A.S. after 1/31	BTDC.	.047" BTDC.	Adv.	IO.	.008" C.	.005" H.	6° ATDC.	.017" ATDC.
"	CD* 8	(1932)	A.S. Std. Comp.	BTDC.	.040" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.014" ATDC.
"	CI Six	(1932)	Sil. Dome	10° BTDC.	.0429" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.015" ATDC.
"	CI Six	(1932)	R.H.	8° BTDC.	.0275" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.015" ATDC.
"	CP 8	(1932)	Sil. Dome	10° BTDC.	.0427" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.014" ATDC.
"	CP 8	(1932)	R.H.	7° BTDC.	.0210" BTDC.	FA.	IO.	.011" C.	.005" H.	6° ATDC.	.014" ATDC.

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads, Fuel or Distributors	IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING	
				Flywheel°	Piston"	Spk. Cntl.	Valve	Timing	Running	Flywheel°	Piston"
CHRYSLER	CH, CL Imp.	(1932)	Sil. Dome	9° BTDC.	.0384" BTDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
"	CH, CL Imp.	(1932)	R.H.	9° BTDC.	.0384" BTDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
"	CO Six	(1933)	Sil. D. 622-C	10° BTDC.	.0430" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CO Six	(1933)	R.H. 622-C	8° BTDC.	.0276" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CO Six	(1933)	Sil. D. 644-L	At TDC.	.000" (TDC.)	FA.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CO Six	(1933)	R.H. 644-L	5° ATDC.	.0108" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CT Royal 8	(1933)	Sil. Dme. 661-R	2° BTDC.	.0014" BTDC.	F.A.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CT Royal 8	(1933)	R. Head 661-R	At TDC.	.000" TDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.013" ATDC.
"	CQ Imp. 8	(1933)	R. Head 661G	7½° BTDC.	.021" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	CQ Imp. 8	(1933)	R. Head 661-T	2° ATDC.	.002" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	CQ Imp. 8	(1933)	Sil. Dme. 661-G	10° BTDC.	.043" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	CQ Imp. 8	(1933)	Sil. Dme. 661-T	At TDC.	.000" TDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	CL*Cust. Imp.	(1933)	R. Head 661-F	9° BTDC.	.0384" BTDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
"	CL*Cust. Imp.	(1933)	R. Head 661-U	3° ATDC.	.0044" ATDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
"	CL*Cust. Imp.	(1933)	Sil. Dme. 661-F	9° BTDC.	.0384" BTDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
"	CL*Cust. Imp.	(1933)	Sil. Dme. 661-U	At TDC.	.000" TDC.	FA.	IO.	.008" C	.005" H	6° ATDC.	.017" ATDC.
CONTINENTAL	C400	(1933)		4° BTDC.	.00628" BTDC.	FA.	EC.	.012" C	.007" H	5° ATDC.	.0098" ATDC.
"	C600 Flyer	(1933)		2° BTDC.	.00152" BTDC.	FA.	EC.	.012" C	.007" H	6° ATDC.	.0141" ATDC.
"	Big 6 Ace	(1933)		At TDC.	.000" TDC.	FA.	EC.	.012" C	.007" H	5° ATDC.	.0094" ATDC.
CORD	L-29	(31-2)		12.8° BTDC.	.0698" BTDC.	Adv.	IO.	.010" C	.006" H	5° BTDC.	.0108" BTDC.
CUNNINGHAM	V-9	(1931)		11°12' ATDC.	.059" ATDC.	Ret.	IO.&EC.	.003" C	.003" C	5° ATDC.	.0118" ATDC.
"	V-10	(32-3)		11°12' ATDC.	.059" ATDC.	Ret.	IO.&EC.	.003" C	.003" C	5° ATDC.	.0118" ATDC.
DE SOTO	CK-Six	(1931)	Std. Comp.	BTDC.	.028" BTDC.	Adv.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	CK-Six	(1931)	R. Head	BTDC.	.020" BTDC.	Adv.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	SA-Six	(1931)	Std. Comp.	12° BTDC.	.055" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	SA-Six	(1931)	R. Head	9° BTDC.	.031" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	CF-Eight	(1931)	Std. Comp. 5.2&5.4	BTDC.	.060" BTDC.	Adv.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	CF-Eight	(1931)	R. Head 6.2-1	BTDC.	.040" BTDC.	Adv.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	SC-Six	(1932)	Std. Comp.	9° BTDC.	.0324" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	SC-Six	(1932)	R. Head	7° BTDC.	.0196" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	SD-Six	(1933)	Sil.Dm. 5.35 622-C	9° BTDC.	.0335" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	SD-Six	(1933)	Sil.Dm. 5.35 644-J	At TDC.	.000" TDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	SD-Six	(1933)	6-1 Head 644-L	7° ATDC.	.0198" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	SD-Six	(1933)	Rd. Hd. 6.2 622-C	7° BTDC.	.0198" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	SD-Six	(1933)	Rd. Hd. 6.2 644-J	6° ATDC.	.0150" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
DE VAUX	6-75	(1931)		6° BTDC.	.0136" BTDC.	Adv.	EC.	.012" C	.008" H	5° ATDC.	.0094" ATDC.
"	6-80	(1932)		3° BTDC.	.0034" BTDC.	Adv.	EC.	.012" C	.008" H	5° ATDC.	.0094" ATDC.
DODGE	DH-Six	(1931)	Std. Comp.	9° BTDC.	.032" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.0144" ATDC.
"	DG-Eight	(1931)	Std. Comp.	7° BTDC.	.019" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	DG-Eight	(1931)	Std.Comp. CDXCarb.11°	BTDC.	.048" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	DL-Six	(1932)	Std.Comp.	10° BTDC.	.0414" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	DL-Six	(1932)	Red Hd.	5° BTDC.	.0104" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.
"	DK-Eight	(1932)	Std.Comp.	10° BTDC.	.0400" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.
"	DK-Eight	(1932)	Red Hd.	7° BTDC.	.0196" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads,		IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING	
			Fuel or Distributors	Flywheel°	Piston"	Spk. Cntl.	Valve	Timing	Running	Flywheel°	Piston"	
DODGE	DP-Six	(1933)	Low Comp. 622-H	10° BTDC.	.0423" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.	
"	DP-Six	(1933)	Low Comp. 644-K	3° ATDC.	.0038" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.	
"	DP-Six	(1933)	High Comp. 622-H	10° BTDC.	.0423" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.	
"	DP-Six	(1933)	High Comp. 644-K	3° ATDC.	.0038" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.015" ATDC.	
"	DO-Eight	(1933)	Low Comp. 661-D	10° BTDC.	.0400" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.	
"	DO-Eight	(1933)	Low Comp. 661-S	At TDC.	.000" TDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.	
"	DO-Eight	(1933)	High Comp. 661-D	7° BTDC.	.0197" BTDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.	
"	DO-Eight	(1933)	High Comp. 661-S	4° ATDC.	.0064" ATDC.	FA.	IO.	.011" C	.005" H	6° ATDC.	.014" ATDC.	
DUESENBERG	Model J	(1931)		6° ATDC.	.0161" ATDC.	Ret.	IO.	.025" C	.015" C	6° BTDC.	.0163" BTDC.	
"	Model J	(1931)		6° ATDC.	.0161" ATDC.	Ret.	EC.	.025" C	.015" C	14° ATDC.	.0873" ATDC.	
"	Model J	(32-3)		6° ATDC.	.0173" ATDC.	Ret.	IO.	.025" C	.015" C	6° BTDC.	.0172" BTDC.	
"	Model J	(32-3)		6° ATDC.	.0173" ATDC.	Ret.	EC.	.025" C	.015" C	14° ATDC.	.0878" ATDC.	
DU PONT	Model G	(31-3)		At TDC.	.000" TDC.	Ret.	EC.	.012" C	.008" H	2° ATDC.	.00165" ATDC.	
DURANT	6-10	(1931)		8° BTDC.	.0261" BTDC.	Adv.	EC.	.012" C	.008" H	6° ATDC.	.0147" ATDC.	
"	6-12, 14	(1931)		6° BTDC.	.0136" BTDC.	Adv.	EC.	.012" C	.008" H	5° ATDC.	.0094" ATDC.	
"	6-19, 21, 22	(31-2)		6° BTDC.	.0136" BTDC.	Adv.	EC.	.012" C	.008" H	5° ATDC.	.0094" ATDC.	
ESSEX	New Super 6	(1931)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10° 40' BTDC.	.0494" BTDC.	
"	New Super 6	(1931)	Ethyl	7½° BTDC.	.0245" BTDC.	FA.	IO.	.010" C	.005" H	10° 40' BTDC.	.0494" BTDC.	
"	Pcmkr. & Std.	(1932)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10° 40' BTDC.	.0525" BTDC.	
"	Pcmkr. & Std.	(1932)	Std. Ethyl	7½° BTDC.	.0260" BTDC.	FA.	IO.	.010" C	.005" H	10° 40' BTDC.	.0525" BTDC.	
"	Pcmkr. & Std.	(1932)	Super Ethyl	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10° 40' BTDC.	.0525" BTDC.	
"	Terraplane 6	(32-3)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.006" H	10° 40' BTDC.	.0528" BTDC.	
"	Terraplane 6	(32-3)	Std. Ethyl	7½° BTDC.	.0262" BTDC.	FA.	IO.	.010" C	.006" H	10° 40' BTDC.	.0528" BTDC.	
"	Terraplane 6	(32-3)	Super Ethyl	At TDC.	.000" TDC.	FA.	IO.	.010" C	.006" H	10° 40' BTDC.	.0528" BTDC.	
"	Terraplane 8	(1933)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.006" H	10° 40' BTDC.	.0494" BTDC.	
"	Terraplane 8	(1933)	Std. Ethyl	12° BTDC.	.0625" BTDC.	FA.	IO.	.010" C	.006" H	10° 40' BTDC.	.0494" BTDC.	
FORD	Model A	(1931)	Std.	At TDC.	.000" TDC.	Ret.	IO.	No Adj.	No Adj.	7½° BTDC.	.0233" BTDC.	
"	Model B	(32-3)	Std.	15° BTDC.	.0926" BTDC.	FA.	IO.	No Adj.	No Adj.	8° BTDC.	.0265" BTDC.	
"	Model B	(32-3)	Ethyl	23° BTDC.	.2144" BTDC.	FA.	IO.	No Adj.	No Adj.	8° BTDC.	.0265" BTDC.	
"	V-8	(32-3)	Std.	4° BTDC.	.0058" BTDC.	FA.	IO.	No Adj.	No Adj.	9½° BTDC.	.0327" BTDC.	
FRANKLIN	Series 15, 16	(31-2)		1" BTDC.	.0163" BTDC.	Adv.	IO.	.031" C	.007" H	28° ATDC.	.3437" ATDC.	
"	Series 17	(1932)		¾" BTDC.	.0120" BTDC.	Adv.	IO.	.031" C	.007" H	19° ATDC.	.1355" ATDC.	
"	Series 16B	(1933)		6° BTDC.	.0163" BTDC.	Adv.	IO.	.031" C	.007" H	28° ATDC.	.3437" ATDC.	
"	Series 17B	(1933)		¾" BTDC.	.0120" BTDC.	Adv.	IO.	.031" C	.007" H	19° ATDC.	.1355" ATDC.	
"	Series 18	(1933)		6° BTDC.	.0163" BTDC.	Adv.	IO.	.031" C	.007" H	28° ATDC.	.3437" ATDC.	
FRONTENAC	6-70, 85	(1932)		6° BTDC.	.0136" BTDC.	Adv.	EC.	.012" C	.008" H	5° ATDC.	.0094" ATDC.	
"	C-400	(1933)		4° BTDC.	.0063" BTDC.	FA.	EC.	.012" C	.008" H	5° ATDC.	.0098" ATDC.	
"	C-600	(1933)		2° BTDC.	.0015" BTDC.	FA.	EC.	.012" C	.008" H	6° ATDC.	.0141" ATDC.	
GRAHAM	53, 54	(1931)		1° BTDC.	.0005" BTDC.	Adv.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	
"	49	(1931)		6° BTDC.	.0135" BTDC.	Adv.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	
"	42	(1931)		5° BTDC.	.0107" BTDC.	Adv.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	
"	Prosp. Six	(1931)		2° BTDC.	.0017" BTDC.	FA.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	
"	6-58	(1932)		3° BTDC.	.0037" BTDC.	FA.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	
"	Blue Strk. 57	(1932)		6° BTDC.	.0135" BTDC.	Adv.	IO.	.012" C	.010" H	At TDC.	.000" TDC.	

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads, Fuel or Distributors	IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING	
				Flywheel ^o	Piston"	Spk. Cntl.	Valve	Timing	Running	Flywheel ^o	Piston"
GRAHAM	Std. 6-65	(1933)		3° BTDC.	.0037" BTDC.	FA.	IO.	.012" C	.010" H	At TDC.	.000" TDC.
"	Std. 8-64	(1933)		3° BTDC.	.0034" BTDC.	FA.	IO.	.012" C	.010" H	At TDC.	.000" TDC.
"	Cust.8 57-A	(1933)		3° BTDC.	.0034" BTDC.	FA.	IO.	.012" C	.010" H	At TDC.	.000" TDC.
HUDSON	Greater 8	(1931)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10°40' BTDC.	.0494" BTDC.
"	Greater 8	(1931)	Ethyl	12° BTDC.	.0623" BTDC.	FA.	IO.	.010" C	.005" H	10°40' BTDC.	.0494" BTDC.
"	Greater 8	(1932)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10°40' BTDC.	.0494" BTDC.
"	Greater 8	(1932)	Std. Ethyl	12° BTDC.	.0623" BTDC.	FA.	IO.	.010" C	.005" H	10°40' BTDC.	.0494" BTDC.
"	Greater 8	(1932)	Super Ethyl	At TDC.	.000" TDC.	FA.	IO.	.010" C	.005" H	10°40' BTDC.	.0494" BTDC.
"	Six	(1933)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0528" BTDC.
"	Six	(1933)	Std. Ethyl	7½° BTDC.	.0262" BTDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0528" BTDC.
"	Six	(1933)	Super Ethyl	At TDC.	.000" TDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0528" BTDC.
"	Eight	(1933)	Std.	At TDC.	.000" TDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0494" BTDC.
"	Eight	(1933)	Std. Ethyl	12° BTDC.	.0625" BTDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0494" BTDC.
"	Eight	(1933)	Super Ethyl	At TDC.	.000" TDC.	FA.	IO.	.010" C	.004" H	10°40' BTDC.	.0494" BTDC.
HUPMOBILE	Century 6	(1931)		At TDC.	.000" TDC.	Adv.	EC.	.010" C	.008" H	At TDC.	.000" TDC.
"	Cen.8 Mod.L.	(1931)		20° BTDC.	.1737" BTDC.	Adv.	EC.	.020" C	.014" H	3° ATDC.	.0038" ATDC.
"	Mod. C, H, U	(1931)		9° BTDC.	.0365" BTDC.	Adv.	EC.	.020" C	.014" H	3° ATDC.	.0041" ATDC.
"	Ser. 216-B	(1932)		10° BTDC.	.0404" BTDC.	Adv.	EC.	.010" C	.008" H	At TDC.	.000" TDC.
"	Ser. 222-F	(1932)		13° BTDC.	.0742" BTDC.	Adv.	EC.	.026" C	.018" H	At TDC.	.000" TDC.
"	Ser. 226-I	(1932)		9° BTDC.	.0365" BTDC.	Adv.	EC.	.020" C	.015" H	3° ATDC.	.0041" ATDC.
"	Ser. 321-K	(1933)		7° BTDC.	.0193" BTDC.	Adv.	EC.	.017" C	.013" H	3° ATDC.	.0036" ATDC.
"	Ser. 222-F	(1933)		9° BTDC.	.0355" BTDC.	Adv.	EC.	.026" C	.018" H	At TDC.	.000" TDC.
"	Ser. 326-I	(1933)		9° BTDC.	.0365" BTDC.	Adv.	EC.	.026" C	.018" H	5° ATDC.	.0113" ATDC.
LA SALLE	345	(1931)		7°20' BTDC.	.0250" BTDC.	Adv.	IO.	.004" H	.004" H	9° BTDC.	.0376" BTDC.
"	345-B, C	(32-3)		9°12' BTDC.	.0392" BTDC.	FA.	IO.	.004" H	.004" H	6° BTDC.	.0168" BTDC.
LINCOLN	V-8	(31-2)		7° BTDC.	.0225" BTDC.	Adv.	IO.	.005" C	.005" C	22½° BTDC.	.2284" BTDC.
"	V-12	(1932)		7° BTDC.	.020" BTDC.	Adv.	IO.	.003" C	.003" C	21° BTDC.	.1768" BTDC.
"	V-12-136	(1933)		7° BTDC.	.020" BTDC.	Adv.	IO.	.003" C	.003" C	21° BTDC.	.1768" BTDC.
"	V-12-145	(1933)		7° BTDC.	.020" BTDC.	Adv.	IO.	.003" C	.003" C	21° BTDC.	.1768" BTDC.
MARMON	70	(1931)		7°30' BTDC.	.0226" BTDC.	Adv.	EC.	.010" C	.008" H	6° ATDC.	.0146" ATDC.
"	88	(1931)		6°40' BTDC.	.0201" BTDC.	Adv.	EC.	.010" C	.008" H	10° ATDC.	.045" ATDC.
"	8-125	(1932)		6°40' BTDC.	.0201" BTDC.	Adv.	EC.	.010" C	.008" H	10° ATDC.	.045" ATDC.
"	16 Cylinder	(31-3)		6°12' BTDC.	.0145" BTDC.	Adv.	EC.	.014" C	.008" H	6° ATDC.	.0137" ATDC.
NASH	6-60, 9-60	(31-2)		5° BTDC.	.0085" BTDC.	FA.	IO.	.008" H	.008" H	5° ATDC.	.0128" ATDC.
"	8, 9-70	(31-2)		5° BTDC.	.0085" BTDC.	FA.	IO.	.008" H	.008" H	5° ATDC.	.0128" ATDC.
"	8, 9-80	(31-2)		15° BTDC.	.084" BTDC.	Adv.	IO.	.012" H	.012" H	15° ATDC.	.096" ATDC.
"	8, 9-90	(31-2)		15° BTDC.	.132" BTDC.	Adv.	IO.	.012" H	.012" H	15° ATDC.	.144" ATDC.
"	10-60, 11-20	(32-3)		5° BTDC.	.0085" BTDC.	FA.	IO.	.008" H	.008" H	5° ATDC.	.0128" ATDC.
"	11-30	(1933)		5° BTDC.	.0085" BTDC.	FA.	IO.	.008" H	.008" H	5° ATDC.	.0128" ATDC.
"	10, 11-70	(32-3)		5° BTDC.	.0085" BTDC.	FA.	IO.	.008" H	.008" H	5° ATDC.	.0128" ATDC.
"	10, 11-80	(32-3)		15° BTDC.	.084" BTDC.	Adv.	IO.	.012" H	.012" H	15° ATDC.	.094" ATDC.
"	10, 11-90	(32-3)		15° BTDC.	.132" BTDC.	Adv.	IO.	.012" H	.012" H	15° ATDC.	.144" ATDC.
OAKLAND	301	(1931)		10° BTDC.	.0322" BTDC.	FA.	IO.	.012" H	.012" H	At TDC.	.000" TDC.
OLDSMOBILE	F-31	(1931)		At TDC.	.000" TDC.	FA.	IO.	.010" C	.008" H	At TDC.	.000" TDC.

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads, Fuel or Distributors	IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING	
				Flywheel°	Piston"	Spk. Cntl.	Valve	Timing	Running	Flywheel°	Piston"
OLDSMOBILE	F-32	(1932)		7° BTDC.	.020" BTDC.	FA.	IO.	.010" C	.008" H.	At TDC.	.000" TDC.
"	L-32	(1932)		7° BTDC.	.020" BTDC.	FA.	IO.	.010" C	.008" H.	At TDC.	.000" TDC.
"	F-33	(1933)		3½° BTDC.	.0046" BTDC.	FA.	IO.	.010" C	.008" H.	At TDC.	.000" TDC.
"	L-33	(1933)		3½° BTDC.	.0048" BTDC.	FA.	IO.	.010" C	.008" H.	At TDC.	.000" TDC.
PACKARD	826, 33, 40, 45	(1931)		7°13.5' BTDC.	.0244" BTDC.	Adv.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	900	(1932)		9° BTDC.	.0379" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	901, 902	(31-2)	Std. Comp.	9° BTDC.	.0379" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	901, 902	(31-2)	High Comp.	4° BTDC.	.0075" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	901, 902	(31-2)	Low Comp.	12° BTDC.	.0671" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	903, 904	(31-2)	Std. Comp.	9° BTDC.	.0379" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	903, 904	(31-2)	High Comp.	1° BTDC.	.0005" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	903, 904	(31-2)	Low Comp.	12° BTDC.	.0671" BTDC.	FA.	IO.	.004" H	.004" H.	20° BTDC.	.1844" BTDC.
"	905, 906	(1932)		7° BTDC.	.0155" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
"	1001, 1002	(1933)	Std. Comp.	9° BTDC.	.0379" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1001, 1002	(1933)	High Comp.	7° BTDC.	.0229" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1001, 1002	(1933)	Low Comp.	14° BTDC.	.0912" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1003, 1004	(1933)	Std. Comp.	9° BTDC.	.0379" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1003, 1004	(1933)	High Comp.	4° BTDC.	.0075" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1003, 1004	(1933)	Low Comp.	14° BTDC.	.0912" BTDC.	FA.	IO.	.004" H	.004" H.	30° BTDC.	.4070" BTDC.
"	1005, 1006	(1933)		7° BTDC.	.0155" BTDC.	FA.	IO.	None	None	At TDC.	.000" TDC.
PEERLESS	A	(1931)		6° BTDC.	.0163" BTDC.	Adv.	EC.	.012" C	.008" H.	8° ATDC.	.0288" ATDC.
"	B, C	(1931)		¾° BTDC.	.0203" BTDC.	Adv.	EC.	.012" C	.007" H.	2° ATDC.	.0016" ATDC.
"	Mstr. & Cust.	(1932)		¾° BTDC.	.0203" BTDC.	Adv.	EC.	.012" C	.010" H.	2° ATDC.	.0016" ATDC.
PIERCE ARROW	41, 42	(1931)		8°26' BTDC.	.0344" BTDC.	Adv.	IO.	.004" H	.004" H.	5° ATDC.	.0122" ATDC.
"	43	(1931)		8°26' BTDC.	.0324" BTDC.	Adv.	IO.	.004" H	.004" H.	5° ATDC.	.0115" ATDC.
"	51, 52, 53	(1932)		8°26' BTDC.	.0260" BTDC.	Adv.	IO.	.004" H	.004" H.	4° BTDC.	.0059" BTDC.
"	54	(1932)		8°26' BTDC.	.0324" BTDC.	Adv.	IO.	.004" H	.004" H.	5° ATDC.	.0115" ATDC.
"	836	(1933)		5° BTDC.	.0115" BTDC.	Adv.	IO.	.010" C	No Adj.	5° ATDC.	.0115" ATDC.
"	1236	(1933)	First 68 Cars	5° BTDC.	.0092" BTDC.	Adv.	IO.	.004" H	No Adj.	4° BTDC.	.0059" BTDC.
"	1236, 42, 47	(1933)		5° BTDC.	.0092" BTDC.	Adv.	IO.	.004" H	No Adj.	19° BTDC.	.1303" BTDC.
PLYMOUTH	30-U	(1931)	4.6-1 Std.	BTDC.	.045" BTDC.	Adv.	IO.	.008" C	.005" H.	At TDC.	.000" TDC.
"	PA	(1931)	4.8-1 Std.	10° BTDC.	.046" BTDC.	FA.	IO.	.008" C	.005" H.	6° ATDC.	.0166" ATDC.
"	PB	(1932)	Std. Comp.	10° BTDC.	.0460" BTDC.	FA.	IO.	.008" C	.005" H.	6° ATDC.	.0166" ATDC.
"	PB	(1932)	Red Head	9° BTDC.	.0373" BTDC.	FA.	IO.	.008" C	.005" H.	6° ATDC.	.0166" ATDC.
"	PC Std. 6	(1933)	Sil. Dme.	622-H	.0392" BTDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
"	PC Std. 6	(1933)	Sil. Dme.	644-H	At TDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
"	PC Std. 6	(1933)	Red Head	622-H	8° BTDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
"	PC Std. 6	(1933)	Red Head	644-H	2° ATDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
"	PD	(1933)	Sil. Dme.	644-H	At TDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
"	PD	(1933)	Red Head	644-H	2° ATDC.	FA.	IO.	.011" C	.005" H.	6° ATDC.	.014" ATDC.
PONTIAC	401 Six	(1931)		4° BTDC.	.0060" BTDC.	FA.	IO.	.008" H	.008" H.	7° ATDC.	.0183" ATDC.
"	402 Six	(1932)		8° BTDC.	.0239" BTDC.	FA.	IO.	.010" H	.010" H.	At TDC.	.000" TDC.
"	302 Eight	(1932)		11° BTDC.	.0388" BTDC.	FA.	IO.	.012" H	.012" H.	At TDC.	.000" TDC.
"	Eight	(1933)		9° BTDC.	.0264" BTDC.	FA.	IO.	.010" H	.010" H.	5° BTDC.	.0082" BTDC.

TABLE OF IGNITION AND VALVE TIMING

1931-1933 MODELS

Car	Model	Year	Special Cyl. Heads,	IGNITION TIMING			TAPPET CLEARANCE			VALVE TIMING		
			Fuel or Distributors	Valve	Timing	Running	Flywheel°	Piston"	Flywheel°	Piston"	Spk. Cntl.	
REO	6-21, 25	(31-2)		¾" BTDC.	.014"	BTDC.	Adv.	IO.	.007" C	.007" H	At TDC.	.000" TDC.
"	8-21, 8-25	(31-2)		½" BTDC.	.011"	BTDC.	Adv.	IO.	.012" C	.007" H	5° BTDC.	.011" BTDC.
"	N-30, N-35	(1931)		¾" BTDC.	.014"	BTDC.	Adv.	IO.	.012" C	.008" H	At TDC.	.000" TDC.
"	S	(1932)		1" BTDC.	.012"	BTDC.	Adv.	IO.	.012" C	.007" H	At TDC.	.000" TDC.
"	8-31, 35, 52	(1932)		¾" BTDC.	.014"	BTDC.	Adv.	IO.	.012" C	.008" H	At TDC.	.000" TDC.
"	S-2 Flying Cl.	(1933)		1" BTDC.	.012"	BTDC.	Adv.	IO.	.012" C	.007" H	At TDC.	.000" TDC.
"	N-2Royale 8	(1933)		¾" BTDC.	.014"	BTDC.	Adv.	IO.	.012" C	.008" H	At TDC.	.000" TDC.
ROCKNE	65	(1932)		5° BTDC.	.010"	BTDC.	FA.	IO.	.010" C	.004" H	5° BTDC.	.010" BTDC.
"	75	(1932)		5° BTDC.	.0094"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0094" ATDC.
"	31	(1933)		At TDC.	.000"	TDC.	FA.	IO.	.010" C	.004" H	5° BTDC.	.010" BTDC.
STUDEBAKER	54, Six	(1931)		½" BTDC.	.0211"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0094" ATDC.
"	Dictr. 61	(1931)		9° BTDC.	.0280"	BTDC.	Adv.	IO.	.010" C	.004" H	At TDC.	.000" TDC.
"	Comdr. 70	(1931)		¾" BTDC.	.0200"	BTDC.	Adv.	IO.	.010" C	.004" H	15° BTDC.	.0914" BTDC.
"	Pres. 80, 90	(1931)		1" BTDC.	.0285"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0103" ATDC.
"	Six 55	(1932)		5° BTDC.	.0108"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0108" ATDC.
"	Dictr. 62	(1932)		9° BTDC.	.0280"	BTDC.	Adv.	IO.	.010" C	.004" H	At TDC.	.000" TDC.
"	Comdr. 71	(1932)		9° BTDC.	.0332"	BTDC.	Adv.	IO.	.010" C	.004" H	15° BTDC.	.0914" BTDC.
"	Pres. 81, 91	(1932)		8°20' BTDC.	.0285"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0103" ATDC.
"	Six 56	(1933)		At TDC.	.000"	TDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0111" ATDC.
"	Comdr. 73	(1933)		4° BTDC.	.0061"	BTDC.	Adv.	IO.	.010" C	.004" H	15° BTDC.	.0846" BTDC.
"	Pres. 82	(1933)		4° BTDC.	.000"	TDC.	Adv.	IO.	.010" C	.004" H	15° BTDC.	.0914" BTDC.
"	Pres. 92	(1933)		At TDC.	.0066"	BTDC.	Adv.	IO.	.010" C	.004" H	5° ATDC.	.0103" ATDC.
STUTZ	LA	(1931)		15° BTDC.	.0951"	BTDC.	Adv.	EC.	.028" C	.028" C	7° ATDC.	.0208" ATDC.
"	SV-16	(31-2)		15° BTDC.	.0951"	BTDC.	Adv.	EC.	.028" C	.028" C	7° ATDC.	.0208" ATDC.
"	DV-32	(31-2)		20° BTDC.	.1677"	BTDC.	Adv.	IO.	.028" C or	.028" C or	5° BTDC.	.0107" BTDC.
"	DV-32	(31-2)		20° BTDC.	.1677"	BTDC.	Adv.	EC.	.046" C	.046" C	10° ATDC.	.0425" ATDC.
"	LAA	(32-3)		15° BTDC.	.0951"	BTDC.	Adv.	EC.	.028" C	.028" C	7° ATDC.	.0208" ATDC.
"	CS-SV-16	(1933)		15° BTDC.	.0951"	BTDC.	Adv.	EC.	.028" C	.028" C	7° ATDC.	.0208" ATDC.
"	CD-DV-32	(1933)		20° BTDC.	.1677"	BTDC.	Adv.	IO.	.028" C or	.028" C or	5° BTDC.	.0107" BTDC.
"	CD-DV-32	(1933)		20° BTDC.	.1677"	BTDC.	Adv.	EC.	.046" C	.046" C	10° ATDC.	.0425" ATDC.
WHIPPET	96-A	(1931)		At TDC.	.000"	TDC.	Adv.	IO.	.008" C	.004" H	7° ATDC.	.018" ATDC.
WILLYS SIX	97, 98-D	(1931)		At TDC.	.000"	TDC.	Adv.	IO.	.008" C	.004" H	7° BTDC.	.018" BTDC.
WILLYS EIGHT	8-80-D	(1931)		6° BTDC.	.0136"	BTDC.	Adv.	IO.	.010" C	.006" H	At TDC.	.000" TDC.
WILLYS KNIGHT	66-D	(31-2)		16° BTDC.	.112"	BTDC.	Adv.	EC.	Sleeve	Sleeve	At TDC.	.000" TDC.
"	" 95	(31-2)		12° BTDC.	.058"	BTDC.	Adv.	EC.	Sleeve	Sleeve	At TDC.	.000" TDC.
WILLYS O'LAND	6-90, A	(32-3)		At TDC.	.000"	TDC.	Adv.	IO.	.008" C	.004" H	7° BTDC.	.018" BTDC.
"	" 8-88, A	(32-3)		6° BTDC.	.0136"	BTDC.	Adv.	IO.	.010" C	.006" H	At TDC.	.000" TDC.
WILLYS KNIGHT	66-E	(1933)		16° BTDC.	.112"	BTDC.	Adv.	EC.	Sleeve	Sleeve	At TDC.	.000" TDC.
WILLYS O'LAND	77	(1933)		4° BTDC.	.0066"	BTDC.	FA.	EC.	.010" C	.006" H	5° ATDC.	.0103" ATDC.
"	" 99	(1933)		6° BTDC.	.0141"	BTDC.	Adv.	EC.	.010" C	.008" H	4° ATDC.	.0063" ATDC.

TABLE OF IGNITION AND VALVE TIMING

1934 MODELS

Car and Model	Year	Special Cyl. Heads, Fuel or Distributors	Adap- tor	IGNITION TIMING				Spark Control Valve	TAPPET CLEARANCE		VALVE TIMING	
				Rod	Breaker Gap	Spark Plug Gap	Piston Position		Timing	Running Intake Exhaust	Piston Position	
AUBURN 6-52X	(1934)	6.2 Al. Head	114	42	.018"	.025"	.0042" BTDC.	FA. IO.	.012" C	.007"H	.007"H	.0113" BTDC.
AUBURN 6-52Y	(1934)	6.2 Al. Head	114	42	.018"	.025"	.0042" BTDC.	FA. IO.	.012" C	.007"H	.007"H	.0113" BTDC.
AUBURN 8-50X	(1934)	5.3 C. I. Head	105	5	.015"	.025"	.0042" BTDC.	FA. IO.	.012" C	.007"H	.007"H	.0113" BTDC.
AUBURN 8-50Y	(1934)	6.2 Al. Head	114	42	.015"	.025"	.0042" BTDC.	FA. IO.	.012" C	.007"H	.007"H	.0113" BTDC.
AUBURN 12-165	(1934)		113	19	.020"	.025"	.0477" BTDC.	Adv. IO.	.015" C	.008"H	.008"H	.0000" TDC.
AUSTIN Bantam	(1934)		104	8	.018"	.025"	.010-.012" BTDC.	FA. IO.	.003" H	.003"H	.006"H	.0000" TDC.
BUICK 40	(1934)	Std. Fuel	113	31	.015"	.023"	.0014" BTDC.	FA. EC.	.008"	.008"	.008"	Valve .163*
BUICK 40	(1934)	Ethyl Fuel	113	31	.015"	.023"	.0238" BTDC.	FA. EC.	.008"	.008"	.008"	Valve .163*
BUICK 50	(1934)		113	38	.015"	.023"	.0198" BTDC.	FA. EC.	.008"	.008"	.008"	Valve .180*
BUICK 60	(1934)		113	31	.015"	.023"	.0523" BTDC.	FA. EC.	.008"	.008"	.008"	Valve .180*
BUICK 90	(1934)		113	31	.015"	.023"	.0466" BTDC.	FA. EC.	.008"	.008"	.008"	Valve .180*
CADILLAC 355-D	(1934)		104	42	.020"	.026"	.0075" BTDC.	FA. IO.	.006"	.004"	.006"	.0168" BTDC.
CADILLAC 370-D	(1934)		113	33	.020"	.026"	.0058" BTDC.	FA. IO.	None	None	None	.0000" TDC.
CADILLAC 452-D	(1934)		113	33	.016"	.026"	.0058" BTDC.	FA. IO.	None	None	None	.0000" TDC.
CHEVROLET Std.	(1934)		113*	33	.018"	.032"	.0337" BTDC.	FA. IO.	.010"	.006"H	.013"H	.0054" BTDC.
CHEVROLET Mst.	(1934)		113*	19	.018"	.032"	.0385" BTDC.	FA. IO.	.010"	.006"H	.013"H	.0061" BTDC.
CHRYSLER CA, CB	(1934)	5.4 C. I. Head	114	42	.020"	.025"	.0000" TDC.	FA. IO.	.010"	.005"H	.007"H	.0000" TDC.
CHRYSLER CA, CB	(1934)	6.2 Al. Head	114	42	.020"	.025"	.004" ATDC.	FA. IO.	.010"	.005"H	.007"H	.0000" TDC.
CHRYSLER CU	(1934)	6.5 Al. Head	114	42	.018"	.025"	.0000" TDC.	FA. IO.	.011"	.005"H	.007"H	.002" BTDC.
CHRYSLER CV	(1934)	6.5 Al. Head	114	42	.018"	.025"	.0000" TDC.	FA. IO.	.011"	.005"H	.007"H	.002" BTDC.
CHRYSLER CW	(1934)	6.5 Al. Head	114	42	.018"	.025"	.002" ATDC.	FA. IO.	.008"	.006"H	.008"H	.002" BTDC.
CONTINENTAL 41	(1934)		104	2	.020"	.028"	.0192" BTDC.	FA. EC.	.010"	.007"H	.007"H	.0098" ATDC.
CUNNINGHAM V-10	(1934)		102	1	.020"	.031"	.059" ATDC.	Ret. IO.	.003"	.003"C	.003"C	.0118" ATDC.
DE SOTO SE	(1934)	6.2 Al. Head	114	2	.020"	.025"	.004" ATDC.	FA. IO.	.010"	.005"H	.007"H	.0000" TDC.
DODGE DR	(1934)	5.6 C. I. Head	114	42	.020"	.025"	.0017" ATDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
DODGE DR, DS	(1934)	6.5 Al. Head	114	42	.020"	.025"	.0067" ATDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
DUESENBERG J	(1934)	(Intk. Cmsht Chk)	104	8	.020"	.025"	.0645" BTDC.	Adv. IO.	.025" C	.025"C	.025"C	.0161" BTDC.
DUESENBERG J	(1934)	(Ex. Cmsht Chk)	104	8	.020"	.025"	.0645" BTDC.	Adv. EC.	.025" C	.025"C	.025"C	.0868" ATDC.
FORD V-8-112	(1934)		104	40	.013"	.025"	.0058" BTDC.	FA. IO.	.013"	Not Adj.	Not Adj.	.0327" BTDC.
FRANKLIN 17B	(1934)		113*	6	.022"	.025"	.0120" BTDC.	Adv. IO.	.031" C	.007"H	.007"H	.1355" ATDC.
FRANKLIN 18, 19	(1934)		113*	6	.020"	.025"	.0163" BTDC.	Adv. IO.	.031" C	.007"H	.007"H	.3437" ATDC.
GRAHAM 68-6	(1934)	Std. & Spec. 6	102	2	.018"	.025"	.0037" BTDC.	FA. IO.	.012"	.010"	.010"	.0000" TDC.
GRAHAM 67-8	(1934)	Standard 8	102	40	.018"	.025"	.0034" BTDC.	FA. IO.	.012"	.010"	.010"	.0000" TDC.
GRAHAM 67-8	(1934)	Superchgd. Spec. 8	104	40	.015"	.025"	.0135" BTDC.	FA. IO.	.012"	.010"	.010"	.0000" TDC.
GRAHAM 69-8	(1934)	Superchgd. Cust. 8	104	40	.015"	.025"	.0135" BTDC.	FA. IO.	.012"	.010"	.010"	.0000" TDC.
HUDSON LL, LT, LTS	(1934)	All engines, see note	114	44	.020"	.022"	.0000" TDC.	FA. IO.	.010"	.006"	.008"	.0494" BTDC.
HUPMOBILE 417W	(1934)		104	5	.017"	.028"	.0174" BTDC.	FA. EC.	.021"	.010"	.013"	.0034" ATDC.

NOTE:—See Car Pg. for final ignition setting on Hudson and Terraplane cars.
Maximum Advance Setting is .0245" (Hudson), .0279" (Terraplane) before TDC.

*—Amount valve open at LDC.

Rod and Adaptor data intended for use with Weidenhoff Motor Gauge and furnished through courtesy of Joseph Weidenhoff, Inc., Chicago, Illinois.

TABLE OF IGNITION AND VALVE TIMING

1934 MODELS

Car and Model	Year	Special Cyl. Heads, Fuel or Distributors	Adap- tor	IGNITION TIMING				Spark Control Valve	TAPPET CLEARANCE		VALVE TIMING	
				Rod	Breaker Gap	Spark Plug Gap	Piston Position		Timing	Running Intake Exhaust	Piston Position	
HUPMOBILE 421, A.....	(1934)		104	2	.018"	.028"	.0193" BTDC.	Adv. EC.	.017"	.007"H	.013"H	.0036" ATDC.
HUPMOBILE 421J.....	(1934)		104	2	.017"	.028"	.0194" BTDC.	FA. EC.	.021"	.010"	.013"	.0038" ATDC.
HUPMOBILE 422.....	(1934)		104	2	.020"	.028"	.0355" BTDC.	Adv. EC.	.026"	.018"H	.018"H	.0000" TDC.
HUPMOBILE 426.....	(1934)		104	2	.020"	.028"	.0365" BTDC.	Adv. EC.	.026"	.018"H	.018"H	.0113" ATDC.
HUPMOBILE 427.....	(1934)		104	2	.020"	.028"	.0221" BTDC.	FA. EC.	.026"	.018"	.018"	.0113" ATDC.
LAFAYETTE.....	(1934)		104	40	.020"	.025"x		FA. IO.	.012"	.012"	.012"	
LA SALLE.....	(1934)		104	40	.020"	.026"	.0255" BTDC.	FA. IO.	.015" C	.006"C	.009"C	.0144" ATDC.
LINCOLN V-12-136, 145.....	(1934)		104	40	.020"	.022"	.020" BTDC.	Adv. IO.	.003"	.003"C	.005"C	.1768" BTDC.
NASH 1220.....	(1934)		113*	37	.020"	.025"x		FA.	.015" H	.015"H	.015"H	
NASH 1280.....	(1934)		113*	37	.015"	.025"x		FA.	.015" H	.015"H	.015"H	
NASH 1290.....	(1934)		113	31	.015"	.025"x		FA.	.015" H	.015"H	.015"H	
OLDSMOBILE F-34.....	(1934)		104	40	.022"	.025"	.0000" TDC.	FA. IO.	.012"	.008"	.010"	.0000" TDC.
OLDSMOBILE L-34.....	(1934)		104	2	.022"	.025"	.005" BTDC.	FA. IO.	.012"	.008"	.010"	.0000" TDC.
PACKARD 1100, 1, 2.....	(1934)	6.0-1 Std. Comp.	114	5	.020"	.025"	.0168" BTDC.	FA. IO.	.004"	.004"H	.006"H	.4070" BTDC.
PACKARD 1100, 1, 2.....	(1934)	6.36-1 High Comp.	114	5	.020"	.025"	.0299" BTDC.	FA. IO.	.004"	.004"H	.006"H	.4070" BTDC.
PACKARD 1103, 4, 5.....	(1934)	6.0-1 Std. Comp.	114	5	.020"	.025"	.0168" BTDC.	FA. IO.	.004"	.004"H	.006"H	.4070" BTDC.
PACKARD 1103, 4, 5.....	(1934)	6.38-1 High Comp.	114	5	.020"	.025"	.0299" BTDC.	FA. IO.	.004"	.004"H	.006"H	.4070" BTDC.
PACKARD 1107, 8.....	(1934)	6.0-1 Std. Comp.	114	2	.020"	.025"	.0237" BTDC.	FA. IO.	None	None	None	.0299" BTDC.
PACKARD 1107, 8.....	(1934)	6.33-1 High Comp.	114	2	.020"	.025"	.0060" BTDC.	FA. IO.	None	None	None	.0299" BTDC.
PIERCE ARROW 836A.....	(1934)		114	29	.018"	.024"	.0115" BTDC.	Adv. IO.	.006"	.004"H	.006"H	.0115" ATDC.
PIERCE ARROW 840A.....	(1934)		114	29	.018"	.024"	.0122" BTDC.	Adv. IO.	.010"	None	None	.0122" ATDC.
“ “ 1240A, 48A.....	(1934)		114	42	.018"	.024"	.0092" BTDC.	Adv. IO.	.004"	None	None	.1303" BTDC.
PLYMOUTH PF, PG.....	(1934)	5.8-1 C. I. Head	114	42	.020"	.025"	.0342" BTDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
PLYMOUTH PF, PG.....	(1934)	6.5-1 Al. Head	114	42	.020"	.025"	.0152" BTDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
PLYMOUTH PE.....	(1934)	5.8-1 C. I. Head	114	42	.020"	.025"	.0038" ATDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
PLYMOUTH PE.....	(1934)	6.5-1 Al. Head	114	42	.020"	.025"	.0152" ATDC.	FA. IO.	.011"	.005"H	.007"H	.015" ATDC.
PONTIAC 603.....	(1934)		114	42	.018"	.025"*	.0264" BTDC.	FA. IO.	.0125"	.010"H	.010"H	.0082" BTDC.
REO S-4.....	(1934)		104	2	.020"	.025"	.0341" BTDC.	FA. IO.	.012"	.007"H	.008"H	.0000" TDC.
STUDEBAKER 'A' Dict.....	(1934)	All Cars	104	2	.020"	.025"	.0000" TDC.	FA. IO.	.010"	.004"	.006"	.0876" BTDC.
“ ‘B’ Com.....	(1934)	First Cars	104	2	.020"	.025"	.0000" TDC.	FA. IO.	.010"	.004"	.006"	.078" BTDC.
“ ‘B’ Com.....	(1934)	Aft. Ser. #8,100,001	104	2	.020"	.025"	.0000" TDC.	FA. IO.	.010"	.004"	.006"	.0000" TDC.
“ ‘C’ Pres.....	(1934)	All cars	104	2	.020"	.025"	.0000" TDC.	FA. IO.	.010"	.004"	.006"	.0915" BTDC.
STUTZ SV-16.....	(1934)		113	31	.017"	.022"	.0951" BTDC.	Adv. EC.	.028"	.028"C	.028"C	.0208" ATDC.
STUTZ DV-32.....	(1934)	(Intk Cmshft. Chk)	104	8	.020"	.022"	.1677" BTDC.	Adv. IO.	.028"	.028"C	.028"C	.0107" BTDC.
STUTZ DV-32.....	(1934)	(Ex Cmshft Chk)	104	8	.020"	.022"	.1677" BTDC.	Adv. EC.	.028"	.028"C	.028"C	.0425" ATDC.
TERRAPLANE K,KU,KS.....	(1934)	All engines, see note	114	43	.020"	.022"	.0000" TDC.	FA. IO.	.010"	.006"	.008"	.0562" BTDC.
WILLYS.....	(1934)		104	2	.018"	.025"	.0066" BTDC.	FA. EC.	.010" C	.004"H	.006"H	.0103" ATDC.

x—Spark plug gap—.030" (cars with radio).

*—Spark plug gap—.022" (cars with radio).

Title	Page
ADLAKE: Generating and Starting System	S-2
ALLIS CHALMERS: Generating and Starting System	S-3
ANTI-STALL	S-4
APELCO: Generating and Starting System	S-5
ATWATER KENT IGNITION:	
Type CC and CA	S-6
Type H	S-7
Type K2 and K3	S-7

ATWATER KENT GENERATORS:

Model	Page	Model	Page
5418	1008	5970	589
5870	1009		

ATWATER KENT STARTERS:

Model	Page	Model	Page
6324	1008	6550	589
6484	1009		

AUTO-LITE DISTRIBUTORS:

Model	Page	Model	Page
IA-4001	572	IG-4131	1352
IB-4001	546	IG-4137	1068
IB-4004-A	726	IG-4146	1306
IBA-4001	548	IGA-4013	730
IFA-4003-A	1074	IGA-4016	932
IG-4012	1072	IGA-4021	554
IG-4036-D	1216	IGA-4023	672
IG-4067-A	494	IGA-4024	672
IG-4107	1352	IGA-4035	1358
IG-4107-B	552	IGA-4042	1356
IG-4110	202	IGB-4001-A	1328
IG-4112-A	635	IGB-4008-A	498
IG-4116-B	1326	IGB-4008-B	496
IG-4117-A	692	IGB-4009	1330
IG-4118	1066	IGB-4010-A	492
IG-4118-A	564	IGB-4011	734
IG-4118-B	1060	IGB-4014	550
IG-4118-C	570	IGC-4001	696
IG-4121	566	IGD-4001	732

AUTO-LITE GENERATORS:

Model	Page	Model	Page
G	262	GAK-4101	498
GA	704	GAL-4102	1328
GAA-4001	546	GAL-4103	1356
GAA-4005	548	GAL-4104	496
GAB-4001	670	GAL-4105	492
GAB-4002	726	GAL-4106	1330
GAB-4008	672	GAL-4107	494
GAG-4101	1074	GAM-4101	550
GAG-4105	732	GB	877
GAG-4106	698	GC	984
GAG-4110	734	GD	705
GAJ-4101	696	GF	702

AUTO-LITE GENERATORS—Continued:

Model	Page	Model	Page
GG	705	GJ-4116	1158
GH	715	GJ-4201	692
GH Special	1054	GJA-4109	1352
GH-1006	993	GK-1001	995
GH-1012	353	GP-4003-A	996
GH-1036	490	GP-4004	407
GJ	716	GP-4004-A	407
GJ-1013	267	GP-4007	507
GJ-1020	1236	GP-4103	1000
GJ-1025-B	406	GP-4105	1326
GJ-1025-E	406	GRA-4101	566
GJ-1030-D	406	GRE-4201-6	1068
GJ-1031	833	GRE-4207	1352
GJ-1057	319	GRE-4207-A	1358
GJ-1060	319	GT-4001-A	1213
GJ-1061	706	GTB-4101	1324
GJ-1068	706	GTB-4201	1302
GJ-4001	1194	GW-4101	635
GJ-4002	491	GXB-4101	690
GJ-4004	834	GY-4101	563
GJ-4009	491	GY-4102	1060
GJ-4010-A	1347	GY-4102-A	564
GJ-4012	408	GY-4103	1350
GJ-4014	1212	GYA-4201	920
GJ-4020	1114	GYA-4202	552
GJ-4031	408	GYA-4202-A	1354
GJ-4101	508	GYA-4203	1066
GJ-4103	1157	GYA-4203-A	570
GJ-4105	1348	GYA-4204	568
GJ-4110	510	GYA-4205	932
GJ-4112	688	GYA-4207	730

AUTO-LITE STARTERS:

Model	Page	Model	Page
M	874	MG-4003	407
MAB-4001	1358	MG-4004	1212
MAB-4002	1354	MG-4007	408
MAD-4101	498	MG-4102	1157
MC	702	MH	1236
MD	984	MH-1003	319
ME	705	MH-1017	716
ME-1067	969	MH-1019	406
MF-1086	993	MH-1020	706
MF-1096	490	MH-1022	833
MG-1001	995	MH-1025	706
MG-1004	706	MH-1029	833
MG-1013	267	MH-4101	1348
MG-1016	405	ML-4001	1113
MG-1020	1237	ML-4105	1352
MG-1021	834	ML-4106	1350
MG-1025	1055	ML-4139	698

EQUIPMENT INDEX

AUTO-LITE STARTERS:

Model	Page
MN	320
MN-4001	491
MN-4102	1060
MN-4104	1000
MN-4107	508
MN-4108	920
MN-4109	688
MN-4110	566
MN-4111	564
MN-4114	1066
MN-4119	1302
MN-4124	730
MN-4128	1072
MO	998

AUTOPULSE S-8

AUTOPULSE, New Model S-9

BERLING MAGNETOS:

Type D-44, D-66 and D-88, Single Spark Independent	S-11
Type DD-41, DD-61 and DD-81, Single Spark Dual	S-11
Type DD-44, DD-66 and DD-88, Two Spark Dual	S-10
Type ED-41, Single Spark Dual	S-11

BIJUR AUTOMATIC PINION SHIFT S-12

BIJUR GENERATORS:

Model	Page	Model	Page
EX-11	1162	K-646	1004
H-66	1046	L-61, Single Wire	904
K-634	1365	L-61, Two Wire	1152
K-638	1363	L-220	1098
K-639	215	P-210	681
K-643	1365	P-230	808

BIJUR STARTERS:

Model	Page	Model	Page
A-14	1365	C-8	1153
A-37	215	E-68	938
A-42	1363	ED-160	717
A-44	1004	EX-21	1162
AD-200	812	F-65	708
C-3	1365		

BIJUR STARTER-GENERATOR: MG-1213 1186

BOSCH DOUBLE IGNITION SYSTEM S-16

BOSCH DUPLEX IGNITION SYSTEM S-20

BOSCH GENERATORS:

Model	Page	Model	Page
649	480	1043	542
651	480	1047	254
653	481	1051	776
1000	388	1052	392
1001	326	1055	1141
1021	389	1059	328
1032	1140	1060	391

BOSCH GENERATORS—Continued:

Model	Page	Model	Page
1066	1142	1261	724
1067	544	1262	255
1069	391	1269	656
1070	329	1272	1210
1217	666	1274	668
1229	1109	1277	725
1238	540	1281	668
1243	474	1282	669
1250	858		

BOSCH STARTERS:

Model	Page	Model	Page
525	480	949	669
900	388	952	656
901	326	955	391
917	1109	957	1144
925	540	959	1110
926	666	964	544
930	488	965	725
933-CWDE	1140	966	1142
935	327	974	1340
937	724	1117	858
940	542	1118	1138
942	776	1120	474
943	392	1213	1109
947	1141		

BOSCH LIGHTING SYSTEMS S-22

BOSCH MAGNETOS:

Type D, DR and ZR, Two Spark Independent	S-18
Type D, DR and ZR, Two Spark Dual	S-18
Type DU and ZR, Single Spark Dual	S-17
Type DU-4 and DU-6, Single Spark Independent	S-19

BOSCH (AMERICAN) MAGNETOS: AT-4 and AT-6 S-14

BOSCH (AMERICAN) MAGNETOS: ZR-4 and ZR-6 S-13

BOSCH (ROBERT) MAGNETOS: FF-4-A and FF-6-A S-15

BOSCH-RUSHMORE STARTER S-21

BRIGGS AND STRATTON RELAY, Model 1441 1139

CARBON-PILE REGULATOR, U.S.L. S-84

CONNECTICUT AUTOMATIC IGNITION CUTOUT: Old Type 344

DEACO GENERATING AND STARTING SYSTEM S-23

DE JON DISTRIBUTORS:

Model	Page	Model	Page
IA-4001	562	IA-4007	796
IA-4002	529	IA-4010	1349
IA-4003	1226	IA-4011	850
IA-4004	1228	IAA-4002	1230
IA-4006	1240	IAA-4003	1232

DE JON GENERATORS:

Model	Page	Model	Page
DA-4001	561	DA-4016	1230
DA-4006	798	DAA-4002	802

EQUIPMENT INDEX

DE JON GENERATORS—Continued:

Model	Page
DB-4001	529
DB-4003	1349
DC-4001	1226
DC-4002	1240

DE JON STARTERS:

Model	Page
SA-4001	561
SA-4002	529
SA-4003	798
SA-4013	802
SB-4001	796
SB-4002	1226

DELCO BREAKER CONTACTS: 1916 and after..... 1235

DELCO DISTRIBUTOR TIMING S-30

DELCO GENERATING AND STARTING SYSTEM: Large Single Coil.. S-24

DELCO GENERATING AND STARTING SYSTEM: Small Single Coil.. S-26

DELCO IGNITION RELAY S-28

DELCO MERCURY REGULATOR S-24

DELCO RELAY REGULATOR, Model 5513..... 1084

DELCO-REMY DISTRIBUTORS:

Model	Page
366-T	236
366-U	512
374-A	356
616-F	360
616-G	953
626-B	747
626-H	234
626-J	223
626-K	1254
626-L	1258
626-P	224
626-R	748
626-W	1266
627-C	750
630-A	380
631-A	382
631-B	382
633-B	338
633-C	340
634-A	362
635-B	358
636-B	954
636-D	237
636-H	514
636-J	956
636-K	1132
636-L	930
636-M	928
636-S	518

Model	Page
DD-4001	796
DE-4001	850
DJ-4016	1232

Model	Page
SB-4003	1226
SB-4004	1240
SB-4008	1349
SC-4001	850
SD-4101	1230
SD-4102	1232

Model	Page
636-X	1272
636-Y	1270
637-A	712
637-C	1100
637-H	1304
637-L	1099
637-M	1100
637-N	368
637-P	1308
637-T	978
637-U	332
637-V	330
637-W	239
637-X	334
637-Y	534
638-B	366
638-C	374
639-A	1102
639-B	980
639-R	536
640-A	286
640-B	958
640-F	898
641-A	244
641-B	1076
641-C	340
648-A	225
648-B	238
656-B	363

DELCO-REMY DISTRIBUTORS—Continued:

Model	Page
656-C	364
656-D	364
656-E	372
656-F	370
656-J	1018
657-A—See 658-G	
657-C	698
657-D	248
657-E	246
658-A	242
658-B	520
658-C	820
658-F	800
658-G	336
658-H	756
658-J	1274
658-K	614
658-M	826
659-A	378
659-B	378
4008	1016
4009	1184
4015	922
4016	302
4017	896
4022	1282
4023	764
4027	694
4028	1284
4030	1020
4032	304
4033	1024
5208	1182
5212	428
5218	422
5226	784

DELCO-REMY DISTRIBUTOR: Timing Directions S-30

DELCO-REMY GENERATORS:

Model	Page
OD	1276
OF	1279
M	1105
16-B	700
16-C	806
18-A	701
18-C	701
18-D	701
62	396
84	1047
87	743

Model	Page
5235	1333
5244	912
5249	1012
5250	1057
5251	314
5256	312
5257	754
5258	792
5260	1012
5263	913
5265	1092
5267	1058
5270	842
5272	915
5273	973
5274	892
5276	1141
5278	208
5280	1336
5281	298
5282	446
5284	974
5286	848
5287	446
5288	924
5292	1144
5295	690
5296	1281
5297	1070
5299	424
15735	483
16605	284
17042	1094
17046	282
17047	818

EQUIPMENT INDEX

DELCO-REMY GENERATORS—Continued:

Model	Page	Model	Page
123	1235	240-A	1118
125	905	241	887
131	399	241-A	1118
133	538	242	483
134	964	243	1367
135	861	243-A	1293
137	964	243-B	1293
138	399	243-F	1293
148	970	245-B	744
153	401	245-C	744
161-B	1293	245-G	744
161-C	1293	247	1056
161-D	1293	248-A	1188
165	719	251	280
165-A	1117	253	815
165-B	1117	254-A	1120
166	539	256	655
166-A	945	256-A	1120
166-B	1288	257	887
166-C	1288	257-A	1029
168	814	257-B	1032
169	968	257-E	1032
176	503	258	754
180	720	260	971
182	419	265	505
186	654	266	1367
192	1084	269	913
195	1108	273	972
199	310	279	1086
210	1367	284	1058
220	970	285	422
229	909	287	890
230-B	745	291	915
230-C	259	295	973
230-E	745	296	891
231-A	1294	300	1088
231-B	1294	301	657
232-A	869	308	891
233-A	641	311	1336
234	722	312	657
234-A	949	315	298
234-B	1289	317	282
234-C	682	319	818
234-D	949	324	973
234-E	231	325	441
237	483	327	974
238	1085	332	443
238-A	1220	333	1281
239-A	1208	335	1340

DELCO-REMY GENERATORS—Continued:

Model	Page	Model	Page
352	976	941-B	600
353	922	941-C	363
357	1340	941-D	237
363	1282	941-K	1262
370	764	941-L	1266
373	928	941-M	956
384	766	941-P	1038
391	1286	941-Q	236
910-A	871	941-R	1304
910-B	872	941-S	852
911-A	950	941-X	368
912-A	746	942-B	534
912-B	747	943-A	712
913-A	232	943-B	1100
913-B	1192	943-C	1099
913-C	232	944-A	748
913-D	1034	944-B	750
913-E	709	944-C	334
913-F	232	944-D	444
913-H	1036	944-E	800
915-B	710	945-B	372
917-A	1247	945-F	1042
917-B	950	945-Q	1076
917-E	1249	947-A	366
917-F	951	947-B	374
917-J	1280	947-L	382
917-K	953	949-A	1310
917-R	1280	949-B	1132
917-S	953	949-C	751
917-T	360	949-D	332
917-U	710	949-E	330
917-V	749	949-F	820
917-W	1300	949-G	930
917-X	1036	949-H	1284
917-Z	710	949-J	1270
917-ZA	710	949-L	376
920-A	1121	949-N	958
922-A	233	949-Q	384
923-A	1035	949-U	1274
940-B	978	949-V	898
940-C	896	949-W	980
940-D	284	949-X	824
940-E	239	950-A	352
940-F	286	950-B	352
940-G	536	951-A	836
940-H	900	951-C	362
940-K	756	961-A	836
DELCO-REMY SPLIT FIELD GENERATORS		S-47	
DELCO-REMY STABILIZING GENERATORS		S-47	

EQUIPMENT INDEX

DELCO-REMY STARTERS:

Model	Page
63	396
72	947
85	1047
86	743
100	948
102	736
104	1096
106	881
107	780
110	1107
114-A	945
117-A	701
126	905
130	538
136	861
161	538
164	640
170	428
172	814
177	503
178	968
179	720
180-A	1293
180-B	1288
180-C	806
181	640
181-A	1117
183	419
184-A	700
184-C	1117
185	654
185-A	1118
186-A	806
188-A	1118
189-A	1276
191	1084
194	1108
200	1178
208	722
209	1267
219	970
228	909
230	910
240	842
244	1367
248	1056
252	1085
254	815
261	971
262	1283

Model	Page
263	505
271	918
274	972
277	1057
278	1320
282	1058
283	280
286	657
290-B	1188
292	915
293-A	1293
293-B	744
297	1088
298-A	1029
299-B	1294
299-C	1294
300-A	1120
300-B	1120
303-A	1079
303-C	745
304-A	869
305-A	641
305-C	1289
305-E	682
306-A	1032
307-A	949
309-A	1222
310	1336
313	657
314	298
316	282
320	818
321	1338
323	916
326	974
334	1281
336	1090
339	754
349	302
350	424
354	976
355	1184
382	304
700-C	871
701-A	950
705-A	232
705-C	1034
705-D	1192
710-C	1100
710-D	232

DELCO-REMY STARTERS—Continued:

Model	Page	Model	Page
711-B	352	720-P	1304
711-BX	352	720-Q	749
711-E	712	720-R	747
712-A	836	720-V	750
712-D	362	720-W	334
712-F	366	720-YX	852
712-G	534	720-Z	1076
712-H	536	721-A	709
713-A	710	721-B	872
713-B	953	721-C	951
713-C	710	722-A	1035
713-F	710	722-B	360
713-G	954	723-A	1252
713-J	332	723-B	1266
714-A	236	724-C	363
714-C	824	724-E	1132
714-D	368	724-H	1274
714-E	896	724-J	756
714-F	958	725-A	286
714-G	898	725-B	764
714-H	980	725-C	766
715-B	1247	726-A	820
716-A	751	726-B	928
716-B	800	726-C	1284
716-C	244	727-A	336
717-A	330	728-A	384
718-A	248	732-A	364
720-C	1250	732-B	372
720-D	746	735-B	1121
720-G	1300	735-C	1121
720-J	749	736-A	1249
720-M	1254	741-A	1279
720-N	1262	741-B	1279

DELCO-REMY STARTER-GENERATORS:

Model	Page	Model	Page
1	288	59	1312
4	289	64	1312
13	1003	65	395
19	1003	66	662
20	661	68	946
24	290	69	270
35	1241	70	270
44	291	73	880
49	960	77	395
50	944	78	292
51	269	81	431
52	269	82	663
54	961	83	880
54-B	961	93	1313
56	268	94	272

EQUIPMENT INDEX

DELCO-REMY STARTER-GENERATORS—Continued:

Model	Page	Model	Page
98	293	188	665
117	274	193	783
121	273	207	1333
129-A	531	231	277
140	664	236	278
162	294	249	279
184	276	251	278
187	763	268	279

DETROIT: Starting and Lighting System, Single Unit 1169

DISCO: Generating and Starting System S-29

DIXIE MAGNETO S-75

DYNETO ENTZ SYSTEM S-44

DYNETO: Generating and Starting System, Single Unit S-32

DYNETO: Generating and Starting System, Two Unit S-33

DYNETO GENERATORS:

Model	Page	Model	Page
CA	902	C-204	943
VA	S-33	C-224	643
C-69	941	C-284	941
C-162	983	C-288	676
C-176	616	C-306	642
C-190	414	C-354	616

DYNETO STARTERS:

Model	Page	Model	Page
DA	902	D-204	943
.....	S-33	D-284	941
D-69	941	D-288	676
D-162	983	D-361	616
D-176	616	D-366	642
D-183	643	D-367	1078
D-190	414		

DYNETO STARTER-GENERATORS:

Model	Page	Model	Page
B	448	KIR	585
DSL-B	1115	K-4R	659

DYNETO VIBRATING REGULATOR S-33

EISEMAN AUTOMATIC SPARK ADVANCE S-36

EISEMAN MAGNETO:

Type A-8, BK and BL, Low Tension	S-40
Type EA, EU and ED, Independent and Dual	S-34
Type EB-4, Dual	S-39
Type EM-4 and EM-6, Dual	S-37
Type EMA-4 and EMA-6, Independent	S-36
Type G-4 and GR-4, Independent and Dual	S-38
Type GN-6, Independent	S-35

ELECTRO: Generating and Starting System S-41

ELECTROLOCK: Type 5-A S-42

ELECTROLOCK: Type 5-B S-43

ENTZ: Generating and Starting System S-44

ESTERLINE: Generating and Lighting System S-45

FORD: Genemotor System S-46

FORD: Gray-Davis System S-52

FORD: Heinze Springfield System S-54

FORD: Kemco System S-56

FORD: Liberty System 576

FORD: North East System, 24 volt S-65

FORD: North East System, 12 volt S-66

FORD: Simms Huff System S-71

FORD: Splitdorf System S-78

FORD: Vesta System S-87

FORD: Westinghouse System S-89

FORD MAGNETO 574

GASOLINE PUMPS S-8

GENEMOTOR SYSTEM: Ford Model T S-46

GENERATORS: Stabilizing and Split Field S-47

GRAY & DAVIS FORD SYSTEM S-52

GRAY & DAVIS GENERATORS:

Model	Page	Model	Page
C-1	805	258—See Model 250	
E	1364	270	864
T	714	400	1031
210	1026	413	1028
222	1026	604	387
226—See Model 222		605	774
228	864	606	1033
229—See Model 222		607	325
233—See Model 222		619	1044
240	1026	631	774
241—See Model 240		634	774
242—See Model 240		635	774
243—See Model 222		639	325
244—See Model 240		642	386
249—See Model 240		644	386
250	1026	647	774
251—See Model 250		650	774
252—See Model 250		801	258
257—See Model 250			

GRAY & DAVIS GOVERNOR: Type C-1 S-51

GRAY & DAVIS GOVERNOR: Type E and G-1 S-50

GRAY & DAVIS MANUAL PINION SHIFT S-48

GRAY & DAVIS STARTERS:

Model	Page	Model	Page
H-1	805	136	714
H-2	805	153	864
M-1	1364	500	387
V	864	502	1033
Y	1220	504	325
119—See Model 120		510	774
120	1026	513	258
126—See Model 120		515	1044
127—See Model 120		522	774
129—See Model 120		525	479
130—See Model 120		529	386
131—See Model 120		531	774
132—See Model 120		532	775

EQUIPMENT INDEX

GRAY & DAVIS STARTERS—Continued:

Model	Page	Model	Page
533	774	700	1033
534	774		

GRAY & DAVIS STARTER-GENERATOR: Model MG-9 1170

GRAY & DAVIS: Starting and Lighting System S-48

GRAY & DAVIS: Vibrating Regulator 1030

HEINZE SPRINGFIELD SYSTEM: Ford Model T S-54

JESCO: Generating and Starting System S-55

KEMCO SYSTEM: Ford Model T S-56

K-W MAGNETO: Type H, HT and HK, Independent S-58

K-W MAGNETO: Type T and TK, Independent S-57

LEECE NEVILLE GENERATORS:

Model	Page	Model	Page
C-400	645	338-G	556
CR-400	645	350-G	556
E-400	648	454-G	651
G-109	650	474-G	652
G-326	649	504-G	653
113-G	1332		

LEECE NEVILLE STARTERS:

Model	Page	Model	Page
B-300	644	347-M	556
DR-500	713	388-M	651
166-M	650	391-M	1332
186-M	648	447-M	653
318-M	649	448-M	652

LIBERTY SYSTEM: Ford 576

MEA MAGNETO: Type SC, SC-2 and SS Dual S-59

NAGEL GASOLINE GAUGE S-60

NATIONAL GASOLINE GAUGE S-61

NORTH EAST DISTRIBUTORS:

Model	Page	Model	Page
TU-10770	594	10833	624
10786	456	10834	626
10820	1130	10836	462
10820-A	1134	10846	464
10826	460	10863	622
10827	620		

NORTH EAST IGNITION: Model O 453

NORTH EAST IGNITION: Model T 1123

NORTH EAST GENERATORS:

Model	Page	Model	Page
L-3711	1123	LR-6334-B	456
LA-3938	587	MAT	1125
LB-6384	460	5394	1130
LB-6390	462	6446	622
LB-6390-A	464	6447	626
LR-3819	1124	6472	620

NORTH EAST STARTERS:

Model	Page	Model	Page
H	703	K-3936	587
K	703	R-3581	1123
		R-3581-A	1124

NORTH EAST STARTERS—Continued:

SB-6400	462	6304-A	456
SB-6404	460	6460	622
Model	Page	Model	Page
SBR-6237	1128	6462	626
6304	1134	6470	620

NORTH EAST STARTER-GENERATORS:

Model	Page	Model	Page
D-1264	452	GA-3804-A	455
G-3566	454	GF	586
G-3566-S	453		

NORTH EAST SYSTEM (1913) S-62

NORTH EAST STARTING AND LIGHTING SYSTEM (1913-14) S-64

NORTH EAST 24 VOLT SYSTEM: Ford Model T S-65

NORTH EAST 12 VOLT SYSTEM: Ford Model T S-66

NORTH EAST VIBRATING REGULATOR S-63

OWEN GENERATING AND STARTING SYSTEM 1001

OWEN MAGNETIC TRANSMISSION 1001

OWEN DYNETO GENERATORS:

Model	Page	Model	Page
CD-777	1022	CE-614	1160
CD-788	594	CE-680	1160
CD-800	1024	CG-678	1012
CE	590	CG-697	592
CE-523	1010		

OWEN DYNETO STARTERS:

Model	Page	Model	Page
DE-524	1010	DH-696	594
DE-607	1160	DM	1012
DG-646	1010	DM-696	1024
DH	1012		

PHILBRIN IGNITION: Model D 1201

REGULATING RESISTANCE: Bosch Rushmore Generator S-22

REGULATING RESISTANCE: Westinghouse Ignition 415

REMY DISTRIBUTOR TIMING S-30

REMY GENERATORS AND STARTERS—See Delco-Remy

REMY MAGNETO: Type L, S and T, Low Tension Dual S-68

REMY MAGNETO: Type P and 32, Low Tension Single Spark S-70

REMY MAGNETO: Type RL, Low Tension S-67

REMY MAGNETO: Type 30 and 31, Low Tension Two Spark S-70

REMY RELAY REGULATOR:

Model 263-C	1034
Model 263-F	1249
Model 264-A	1079
Model 264-B	1250
Model 264-C	1278

REMY THERMOSTAT 1294

REMY VIBRATING REGULATOR 1293

ROBBINS AND MEYERS: Starting and Lighting System 1168

RUSHMORE SYSTEM S-21

SCINTILLA MAGNETO: Type AM-4, AM-6 and AM-8 S-72

SCINTILLA MAGNETO: Type AG-4, AG-6 and AG-8 S-72

SCINTILLA MAGNETO: Type MP-2 and MG-2 S-72

SHALER LOCK S-74

EQUIPMENT INDEX

Title	Page
SIMMS: Generating and Starting System	1139
SIMMS HUFF: Generating and Starting System	835
SIMMS HUFF STARTER-GENERATOR: Model SMS-3	831
SIMMS HUFF SYSTEM: Ford Model T	S-71
SPLITDORF APELCO: 12 Volt Generating and Starting System	S-79
SPLITDORF: Dixie Magneto	S-75
SPLITDORF MAGNETO: Model B-2, B-4 and B-6	S-76
SPLITDORF RELAY REGULATOR	S-77
SPLITDORF STARTER-GENERATOR	S-79
SPLITDORF: Starting and Lighting System 30 Volt (Apelco)	S-5
SPLITDORF SYSTEM: Ford Model T	S-78
SPLITDORF: Two Unit Generating and Starting System	S-77
TEAGLE MAGNETO: Type 50, 60, 66, 77, 66-B and 77-V	S-81
TILT RAY HEADLAMPS	S-82
U.S.L. GENERATING-STARTING SYSTEM: External Reg. 12-6 Volt	S-84
U.S.L. GENERATING-STARTING SYSTEM: Inherent Reg. 12 Volt	S-85
U.S.L. GENERATING-STARTING SYSTEM: Inherent Reg. 24-12 Volt	S-86
U.S.L. STARTER-GENERATOR: Model E-207	261
U.S.L. REGULATOR	S-84
VESTA SYSTEM: Ford Model T	S-87

WAGNER GENERATORS:

Model	Page	Model	Page
46-V-5	1175	EM-303	884
EM-114	1243	EM-305	760
EM-126	1244	EM-316	527
EM-155	884	EM-326	1246
EM-157	1171	EM-337	906
EM-165	807	EM-338	1246
EM-169	1187	EM-341	884
EM-174	1172	EM-343	1173
EM-189	1113	EM-346	409
EM-200	527	EM-353	1174
EM-202	874	EM-355	1248
EM-214	1245	S-508	1260
EM-276	1197	S-509	1256
EM-277	781	S-602	1268
EM-278	906		

WAGNER STARTERS:

Model	Page	Model	Page
36-T	1175	EM-266	781
EM-113	1243	EM-272	884
EM-117	1244	EM-279	906
EM-154	1244	EM-291	409
EM-156	1172	EM-298	527
EM-158	1171	EM-320	760
EM-161	1187	EM-322	1113
EM-166	629	EM-353	906
EM-167	884	EM-356	1248
EM-180	526	EM-358	1174
EM-199	630	S-503	1260
EM-201	1245	S-533	1256
EM-218	807		

Title	Page
WARD LEONARD CONTROLLER: Type CC, CD and E	S-88
WARD LEONARD: Generating and Starting System	S-88
WARD LEONARD: Lighting System	739

WESTINGHOUSE GENERATORS:

Model	Page	Model	Page
34-ATI	634	250	1080
35-AT	685	251	1080
36-DT	685	256	415
36-GT	687	280	468
56-AT	844	400	758
57-GT	1224	400-I	809
57-IR	1164	400-R	678
77-R	1163	450	758
150	741	450-R	840
200	321	521	790
201	557	760	683
202	867	762-R	855
203	1200	765	804
207	1203	780-R	417
208	867	781	1136
208-R	317	781-IR	845
209-R	317	781-R	1083
211	557	782-R	418
230	771	787-R	794
240	758	788-R	792
246-R	1082		

WESTINGHOUSE IGNITION: Horizontal Type	468
--	-----

WESTINGHOUSE IGNITION: Type SC	841
--------------------------------------	-----

WESTINGHOUSE IGNITION: Vertical Type	415
--	-----

WESTINGHOUSE PINION SHIFT: Old Type	1080
---	------

WESTINGHOUSE MAGNETIC PINION SHIFT: New Type	1083
--	------

WESTINGHOUSE REGULATOR: Cam Type	855
--	-----

WESTINGHOUSE STARTERS:

Model	Page	Model	Page
33-AB	684	700	678
59-AO	687	710	759
100	683	711	809
300	771	750	839
310	771	751	737
311	790	755	1221
315	469	771	856
318	758	775	790
380	772	776	856
390	838	777	791
501	1080	778	845
502	415	779	794
532	557		

WESTINGHOUSE STARTER-GENERATOR: Model 600	677
---	-----

WESTINGHOUSE SYSTEM: Ford Model T	S-89
---	------

WESTINGHOUSE VIBRATING REGULATOR	840
--	-----